

TABLE 18: PHYSICAL QUALITY FACTORS OF WHITE MAIZE ACCORDING TO GRADE 2003/2004

Number of samples	Region	Hectolitre mass kg/hl			100 kernel mass (g)			Kernel size (%)									Breakability (g)						Stress cracks (%)		
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve			Above 8mm sieve			Below 8 mm sieve			< 6.3mm sieve			< 4.75mm sieve			ave.	min.	max.
								ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			
GRADE: WM 1																									
3	Region 8	78.3	77.1	80.1	33.2	27.5	41.5	17.8	17.0	49.2	50.0	45.2	56.4	32.3	2.5	53.1	1.1	0.4	1.6	0.6	0.2	0.9	8	6	9
3	Region 10	80.4	79.7	81.0	32.8	31.9	33.6	4.0	2.5	6.7	66.9	56.9	78.0	29.1	15.3	40.6	1.0	0.5	1.9	0.7	0.2	1.5	3	0	6
8	Region 11	78.8	77.5	81.1	36.8	31.0	41.3	32.2	9.2	47.8	51.8	44.9	60.3	16.0	4.9	40.7	1.0	0.5	2.1	0.8	0.3	1.5	6	4	10
6	Region 12	78.4	77.1	80.2	35.4	32.6	38.4	27.5	20.6	33.7	63.7	58.2	70.9	8.8	5.3	12.3	1.1	0.1	1.7	0.8	0.1	1.4	5	1	8
4	Region 13	78.1	76.7	78.9	34.3	30.9	37.8	30.7	29.4	33.8	60.7	59.2	62.8	8.6	6.9	11.1	1.2	0.6	1.6	0.9	0.5	1.1	4	2	6
12	Region 14	77.9	76.3	79.6	35.3	31.0	38.4	32.3	19.5	45.4	58.8	46.9	63.5	8.9	3.5	17.0	1.6	0.5	2.9	1.2	0.4	2.6	5	1	9
6	Region 15	79.2	78.5	79.7	35.0	32.3	42.9	24.1	11.2	32.3	57.5	54.4	60.8	18.5	6.9	28.9	1.0	0.5	1.7	0.8	0.4	1.3	4	0	13
11	Region 16	78.1	75.0	81.2	38.5	30.9	58.8	32.3	18.0	41.7	59.8	48.4	67.3	8.0	3.1	14.7	1.0	0.2	1.7	0.7	0.1	1.3	3	2	4
13	Region 17	78.0	76.2	79.7	35.9	30.6	39.5	29.8	4.7	42.7	61.7	51.5	74.1	8.6	2.2	21.2	1.0	0.3	2.0	0.7	0.2	1.4	7	2	26
14	Region 18	78.1	75.8	79.3	37.1	33.2	39.6	34.0	22.9	45.1	59.5	49.5	67.5	6.5	3.9	9.6	1.1	0.5	2.1	0.8	0.2	1.4	6	3	12
8	Region 19	77.4	75.9	79.7	35.1	30.0	42.4	28.5	15.1	34.3	62.5	58.5	72.9	9.0	5.1	13.4	1.4	0.1	2.6	1.1	0.0	2.1	5	2	13
7	Region 20	75.9	71.2	78.5	37.5	35.2	41.7	37.3	32.0	51.9	57.9	46.0	63.4	4.8	2.1	7.3	1.2	0.4	1.9	0.9	0.3	1.6	4	1	7
21	Region 21	77.9	73.9	80.1	36.7	32.0	54.2	27.9	16.3	43.0	61.9	49.8	67.9	10.2	1.3	17.6	1.6	0.5	3.3	1.2	0.5	2.7	7	2	26
33	Region 22	79.7	77.5	81.6	38.5	32.4	51.1	34.0	21.0	41.2	58.3	38.1	68.6	7.7	3.5	12.7	0.9	0.2	2.7	0.6	0.1	1.5	6	0	18
97	Region 23	79.2	75.6	81.7	37.0	24.0	50.5	30.2	2.5	52.8	58.8	42.1	74.6	11.0	1.5	34.6	1.1	0.2	4.0	0.8	0.0	3.1	6	0	19
57	Region 24	79.5	76.3	83.2	36.1	26.9	44.2	27.6	0.4	65.5	56.2	33.4	71.6	16.1	1.0	64.9	1.1	0.1	5.6	0.8	0.0	5.4	6	0	58
10	Region 25	76.3	73.4	80.2	32.8	29.0	38.0	19.1	5.5	40.9	64.2	48.5	72.8	16.7	10.6	30.8	1.4	0.4	3.3	0.9	0.4	1.9	11	3	37
15	Region 26	77.1	71.2	79.7	34.1	29.6	39.9	20.4	3.6	34.5	66.4	57.3	75.5	13.1	7.1	20.9	1.4	0.6	3.6	0.9	0.3	2.2	8	4	18
10	Region 27	78.6	76.6	80.3	36.8	34.2	40.0	26.6	18.4	34.5	65.2	60.1	73.6	8.2	5.4	10.8	1.2	0.4	2.5	0.9	0.1	2.0	8	3	28
16	Region 28	77.8	75.2	79.4	36.2	31.9	40.6	37.6	15.4	57.1	53.5	36.8	70.8	8.9	2.5	24.4	1.9	0.3	5.3	1.3	0.2	3.7	8	2	23
7	Region 29	78.3	77.9	78.7	37.3	30.4	39.2	27.4	16.7	44.1	63.5	51.2	71.9	9.1	4.7	17.6	0.8	0.3	1.3	0.5	0.2	1.0	7	3	14
1	Region 30	76.8	76.8	76.8	35.3	35.3	35.3	34.6	34.6	34.6	59.5	59.5	59.5	5.9	5.9	5.9	0.9	0.9	0.9	0.8	0.8	0.8	2	2	2
4	Region 32	77.9	77.1	78.7	36.3	33.5	38.7	34.0	23.3	42.0	58.7	53.9	65.5	7.3	4.1	11.2	0.8	0.2	1.2	0.5	0.0	0.8	5	4	6
40	Region 34	77.7	74.5	79.8	37.0	23.9	44.5	33.6	16.6	65.5	58.3	33.0	70.7	8.1	1.5	16.7	1.0	0.0	1.7	0.7	0.0	1.5	8	1	16
7	Region 35	76.4	69.0	79.7	34.9	29.0	41.2	27.4	16.9	41.1	60.6	54.7	69.6	12.0	2.2	28.4	1.5	0.9	2.1	1.1	0.6	1.5	4	1	7
6	Region 36	78.9	77.5	79.9	33.9	30.3	39.2	16.1	4.7	28.9	61.0	52.4	67.7	22.9	6.8	42.9	2.7	1.3	8.0	1.8	0.7	5.3	11	4	30
419	Ave WM 1	78.5			36.4			29.6			59.1			11.2			1.2			0.9			7		
	Min WM 1		69.0			23.9			0.4			33.0		1.0				0.0			0.0		0		
	Max WM 1			83.2			58.8			65.5			78.0			64.9			8.0			5.4			58

**TABLE 18: PHYSICAL QUALITY FACTORS OF WHITE MAIZE ACCORDING TO GRADE 2003/2004
(continue)**

Number of samples	Region	Hectolitre mass			100			Kernel size (%)									Breakability (g)						Stress cracks (%)					
		kg/hl			kernel mass (g)			Above 10 mm sieve			Above 8mm sieve			Below 8 mm sieve			< 6.3mm sieve			< 4.75mm sieve								
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: WM 2																												
1	Region 11	76.7	76.7	76.7	35.4	35.4	35.4	33.5	33.5	33.5	55.4	55.4	55.4	11.1	11.1	11.1	2.1	2.1	2.1	1.8	1.8	1.8	8	8	8			
7	Region 12	78.0	76.1	79.9	36.1	29.6	41.0	32.8	16.1	48.4	59.0	46.6	69.1	8.2	4.5	16.7	2.5	1.2	1.9	1.8	0.9	3.7	6	3	16			
3	Region 13	77.5	76.3	78.5	36.3	34.3	39.6	26.1	20.5	32.6	64.5	59.1	69.7	9.3	8.3	9.9	1.6	0.9	2.3	1.3	0.8	1.7	4	2	5			
7	Region 14	78.2	76.7	79.6	35.9	30.9	41.7	30.6	19.6	53.5	60.9	43.2	70.5	8.5	3.3	12.6	1.4	0.8	1.2	1.2	0.8	1.8	4	0	10			
2	Region 15	78.5	78.1	78.8	33.4	32.5	34.2	30.6	29.4	31.7	59.8	59.4	60.1	9.7	8.2	11.2	0.9	0.6	0.6	0.6	0.5	0.7	6	1	11			
1	Region 16	80.3	80.3	80.3	37.8	37.8	37.8	32.5	32.5	32.5	60.7	60.7	60.7	6.8	6.8	6.8	0.6	0.6	1.9	0.6	0.6	0.6	5	5	5			
7	Region 17	78.5	76.8	79.7	37.2	33.3	40.1	30.0	22.1	36.5	62.5	57.5	67.3	7.5	5.2	12.0	1.0	0.0	6.0	0.8	0.0	1.5	5	1	9			
11	Region 18	77.1	74.4	78.8	36.1	29.6	39.6	30.9	15.2	43.9	60.9	52.5	70.5	8.1	3.5	14.3	1.9	0.8	2.8	1.6	0.8	4.9	5	1	14			
5	Region 19	75.7	74.8	76.5	35.6	32.4	37.8	32.8	13.9	42.8	60.6	51.8	70.1	7.1	4.4	16.0	2.1	1.2	2.8	1.6	0.9	2.1	5	1	10			
5	Region 20	76.2	74.4	78.2	34.5	30.5	36.5	33.5	26.0	41.1	59.7	53.9	64.6	6.7	5.0	9.4	1.6	0.7	3.9	1.2	0.6	2.3	4	1	6			
7	Region 21	76.7	75.0	78.3	35.9	32.8	40.7	34.1	26.3	52.9	58.8	44.3	64.9	7.1	2.8	8.8	2.0	0.9	4.2	1.3	0.6	2.1	11	4	26			
10	Region 22	77.5	75.0	79.4	36.7	32.8	40.8	35.1	21.4	49.7	57.6	46.7	69.8	7.4	3.6	10.5	1.8	0.5	3.3	1.3	0.4	3.2	5	1	9			
40	Region 23	78.1	71.6	81.4	36.6	27.4	42.6	32.9	2.4	63.2	55.7	33.9	69.9	11.4	2.0	50.9	1.4	0.5	13.1	1.0	0.4	2.5	7	3	17			
12	Region 24	78.1	73.8	80.3	34.9	28.9	39.6	25.5	0.4	60.7	54.6	33.8	66.4	19.9	4.4	61.2	2.2	0.1	7.7	1.5	0.1	8.3	10	1	47			
4	Region 25	70.8	63.8	76.8	29.0	23.7	36.3	18.6	8.7	30.4	66.6	61.3	71.3	14.8	8.3	23.7	3.8	1.1	2.4	2.7	1.0	4.9	7	4	9			
4	Region 26	77.1	75.2	79.0	34.1	31.0	36.9	17.2	14.0	19.6	67.2	63.9	71.5	15.6	11.1	18.8	1.4	0.4	2.0	0.9	0.3	1.8	6	2	10			
1	Region 27	77.5	77.5	77.5	36.8	36.8	36.8	38.3	38.3	38.3	55.0	55.0	55.0	6.7	6.7	6.7	2.0	2.0	15.0	1.4	1.4	1.4	8	8	8			
4	Region 28	77.1	74.7	79.0	35.2	31.6	40.6	29.7	19.1	44.4	60.9	49.7	74.1	9.5	5.9	13.4	5.3	1.2	1.5	3.5	1.0	9.5	19	3	57			
2	Region 29	76.5	75.8	77.2	35.3	33.8	36.8	33.8	33.4	34.2	58.7	58.4	58.9	7.6	6.9	8.2	1.3	1.1	0.7	0.9	0.8	1.0	6	2	9			
1	Region 30	75.0	75.0	75.0	34.7	34.7	34.7	29.8	29.8	29.8	62.2	62.2	62.2	8.0	8.0	8.0	0.7	0.7	0.3	0.5	0.5	0.5	3	3	3			
1	Region 31	79.4	79.4	79.4	41.7	41.7	41.7	64.6	64.6	64.6	31.0	31.0	31.0	4.4	4.4	4.4	0.3	0.3	1.3	0.0	0.0	0.0	8	8	8			
1	Region 32	76.8	76.8	76.8	33.9	33.9	33.9	21.9	21.9	21.9	69.2	69.2	69.2	8.9	8.9	8.9	1.3	1.3	3.2	1.0	1.0	1.0	6	6	6			
10	Region 34	76.8	72.3	79.0	35.6	28.3	40.4	29.7	7.0	48.3	59.5	47.7	75.1	10.8	4.0	23.1	1.2	0.2	2.1	0.9	0.2	2.2	6	2	17			
2	Region 36	79.3	79.2	79.4	31.7	29.1	34.2	8.3	4.4	12.1	54.8	48.5	61.0	37.0	26.9	47.1	1.8	1.5	98.5	1.0	0.7	1.3	3	2	4			
148	Ave WM 2	77.4			35.8			30.7			58.6			10.8			1.8			1.3			7					
	Min WM 2	63.8			23.7			0.4			31.0			2.0			0.0			0.0			0					
	Max WM 2	81.4			42.6			64.6			75.1			61.2			15.0			9.5			57					

**TABLE 18: PHYSICAL QUALITY FACTORS OF WHITE MAIZE ACCORDING TO GRADE 2003/2004
(continue)**

Number of samples	Region	Hectolitre mass kg/hl			100 kernel mass (g)			Kernel size (%)									Breakability (g)						Stress cracks (%)		
								Above 10 mm sieve			Above 8mm sieve			Below 8 mm sieve			< 6.3mm sieve			< 4.75mm sieve					
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: WM 3																									
1	Region 13	75.2	75.2	75.2	33.5	33.5	33.5	21.5	21.5	21.5	68.1	68.1	68.1	10.4	10.4	10.4	1.7	1.7	1.7	1.4	1.4	1.4	3	3	3
2	Region 14	76.0	74.1	77.8	32.1	31.2	32.9	27.2	20.5	33.8	63.1	56.4	69.7	9.8	9.8	9.8	2.5	2.2	2.7	1.8	1.4	2.2	6	1	11
1	Region 15	79.9	79.9	79.9	37.2	37.2	37.2	46.2	46.2	46.2	49.5	49.5	49.5	4.3	4.3	4.3	1.9	1.9	1.9	1.5	1.5	1.5	7	7	7
1	Region 16	80.2	80.2	80.2	38.6	38.6	38.6	35.8	35.8	35.8	58.9	58.9	58.9	5.3	5.3	5.3	1.9	1.9	1.9	1.3	1.3	1.3	7	7	7
3	Region 17	76.7	74.7	78.8	36.8	34.3	38.3	35.0	23.7	45.3	58.8	51.4	70.7	6.1	3.3	9.5	1.2	1.0	1.4	0.9	0.7	1.2	5	4	7
1	Region 18	74.8	74.8	74.8	34.9	34.9	34.9	28.6	28.6	28.6	62.7	62.7	62.7	8.7	8.7	8.7	5.1	5.1	5.1	3.9	3.9	3.9	23	23	23
2	Region 19	74.7	74.1	75.2	37.2	34.9	39.5	24.7	19.7	29.6	68.5	61.9	75.1	6.9	5.2	8.5	1.0	0.9	1.1	0.8	0.6	1.0	4	3	4
3	Region 20	74.9	74.5	75.4	33.8	33.1	34.7	26.2	15.8	39.0	63.6	55.0	69.3	10.2	6.0	17.6	2.6	2.2	3.2	1.8	1.5	2.0	4	3	5
1	Region 21	75.0	75.0	75.0	31.7	31.7	31.7	22.6	22.6	22.6	65.9	65.9	65.9	11.5	11.5	11.5	2.3	2.3	2.3	1.7	1.7	1.7	7	7	7
4	Region 22	76.3	73.8	77.6	38.3	34.4	40.5	37.0	29.1	47.1	56.9	46.3	65.3	6.1	5.6	6.6	1.5	0.7	2.2	1.2	0.6	1.6	6	1	11
2	Region 23	77.3	77.1	77.4	38.2	36.5	39.8	34.5	33.7	35.3	59.1	58.9	59.3	6.4	5.4	7.4	1.4	1.1	1.7	0.9	0.8	1.1	6	6	6
1	Region 24	78.5	78.5	78.5	33.2	33.2	33.2	13.0	13.0	13.0	69.6	69.6	69.6	17.4	17.4	17.4	0.7	0.7	0.7	0.5	0.5	0.5	2	2	2
1	Region 27	74.0	74.0	74.0	32.0	32.0	32.0	14.8	14.8	14.8	68.8	68.8	68.8	16.4	16.4	16.4	4.0	4.0	4.0	2.3	2.3	2.3	5	5	5
3	Region 29	77.2	75.0	79.0	38.2	35.3	41.1	29.6	19.9	37.7	63.0	56.2	71.9	7.4	6.1	8.2	1.7	1.1	2.2	1.1	0.7	1.4	6	4	8
1	Region 30	74.8	74.8	74.8	39.2	39.2	39.2	12.7	12.7	12.7	77.7	77.7	77.7	9.6	9.6	9.6	1.8	1.8	1.8	1.6	1.6	1.6	0	0	0
1	Region 34	75.9	75.9	75.9	36.6	36.6	36.6	27.4	27.4	27.4	65.6	65.6	65.6	7.0	7.0	7.0	1.6	1.6	1.6	1.2	1.2	1.2	4	4	4
28	Ave WM 3	76.3			36.1			29.1			62.6			8.3			1.9			1.4			6		
	Min WM 3	73.8			31.2			12.7			46.3			3.3			0.7			0.5			0		
	Max WM 3	80.2			41.1			47.1			77.7			17.6			5.1			3.9			23		
GRADE: COM																									
1	Region 12	74.9	74.9	74.9	31.4	31.4	31.4	27.1	27.1	27.1	63.9	63.9	63.9	9.0	9.0	9.0	4.2	4.2	4.2	3.1	3.1	3.1	4	4	4
1	Region 17	79.3	79.3	79.3	36.6	36.6	36.6	23.6	23.6	23.6	65.1	65.1	65.1	11.3	11.3	11.3	2.5	2.5	2.5	2.5	2.5	2.5	3	3	3
1	Region 20	66.9	66.9	66.9	35.1	35.1	35.1	24.0	24.0	24.0	66.4	66.4	66.4	9.6	9.6	9.6	0.8	0.8	0.8	0.6	0.6	0.6	3	3	3
1	Region 23	75.6	75.6	75.6	38.4	38.4	38.4	46.4	46.4	46.4	49.7	49.7	49.7	3.9	3.9	3.9	2.6	2.6	2.6	2.4	2.4	2.4	2	2	2
4	Ave COM	74.2			35.4			30.3			61.3			8.5			2.5			2.2			3		
	Min COM	66.9			31.4			23.6			49.7			3.9			0.8			0.6			2		
	Max COM	79.3			38.4			46.4			66.4			11.3			4.2			3.1			4		
599 Ave white maize																									
	Min white maize	78.1			36.2			29.9			59.2			11.0			1.4			1.0			6		
	Max white maize	63.8			23.7			0.4			31.0			1.0			0.0			0.0			0		
		83.2			58.8			65.5			78.0			64.9			15.0			9.5			58		
900 Ave maize																									
	Min maize	77.8			35.5			26.6			61.3			12.1			1.5			1.1			7		
	Max maize	63.8			23.7			0.4			31.0			0.8			0.0			0.0			0		
		83.2			62.9			65.5			79.4			64.9			22.0			21.5			60		

**TABLE 18: PHYSICAL QUALITY FACTORS OF WHITE MAIZE 2003/2004
(continue)**

Number of samples	Region	Hectolitre mass kg/hl			100 kernel mass (g)			Kernel size (%)									Breakability (g)						Stress cracks (%)		
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve			Above 8mm sieve			Below 8 mm sieve			< 6.3mm sieve			< 4.75mm sieve			ave.	min.	max.
								ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			
WHITE																									
3	Region 8	78.3	77.1	80.1	33.2	27.5	41.5	17.8	1.7	49.2	50.0	45.2	56.4	32.3	2.5	53.1	1.1	0.4	1.6	0.6	0.2	0.9	8	6	9
3	Region 10	80.4	79.7	81.0	32.8	31.9	33.6	4.0	2.5	6.7	66.9	56.9	78.0	29.1	15.3	40.6	1.0	0.5	1.9	0.7	0.2	1.5	3	0	6
9	Region 11	78.6	76.7	81.1	36.7	31.0	41.3	32.3	9.2	47.8	52.2	44.9	60.3	15.5	4.9	40.7	1.2	0.5	2.1	0.9	0.3	1.8	6	4	10
14	Region 12	77.9	74.9	80.2	35.4	29.6	41.0	30.1	16.1	48.4	61.4	46.6	70.9	8.5	4.5	16.7	2.0	0.1	5.8	1.5	0.1	3.7	5	1	16
8	Region 13	77.5	75.2	78.9	34.9	30.9	39.6	27.9	20.5	33.8	63.1	59.1	69.7	9.1	6.9	11.1	1.4	0.6	1.9	1.1	0.5	1.7	4	2	6
21	Region 14	77.8	74.1	79.6	35.2	30.9	41.7	31.2	19.5	53.5	59.9	43.2	70.5	8.9	3.3	17.0	1.6	0.5	2.9	1.3	0.4	2.6	5	0	11
9	Region 15	79.1	78.1	79.9	34.8	32.3	42.9	28.0	11.2	46.2	57.1	49.5	60.8	14.9	4.3	28.9	1.1	0.5	1.9	0.8	0.4	1.5	5	0	13
13	Region 16	78.5	75.0	81.2	38.4	30.9	58.8	32.5	18.0	41.7	59.8	48.4	67.3	7.7	3.1	14.7	1.0	0.2	1.9	0.7	0.1	1.3	3	2	7
24	Region 17	78.0	74.7	79.7	36.4	30.6	40.1	30.2	4.7	45.3	61.7	51.4	74.1	8.1	2.2	21.2	1.1	0.0	2.5	0.8	0.0	2.5	6	1	26
26	Region 18	77.5	74.4	79.3	36.6	29.6	39.6	32.5	15.2	45.1	60.2	49.5	70.5	7.3	3.5	14.3	1.6	0.5	6.0	1.2	0.2	4.9	6	1	23
15	Region 19	76.4	74.1	79.7	35.5	30.0	42.4	29.3	13.9	42.8	62.7	51.8	75.1	8.1	4.4	16.0	1.6	0.1	2.8	1.2	0.0	2.1	5	1	13
16	Region 20	75.2	66.9	78.5	35.7	30.5	41.7	33.2	15.8	51.9	60.1	46.0	69.3	6.7	2.1	17.6	1.6	0.4	3.2	1.1	0.3	2.3	4	1	7
29	Region 21	77.5	73.9	80.1	36.4	31.7	54.2	29.2	16.3	52.9	61.3	44.3	67.9	9.5	1.3	17.6	1.7	0.5	3.9	1.2	0.5	2.7	8	2	26
47	Region 22	78.9	73.8	81.6	38.1	32.4	51.1	34.5	21.0	51.2	58.0	38.1	69.8	7.5	3.5	12.7	1.2	0.2	4.2	0.8	0.1	3.2	6	0	18
140	Region 23	78.9	71.6	81.7	36.9	24.0	50.5	31.1	2.4	63.2	57.9	33.9	74.6	11.0	1.5	50.9	1.2	0.2	4.0	0.9	0.0	3.1	6	0	19
70	Region 24	79.2	73.8	83.2	35.8	26.9	44.2	27.1	0.4	65.5	56.1	33.4	71.6	16.8	1.0	64.9	1.3	0.1	13.1	0.9	0.0	8.3	7	0	58
14	Region 25	74.7	63.8	80.2	31.8	23.7	38.0	19.0	5.5	40.9	64.9	48.5	72.8	16.2	8.3	30.8	2.0	0.4	7.7	1.4	0.4	4.9	10	3	37
19	Region 26	77.1	71.2	79.7	34.1	29.6	39.9	19.7	3.6	34.5	66.6	57.3	75.5	13.7	7.1	20.9	1.4	0.4	3.6	0.9	0.3	2.2	8	2	18
12	Region 27	78.1	74.0	80.3	36.4	32.0	40.0	26.6	14.8	38.3	64.7	55.0	73.6	8.8	5.4	16.4	1.5	0.4	4.0	1.1	0.1	2.3	8	3	28
20	Region 28	77.6	74.7	79.4	36.0	31.6	40.6	36.0	15.4	57.1	55.0	36.8	74.1	9.0	2.5	24.4	2.6	0.3	15.0	1.7	0.2	9.5	10	2	57
12	Region 29	77.7	75.0	79.0	37.2	30.4	41.1	29.0	16.7	44.1	62.6	51.2	71.9	8.4	4.7	17.6	1.1	0.3	2.2	0.7	0.2	1.4	6	2	14
3	Region 30	75.5	74.8	76.8	36.4	34.7	39.2	25.7	12.7	34.6	66.5	59.5	77.7	7.8	5.9	9.6	1.1	0.7	1.8	1.0	0.5	1.6	2	0	3
1	Region 31	79.4	79.4	79.4	41.7	41.7	41.7	64.6	64.6	64.6	31.0	31.0	31.0	4.4	4.4	4.4	0.3	0.3	0.3	0.0	0.0	0.0	8	8	8
5	Region 32	77.7	76.8	78.7	35.8	33.5	38.7	31.6	21.9	42.0	60.8	53.9	69.2	7.6	4.1	11.2	0.9	0.2	1.3	0.6	0.0	1.0	5	4	6
51	Region 34	77.5	72.3	79.8	36.7	23.9	44.5	32.7	7.0	65.5	58.6	33.0	75.1	8.6	1.5	23.1	1.1	0.0	3.2	0.8	0.0	2.2	8	1	17
7	Region 35	76.4	69.0	79.7	34.9	29.0	41.2	27.4	16.9	41.1	60.6	54.7	69.6	12.0	2.2	28.4	1.5	0.9	2.1	1.1	0.6	1.5	4	1	7
8	Region 36	79.0	77.5	79.9	33.4	29.1	39.2	14.1	4.4	28.9	59.4	48.5	67.7	26.5	6.8	47.1	2.4	1.3	8.0	1.6	0.7	5.3	9	2	30
599	Ave white	78.1			36.2			29.9			59.2			11.0			1.4			1.0			6		
	Min white	63.8			23.7			0.4			31.0			1.0			0.0			0.0			0		
	Max white	83.2			58.8			65.5			78.0			64.9			15.0			9.5			58		