

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015

Region	Grade	Aflatoxin µg/kg					Fumonisin µg/kg					Ochratoxin A µg/kg					Zearalenone µg/kg					HT-2 µg/kg					T-2 µg/kg				
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	Total LOQ: 20 µg/kg	B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg	Total LOQ: 100 µg/kg	DON µg/kg	15-ADON µg/kg	LOQ: 100 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOD: ND	LOQ: ND	LOD: ND	LOQ: ND	LOD: ND	LOQ: ND	LOD: ND	LOQ: ND	LOD: ND	LOQ: ND	LOD: ND	LOQ: ND	LOD: ND		
10	YM1	ND	ND	ND	ND	90	ND	ND	ND	90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
10	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
10	YM2	ND	ND	ND	ND	ND	ND	51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
10	YM1	ND	ND	ND	ND	193	30	ND	223	303	151	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
10	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
10	YM1	ND	ND	ND	ND	ND	ND	40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
10	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
11	WM1	ND	ND	ND	ND	306	67	26	399	358	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
11	YM1	ND	ND	ND	ND	ND	ND	ND	ND	379	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
11	YM2	ND	ND	ND	ND	ND	ND	52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
12	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
12	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
12	YM2	ND	ND	ND	ND	ND	ND	ND	ND	82	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
12	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
12	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
12	WM1	33	9	6	ND	48	913	268	53	1 234	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				
12	WM2	ND	ND	ND	ND	ND	481	107	41	629	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
12	WM1	ND	ND	ND	ND	ND	ND	151	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	YM1	ND	ND	ND	ND	ND	ND	ND	273	74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	YM1	ND	ND	ND	ND	ND	ND	ND	ND	646	227	36	909	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	WM1	ND	ND	ND	ND	ND	ND	ND	ND	1 519	391	91	2 001	117	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	YM1	ND	ND	ND	ND	ND	ND	ND	ND	744	174	47	965	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	WM1	ND	ND	ND	ND	ND	ND	ND	ND	69	ND	ND	ND	69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	WM3	ND	ND	ND	ND	ND	ND	ND	ND	261	72	ND	ND	333	272	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	YM3	ND	ND	ND	ND	ND	ND	ND	ND	427	83	25	535	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
13	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continued)

Region	Grade	Aflatoxin µg/kg					Fumonisin µg/kg					Ochratoxin A µg/kg					Zearalenone µg/kg			HT-2 µg/kg		
		G ₁	B ₁	G ₂	B ₂	Total	LOQ: 20 µg/kg	LOQ: 20 µg/kg	B ₁	B ₂	B ₃	Total	LOQ: 100 µg/kg	LOQ: 100 µg/kg	DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	HT-2 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	T-2 µg/kg	
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	Total	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	Total	LOQ: 100 µg/kg	LOQ: 100 µg/kg	ND	ND	ND	ND	ND	ND	ND	
13	WM1	ND	ND	ND	ND	ND	658	160	44	862	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
13	YM2	ND	ND	ND	ND	ND	1 440	377	180	1 997	289	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	YM1	ND	ND	ND	ND	ND	79	24	ND	103	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	WM2	ND	ND	ND	ND	ND	109	21	ND	130	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	ND	436	145	39	620	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	WM1	ND	ND	ND	ND	ND	230	44	ND	274	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	WM1	ND	ND	ND	ND	ND	72	ND	ND	72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	WM2	ND	ND	ND	ND	ND	683	176	51	910	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	167	29	ND	196	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM2	ND	ND	ND	ND	ND	136	21	ND	157	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	575	196	42	813	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	215	49	ND	264	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	318	89	24	431	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	183	58	ND	241	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	WM1	ND	ND	ND	ND	ND	72	23	ND	95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	102	25	ND	127	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	WM1	ND	ND	ND	ND	ND	69	22	ND	91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	WM1	ND	ND	ND	ND	ND	748	181	84	1 013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
15	WM1	ND	ND	ND	ND	ND	115	41	ND	156	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
16	COM	ND	ND	ND	ND	ND	92	24	ND	116	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
16	WM1	ND	ND	ND	ND	ND	133	44	ND	177	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
16	WM1	ND	ND	ND	ND	ND	523	138	48	709	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	151	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM2	ND	ND	ND	ND	ND	1 068	283	88	1 439	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM3	ND	ND	26	ND	13	39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg				DON µg/kg				Ochratoxin µg/kg		Zearalenone µg/kg		HT-2 µg/kg		T-2 µg/kg	
		G ₁	B ₁	G ₂	B ₂	Total	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	Total	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	
17	YM2	ND	ND	ND	ND	95	28	ND	123	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM1	ND	ND	ND	ND	102	20	ND	122	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	YM1	ND	ND	ND	ND	115	28	ND	143	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	YM2	ND	ND	ND	ND	65	21	ND	86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM1	ND	ND	ND	ND	30	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM1	ND	ND	ND	ND	40	ND	ND	40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM1	ND	ND	ND	ND	66	ND	ND	66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	YM1	ND	ND	ND	ND	1 807	323	70	2 200	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	YM1	ND	ND	ND	ND	ND	ND	33	ND	ND	33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM1	ND	ND	ND	ND	ND	ND	77	ND	ND	77	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM1	ND	ND	ND	ND	ND	ND	151	42	ND	193	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	YM2	ND	ND	ND	ND	ND	ND	77	22	ND	99	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	WM1	ND	ND	ND	ND	ND	ND	84	30	ND	114	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
17	YM1	ND	ND	ND	ND	ND	ND	348	78	33	459	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
18	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
18	WM1	ND	ND	ND	ND	ND	ND	149	88	ND	237	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
18	YM1	ND	ND	ND	ND	ND	ND	34	ND	ND	34	103	ND	ND	ND	ND	ND	ND	ND	ND	ND
18	WM3	ND	ND	ND	ND	ND	ND	64	20	ND	84	1 391	290	ND	93	ND	ND	ND	ND	ND	ND
18	WM2	ND	ND	ND	ND	ND	ND	607	181	33	821	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
18	YM3	ND	ND	ND	ND	ND	ND	81	20	ND	101	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	WM1	ND	ND	ND	ND	ND	ND	111	29	ND	140	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	YM2	ND	ND	ND	ND	ND	ND	467	116	21	604	242	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	WM1	ND	ND	ND	ND	ND	ND	111	24	ND	135	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	YM1	ND	ND	ND	ND	ND	ND	247	51	ND	298	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	YM1	ND	ND	ND	ND	ND	ND	261	98	ND	359	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg				DON µg/kg				Ochratoxin A µg/kg		Zearalenone µg/kg		HT-2 µg/kg		T-2 µg/kg	
		G ₁	B ₁	G ₂	B ₂	Total	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	Total	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	
19	WM2	ND	ND	ND	ND	50	ND	ND	50	103	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	WM1	ND	ND	ND	ND	554	165	36	755	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	YM1	ND	ND	ND	ND	45	ND	ND	45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	WM2	ND	ND	ND	ND	76	20	ND	96	164	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	WM1	ND	ND	ND	ND	573	115	41	729	160	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	YM1	ND	ND	ND	ND	201	33	ND	234	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	YM1	ND	ND	ND	ND	47	ND	ND	47	191	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
19	WM1	ND	ND	ND	ND	141	39	ND	180	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	WM1	ND	ND	ND	ND	248	67	20	335	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	YM2	ND	ND	ND	ND	115	23	ND	138	304	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	WM3	ND	6	ND	ND	6	108	ND	108	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	YM1	ND	ND	ND	ND	695	181	33	909	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	WM1	ND	ND	ND	ND	22	ND	ND	22	197	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	WM1	ND	ND	ND	ND	31	ND	ND	31	236	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	WM1	ND	ND	ND	ND	392	67	27	486	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	WM1	ND	ND	ND	ND	45	ND	ND	45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	YM3	ND	ND	ND	ND	218	54	ND	272	164	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	YM1	ND	ND	ND	ND	63	23	ND	86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	COM	ND	ND	ND	ND	54	ND	ND	54	136	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	WM1	ND	ND	ND	ND	107	ND	ND	107	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	YM1	ND	ND	ND	ND	1 056	262	55	1 373	124	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	WM1	ND	ND	ND	ND	79	22	ND	101	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	YM2	ND	ND	ND	ND	175	43	ND	218	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg				DON µg/kg				Ochratoxin A µg/kg		Zearalenone µg/kg		HT-2 µg/kg		T-2 µg/kg	
		G ₁	B ₁	G ₂	B ₂	Total	B ₁	B ₂	B ₃	Total	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg		
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	5 µg/kg	100 µg/kg	100 µg/kg	5 µg/kg	20 µg/kg	20 µg/kg	20 µg/kg	20 µg/kg	20 µg/kg		
21	YM2	ND	ND	ND	ND	ND	454	125	34	613	206	ND	ND	ND	ND	ND	ND	ND	ND		
21	WM2	ND	ND	ND	ND	ND	159	71	ND	230	ND	ND	ND	ND	ND	ND	ND	ND	ND		
21	YM2	ND	ND	ND	ND	ND	324	78	31	433	528	238	ND	23	ND	ND	ND	ND	ND		
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
22	YM2	ND	ND	ND	ND	ND	137	27	ND	164	ND	ND	ND	ND	ND	ND	ND	ND	ND		
22	YM1	ND	ND	ND	ND	ND	774	228	62	1 064	ND	ND	ND	ND	ND	ND	ND	ND	ND		
22	WM1	ND	ND	ND	ND	ND	344	86	33	463	ND	ND	ND	ND	ND	ND	ND	ND	ND		
22	WM1	ND	ND	ND	ND	ND	189	38	20	247	ND	ND	ND	ND	ND	ND	ND	ND	ND		
22	YM1	ND	ND	ND	ND	ND	1 333	434	76	1 843	ND	ND	ND	ND	ND	ND	ND	ND	ND		
22	WM2	ND	ND	ND	ND	ND	917	283	51	1 251	ND	ND	ND	ND	ND	ND	ND	ND	ND		
22	WM1	ND	ND	ND	ND	ND	214	49	ND	263	ND	ND	ND	ND	ND	ND	ND	ND	ND		
23	YM1	ND	ND	ND	ND	ND	26	ND	ND	26	ND	ND	ND	ND	ND	ND	ND	ND	ND		
23	WM1	ND	ND	ND	ND	ND	784	202	50	1 036	ND	ND	ND	ND	ND	ND	ND	ND	ND		
23	YM1	ND	ND	ND	ND	ND	2 714	505	63	3 382	ND	ND	ND	ND	ND	ND	ND	ND	ND		
23	WM2	ND	ND	ND	ND	ND	362	118	31	511	ND	ND	ND	ND	ND	ND	ND	ND	ND		
23	YM1	ND	ND	ND	ND	ND	81	ND	ND	81	ND	ND	ND	ND	ND	ND	ND	ND	ND		
23	WM1	ND	ND	ND	ND	ND	118	36	ND	154	ND	ND	ND	ND	ND	ND	ND	ND	ND		
23	YM1	ND	ND	ND	ND	ND	205	56	31	292	ND	ND	ND	ND	ND	ND	ND	ND	ND		
23	WM1	ND	ND	ND	ND	ND	1 301	311	115	1 727	ND	ND	ND	ND	ND	ND	ND	ND	ND		
24	YM1	ND	ND	ND	ND	ND	530	117	31	678	ND	ND	ND	ND	ND	ND	ND	ND	ND		
24	WM1	ND	ND	ND	ND	ND	354	113	ND	467	ND	ND	ND	ND	ND	ND	ND	ND	ND		
24	YM1	ND	ND	ND	ND	ND	210	40	ND	250	ND	ND	ND	ND	ND	ND	ND	ND	ND		
24	WM3	ND	ND	ND	ND	ND	818	268	71	1 157	156	ND	ND	ND	ND	ND	ND	ND	ND		
24	WM1	ND	ND	ND	ND	ND	214	67	ND	281	ND	ND	ND	ND	ND	ND	ND	ND	ND		
25	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
25	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	289	106	ND	ND	ND	ND	ND	ND	ND		
25	YM1	ND	ND	ND	ND	ND	138	42	ND	180	ND	ND	ND	ND	ND	ND	ND	ND	ND		
25	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	652	200	ND	ND	ND	ND	ND	ND	ND		
25	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	618	194	ND	ND	ND	ND	ND	ND	ND		
26	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg			Fumonisin µg/kg			DON µg/kg			Ochratoxin A µg/kg			Zearalenone µg/kg			HT-2 µg/kg			T-2 µg/kg		
		G ₁	B ₁	G ₂	B ₂	Total	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	Total	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg		
26	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
26	YM2	ND	ND	ND	ND	ND	ND	22	ND	ND	22	ND	ND	ND	ND	ND	ND	ND	ND	ND		
26	WM1	ND	ND	ND	ND	ND	ND	51	ND	ND	51	ND	ND	ND	ND	ND	ND	ND	ND	ND		
26	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	271	126	ND	ND	ND	ND	ND	ND		
26	YM1	ND	ND	ND	ND	ND	ND	178	46	ND	224	260	ND	ND	ND	ND	ND	ND	ND	ND		
27	YM1	ND	ND	ND	ND	ND	ND	950	251	57	1 258	ND	ND	ND	ND	ND	ND	ND	ND	ND		
27	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	106	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3 167	890	ND	78	ND	ND	ND	ND	ND		
28	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	229	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	723	ND	ND	94	ND	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	692	110	ND	ND	ND	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	269	ND	ND	ND	ND	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	179	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
28	YM2	ND	ND	ND	ND	ND	ND	241	66	ND	307	ND	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	166	ND	ND	ND	ND	ND	ND	ND	ND		
28	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	327	ND	ND	ND	ND	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	202	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM3	ND	ND	ND	ND	ND	ND	ND	23	ND	23	9 736	1 768	ND	337	ND	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	106	ND	ND	ND	ND	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	137	ND	ND	ND	ND	ND	ND	ND	ND		
29	WM2	ND	ND	ND	ND	ND	ND	540	138	49	727	142	ND	ND	ND	ND	ND	ND	ND	ND		
29	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
29	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3 260	764	ND	78	ND	ND	ND	ND	ND		
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	47	ND	ND	ND	ND	ND	ND	ND	ND		
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	985	174	ND	ND	ND	ND	ND	ND	ND		

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg				DON µg/kg				Ochratoxin A µg/kg				Zearalenone µg/kg				HT-2 µg/kg					
		G ₁	B ₁	G ₂	B ₂	Total	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	Total	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg			
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	53	24	ND	77	460	120	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	105	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	484	207	37	728	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	YM2	ND	ND	ND	ND	ND	ND	ND	ND	698	227	43	968	593	ND	ND	32	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	105	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM2	ND	ND	ND	ND	ND	ND	ND	ND	410	156	30	596	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	171	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	453	151	24	628	265	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	YM3	ND	ND	ND	ND	ND	ND	ND	ND	504	133	24	661	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	110	ND	ND	110	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	186	72	ND	258	142	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	50	ND	ND	50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	WM2	ND	ND	ND	ND	ND	ND	ND	ND	147	42	ND	189	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	163	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	WM2	ND	ND	ND	ND	ND	ND	ND	ND	581	156	33	770	1 000	ND	ND	105	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	157	ND	ND	ND	ND	ND	ND	ND	ND	ND	
29	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	144	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	144	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	106	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	781	196	ND	ND	ND	ND	ND	ND	ND	ND	
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg				DON µg/kg				Ochratoxin A µg/kg				Zearalenone µg/kg				HT-2 µg/kg			
		G ₁	B ₁	G ₂	B ₂	Total	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	Total	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	32	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg				DON µg/kg				Ochratoxin A µg/kg				Zearalenone µg/kg				HT-2 µg/kg				
		G ₁	B ₁	G ₂	B ₂	Total	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	Total	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 100 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg	LOQ: 20 µg/kg	LOD: 20 µg/kg		
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	ND	ND	959	287	74	1 320	113	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	106	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	478	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	223	ND	ND	ND	ND	60	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	48	ND	ND	48	ND	ND	126	ND	ND	ND	ND	48	ND	ND	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	109	31	ND	140	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM2	ND	ND	ND	ND	ND	ND	ND	330	100	ND	430	ND	ND	152	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	188	61	ND	249	ND	ND	145	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	WM1	ND	ND	ND	ND	ND	ND	ND	70	ND	ND	70	ND	ND	470	127	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	87	21	ND	108	375	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	WM2	ND	ND	ND	ND	ND	ND	ND	ND	24	ND	24	1 617	202	ND	ND	ND	ND	212	ND	ND	ND	ND	ND	ND	
32	WM2	ND	ND	ND	ND	ND	ND	ND	43	ND	ND	43	1 047	182	ND	ND	ND	ND	91	ND	ND	ND	ND	ND	ND	
32	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	213	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	154	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Note:

LOQ. Limit of quantitation (LOQ) means the lowest concentration level that can be quantified with acceptable precision and accuracy by the LC-MS/MS.

A concentration measured below the LOQ is reported as <LOQ.

Limit of detection (LOD) is the lowest concentration level that can be detected but not quantified and is 50% of the LOQ of each mycotoxin

A concentration measured below the LOD is recorded as not detected (ND).

A concentration measured below