
Number of samples per class and grade in the Winter rainfall area
B1
B2
B3
B4
UT
COW


Number of samples per class and grade in the Summer rainfall area (Free State)
B1
B2
B3
B4
UT
COW


Number of samples per class and grade in the Irrigation areas
B1
B2
B3
B4
UT
COW


Number of samples per class and grade in the Other Summer rainfall and Irrigation areas
B1
B2
B3
B4
UT
COW


Protein distribution of wheat in the Winter rainfall area
Number of samples
80
70
60
50
40
30
20
10
0
8.0-8.9
9.0-9.9
10.0-10.9
11.0-11.9
12.0-12.9
13.0-13.9
14.0-14.9
15.0-15.9
16.0-16.9
17.0-17.9
Protein content %


Protein distribution of wheat in Summer rainfall area (Free State)
Number of samples
50
40
30
20
10
0
8.0-8.9
9.0-9.9
10.0-10.9
11.0-11.9
12.0-12.9
13.0-13.9
14.0-14.9
15.0-15.9
16.0-16.9
17.0-17.9
Protein content %


Protein distribution of wheat in the Irrigation areas
Number of samples
40
35
30
25
20
15
10
5
0
8.0-8.9
9.0-9.9
10.0-10.9
11.0-11.9
12.0-12.9
13.0-13.9
14.0-14.9
15.0-15.9
16.0-16.9
17.0-17.9
Protein content %


Protein distribution of wheat in Other Summer rainfall and Irrigation areas
Number of samples
20
15
10
5
0
8.0-8.9
9.0-9.9
10.0-10.9
11.0-11.9
12.0-12.9
13.0-13.9
14.0-14.9
15.0-15.9
16.0-16.9
17.0-17.9
Protein content %