

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2019/20)

Number of samples	Region	% Defective Kernels				% Total defective		% Foreign matter		% Other Colour		% Combined Deviations		% Pinked Kernels		% Diplodia Kernels		% Fusarium Kernels		% Cobrot Kernels		
		Above 6.35 mm sieve		Below 6.35 mm sieve		ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: WM1																						
1	Region 11	2.8	-	-	1.9	-	-	4.7	-	-	0.0	-	-	0.3	-	-	0.0	-	-	0.0	-	
8	Region 12	2.9	1.3	5.5	1.0	0.1	2.4	4.0	2.0	6.8	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.9	
9	Region 13	4.0	2.1	5.5	1.4	0.7	2.4	5.3	4.1	6.9	0.1	0.0	0.3	0.0	0.0	0.2	5.4	4.1	7.3	0.0	0.0	
19	Region 14	2.9	1.1	5.6	1.3	0.0	2.5	4.1	2.0	6.9	0.0	0.0	0.3	0.0	0.0	0.2	4.2	2.0	6.9	0.0	0.0	
8	Region 15	4.0	1.6	6.1	1.3	0.5	3.7	5.3	2.5	6.8	0.0	0.0	0.1	0.0	0.0	0.2	5.4	2.5	6.8	0.1	0.0	
14	Region 16	2.7	0.7	4.4	1.4	0.2	2.4	4.0	1.0	6.3	0.0	0.0	0.1	0.0	0.0	0.5	4.1	1.0	6.3	0.1	0.0	
10	Region 17	3.5	0.7	4.7	1.7	0.4	3.3	5.2	1.0	6.9	0.0	0.0	0.1	0.1	0.0	0.9	5.3	1.0	7.4	0.1	0.0	
7	Region 18	3.9	2.4	5.4	1.3	0.6	2.2	5.2	4.6	7.0	0.0	0.0	0.0	0.3	0.0	0.7	5.4	4.6	7.0	0.1	0.0	
8	Region 19	3.1	2.1	4.9	1.4	0.4	2.8	4.5	3.0	6.3	0.0	0.0	0.1	0.0	0.0	0.3	4.6	3.0	6.4	0.1	0.0	
7	Region 20	4.1	2.3	5.0	1.3	0.8	2.3	5.4	3.4	7.0	0.0	0.0	0.1	0.4	0.0	1.6	5.8	3.5	7.9	0.0	0.0	
8	Region 21	3.9	1.7	6.1	1.1	0.1	1.7	5.0	3.2	6.8	0.1	0.0	0.3	0.1	0.0	0.2	5.1	3.3	7.0	0.0	0.0	
7	Region 22	4.0	2.3	5.2	1.1	0.5	1.7	5.0	3.5	6.9	0.1	0.0	0.3	0.0	0.0	0.3	5.1	3.5	6.9	0.0	0.0	
13	Region 23	4.4	2.8	6.3	1.2	0.6	2.2	5.6	4.5	7.0	0.0	0.0	0.2	0.1	0.0	0.8	5.7	4.5	7.2	0.1	0.0	
7	Region 24	4.0	1.7	5.7	1.8	1.2	3.2	5.8	3.2	7.0	0.1	0.0	0.3	0.1	0.0	0.4	6.1	3.7	7.5	0.1	0.0	
2	Region 26	4.2	4.2	4.3	1.1	0.2	2.0	5.4	4.5	6.2	0.1	0.0	0.1	0.8	0.0	1.7	6.3	6.2	6.3	0.3	0.3	
3	Region 27	2.9	1.0	5.3	2.0	0.9	3.4	4.9	2.9	6.2	0.0	0.0	0.1	0.6	0.2	1.1	5.6	3.4	7.3	0.0	0.0	
13	Region 28	3.0	0.9	4.6	0.9	0.2	3.7	3.8	1.2	6.5	0.1	0.0	0.3	0.2	0.0	0.7	4.1	1.2	7.4	0.1	0.0	
10	Region 29	2.4	0.5	5.8	1.6	0.0	3.1	3.9	1.7	7.0	0.0	0.0	0.0	0.4	0.0	1.1	4.4	2.1	7.0	0.1	0.0	
9	Region 30	2.2	0.3	5.3	1.9	0.2	3.4	4.1	2.7	6.4	0.0	0.0	0.1	0.1	0.0	0.4	4.2	2.7	6.9	0.0	0.0	
11	Region 31	2.4	1.3	5.8	1.6	0.8	3.1	4.0	2.5	6.7	0.1	0.0	0.2	0.4	0.0	1.8	4.5	2.5	7.2	0.1	0.0	
12	Region 32	2.7	1.4	4.1	1.4	0.6	2.8	4.1	1.9	6.1	0.1	0.0	0.3	0.5	0.0	1.9	4.7	2.8	7.7	0.1	0.0	
10	Region 33	2.7	0.5	5.7	0.8	0.4	1.4	3.5	0.9	6.2	0.0	0.0	0.1	0.3	0.0	1.0	3.9	1.1	6.5	0.1	0.0	
11	Region 34	3.1	0.5	5.4	1.3	0.2	2.6	4.4	0.8	6.7	0.0	0.0	0.3	0.4	0.0	2.4	4.9	0.8	7.1	0.2	0.0	
3	Region 35	2.4	1.6	4.1	0.8	0.1	1.2	3.2	1.8	5.2	0.0	0.0	0.1	0.0	0.0	0.0	3.3	1.8	5.3	0.0	0.0	
11	Region 36	3.2	0.3	5.8	1.4	0.8	3.5	4.7	1.9	6.8	0.0	0.0	0.1	0.6	0.0	2.8	5.3	2.5	7.6	0.2	0.0	
221	Ave. WM1	3.2			1.3			4.5	0.8	7.0	0.0	0.0	0.3	0.2	0.0	2.8	4.8	0.8	7.9	0.1	0.0	
	Min. WM1	0.3			0.0			0.8	0.8	7.0	0.0	0.0	0.3	0.0	0.0	2.8	0.8	0.8	7.9	0.0	0.0	
	Max. WM1	6.3			3.7			7.0	7.0	7.0	0.3	0.3	0.3	2.8	2.8	2.8	7.9	7.9	7.9	1.7	1.1	
																					0.6	
																						0.0
																						2.7

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2019/20) (continue)

Number of samples	Region	% Defective Kernels		% Total defective		% Foreign matter		% Other Colour		% Combined Deviations		% Pinked Kernels		% Diplodia Kernels		% Fusarium Kernels		% Cobrot Kernels								
		Above 6.35 mm sieve		Below 6.35 mm sieve		ave. min. max.		ave. min. max.		ave. min. max.		ave. min. max.		ave. min. max.		ave. min. max.		ave. min. max.								
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.				
GRADE: WM2																										
1	Region 10	10.1	-	-	2.0	-	-	12.1	-	-	0.1	-	-	0.2	-	-	12.4	-	-	0.0	-	-	0.3	-	-	
1	Region 11	3.1	-	-	5.2	-	-	8.3	-	-	0.3	-	-	0.3	-	-	8.9	-	-	0.0	-	-	0.7	-	-	
2	Region 12	5.7	2.8	8.6	1.5	0.8	2.3	7.2	5.1	9.3	0.2	0.0	0.5	0.3	0.0	0.5	7.7	5.6	9.9	0.0	0.0	0.0	0.2	0.0	0.4	
4	Region 13	7.0	6.3	8.7	3.5	1.1	6.5	10.6	7.8	12.9	0.3	0.1	0.5	0.6	0.0	1.8	11.4	8.2	13.3	0.0	0.0	0.0	1.8	0.6	2.6	
5	Region 14	6.0	3.8	8.1	1.8	1.3	2.1	7.8	5.1	10.2	0.4	0.4	0.5	0.0	0.0	0.0	8.2	5.6	10.5	0.0	0.0	0.0	0.6	0.2	0.8	
14	Region 15	7.4	2.4	11.8	1.9	0.5	4.7	9.3	5.3	12.7	0.1	0.0	0.5	0.0	0.0	0.2	9.4	5.8	12.8	0.3	0.0	2.5	0.5	0.0	1.5	
9	Region 16	7.7	5.9	9.9	1.7	0.2	4.5	9.3	7.6	11.1	0.1	0.0	0.4	0.3	0.0	2.4	9.7	7.6	12.9	0.0	0.0	0.2	0.5	0.0	3.4	
8	Region 17	6.5	2.3	10.1	2.3	0.8	6.8	8.8	7.5	11.3	0.1	0.0	0.2	0.0	0.0	0.2	8.9	7.6	11.6	0.1	0.0	0.4	0.0	0.0	0.0	
4	Region 18	8.2	5.0	11.1	2.0	1.1	3.5	10.2	7.1	12.3	0.2	0.0	0.5	0.0	0.0	0.2	10.4	7.3	12.5	0.0	0.0	0.0	0.1	0.0	0.5	
4	Region 19	4.5	2.4	7.2	3.7	1.6	7.8	8.2	4.0	10.5	0.4	0.1	0.5	0.3	0.0	1.1	8.8	4.4	11.0	0.3	0.0	1.0	0.0	0.0	0.0	
7	Region 20	7.6	3.8	10.4	1.4	0.8	2.6	9.0	6.4	12.1	0.2	0.0	0.5	0.4	0.0	1.5	9.6	6.9	13.6	0.2	0.0	1.2	0.0	0.0	0.0	
13	Region 21	6.5	1.8	10.2	2.2	0.7	4.2	8.7	3.4	11.9	0.1	0.0	0.4	0.2	0.0	0.8	9.1	3.9	12.7	0.1	0.0	0.4	0.0	0.0	0.0	
15	Region 22	6.9	4.8	10.5	1.8	0.8	2.8	8.6	7.2	11.4	0.1	0.0	0.4	0.1	0.0	0.7	8.8	7.3	11.5	0.0	0.0	0.2	0.1	0.0	0.9	
25	Region 23	7.3	2.2	10.0	2.1	0.7	5.6	9.3	3.6	12.1	0.2	0.0	0.5	0.1	0.0	0.7	9.6	4.0	12.3	0.1	0.0	0.6	0.1	0.0	0.8	
6	Region 24	5.6	3.0	6.8	1.5	0.5	2.6	7.1	3.5	8.5	0.2	0.0	0.5	0.0	0.0	0.1	7.4	4.0	8.8	0.2	0.0	0.8	0.2	0.0	0.9	
1	Region 25	8.8	-	-	1.9	-	-	10.8	-	-	0.0	-	-	1.6	-	-	12.4	-	-	0.0	-	-	0.0	-	-	
6	Region 26	6.3	0.7	11.8	1.6	0.1	3.8	7.8	1.7	12.1	0.2	0.0	0.4	1.1	0.0	4.2	9.0	3.4	12.1	0.2	0.0	0.5	0.0	0.0	0.0	
4	Region 27	5.6	3.4	8.9	3.7	1.8	6.6	9.3	7.2	11.5	0.1	0.0	0.4	1.1	0.2	2.0	10.6	8.7	12.1	0.1	0.0	0.2	0.0	0.0	0.0	
1	Region 28	7.3	-	-	1.8	-	-	9.1	-	-	0.0	-	-	0.2	-	-	9.3	-	-	0.0	-	-	0.0	-	-	
6	Region 29	7.8	2.0	10.6	1.7	0.3	4.6	9.6	6.6	12.0	0.3	0.0	0.5	0.2	0.0	0.4	10.0	7.3	12.2	0.0	0.0	0.0	0.0	0.0	0.0	
1	Region 30	6.7	-	-	1.5	-	-	8.3	-	-	0.0	-	-	0.0	-	-	8.3	-	-	0.2	-	-	0.0	-	-	
3	Region 31	5.7	3.9	7.5	3.4	2.0	4.9	9.1	7.1	12.4	0.3	0.0	0.4	0.4	0.2	0.6	9.7	7.5	13.5	0.0	0.0	0.0	0.0	0.0	0.0	
2	Region 32	5.4	5.1	5.7	2.8	2.5	3.1	8.2	8.1	8.2	0.2	0.0	0.4	0.4	0.2	0.6	8.8	8.4	9.1	0.0	0.0	0.0	0.0	0.0	0.0	
2	Region 33	3.4	1.5	5.2	1.3	1.3	1.3	4.7	2.9	6.5	0.4	0.4	0.4	0.1	0.0	0.2	5.2	3.3	7.1	0.3	0.0	0.6	0.0	0.0	0.0	
4	Region 34	5.1	3.4	8.2	1.6	0.6	4.4	6.7	4.1	9.4	0.1	0.0	0.4	1.1	0.0	4.0	8.0	4.5	9.7	0.0	0.0	0.2	0.0	0.0	0.0	
7	Region 36	4.8	0.8	8.0	2.8	0.6	5.2	7.6	2.8	9.9	0.1	0.0	0.4	1.5	0.0	3.8	9.2	6.6	11.0	0.0	0.0	0.1	0.0	0.0	0.0	
155	Ave. WM2	6.7	0.7	11.8	2.1	0.1	7.8	8.8	1.7	12.9	0.2	0.0	0.5	0.3	0.0	4.2	9.2	3.3	13.6	0.1	0.0	3.9	0.1	0.0	3.4	
	Min. WM2																									
	Max. WM2																									

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2019/20) (continue)

Number of samples	Region	% Defective Kernels				% Total defective		% Foreign matter		% Other Colour		% Combined Deviations		% Pinked Kernels		% Diplodia Kernels		% Fusarium Kernels		% Cobrot Kernels			
		Above 6.35 mm sieve		Below 6.35 mm sieve		ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.		
		ave.	min.	ave.	min.	ave.	min.	ave.	min.	ave.	min.	ave.	min.	ave.	min.	ave.	min.	ave.	min.	ave.	min.	ave.	min.
GRADE: WM3																							
1	Region 12	2.6	-	18.3	-	20.9	-	0.0	-	0.4	-	21.3	-	0.2	-	0.0	-	0.3	-	0.3	-		
1	Region 13	17.3	-	3.3	-	20.6	-	0.5	-	0.6	-	21.7	-	0.0	-	0.0	-	10.4	-	10.4	-		
4	Region 14	11.0	3.3	15.0	1.7	0.3	2.6	0.2	0.0	0.0	0.0	12.9	5.8	17.6	0.0	0.0	0.0	0.2	0.0	0.5	0.2	0.0	0.5
5	Region 15	17.0	13.2	21.5	2.4	0.8	4.6	0.0	0.0	0.0	0.0	19.5	14.3	23.9	0.2	0.0	0.0	0.7	0.2	1.6	0.7	0.2	1.6
2	Region 16	17.0	13.2	20.7	5.0	2.7	7.3	0.0	0.0	0.6	0.2	22.6	16.1	29.0	0.0	0.0	0.0	4.5	0.9	8.2	5.0	0.9	9.2
3	Region 17	13.1	4.3	19.8	2.4	2.3	2.5	0.3	0.0	0.0	0.1	15.8	7.3	22.5	0.3	0.0	0.0	1.0	0.3	2.1	1.0	0.3	2.1
4	Region 18	13.4	6.8	22.1	2.6	1.4	4.3	0.4	0.1	0.0	0.1	16.4	11.7	23.7	0.1	0.0	0.0	0.8	0.0	2.7	0.8	0.0	2.7
1	Region 19	15.6	-	-	7.5	-	-	0.0	-	0.4	-	23.6	-	0.0	-	0.0	-	1.1	-	1.1	-	1.1	-
1	Region 20	13.3	-	-	0.6	-	-	0.2	-	1.7	-	15.9	-	0.0	-	0.0	-	2.9	-	2.9	-	2.9	-
6	Region 21	8.4	4.6	14.0	3.0	1.4	8.4	0.4	0.0	0.2	0.0	12.1	6.7	17.7	0.0	0.0	0.2	1.3	0.0	2.9	1.4	0.0	2.9
9	Region 22	14.2	8.0	19.6	1.8	0.9	3.3	0.2	0.0	0.2	0.0	16.2	9.8	22.9	0.1	0.0	0.3	1.4	0.5	2.5	1.4	0.5	2.5
9	Region 23	12.0	4.0	22.7	3.5	0.9	10.2	0.5	0.0	0.7	0.1	16.1	9.0	24.3	0.1	0.0	0.4	1.3	0.0	4.5	1.3	0.0	4.5
7	Region 24	16.0	7.1	25.0	2.4	1.0	6.2	0.3	0.0	0.6	0.4	19.1	9.4	27.9	0.2	0.0	1.5	1.7	1.1	2.4	1.8	1.1	2.9
1	Region 25	16.0	-	-	1.6	-	-	0.3	-	0.0	-	17.9	-	1.2	-	0.0	-	0.0	-	0.0	-	0.0	-
7	Region 26	13.9	6.1	23.6	1.4	0.1	2.8	0.2	0.0	0.5	4.0	19.5	14.7	26.2	0.4	0.0	0.8	0.8	0.0	2.7	0.8	0.0	2.7
1	Region 27	9.8	-	-	2.7	-	-	0.6	-	1.0	-	14.1	-	0.2	-	0.0	-	0.6	-	0.6	-	0.6	-
2	Region 28	12.2	11.2	13.3	5.1	3.4	6.7	0.1	0.1	0.6	0.4	18.0	17.2	18.9	0.0	0.0	0.0	1.3	0.9	1.8	1.3	0.9	1.8
1	Region 29	12.9	-	-	1.3	-	-	0.0	-	6.4	-	20.6	-	0.0	-	0.0	-	4.5	-	4.5	-	4.5	-
4	Region 32	10.4	3.0	21.8	1.9	0.9	2.5	0.5	0.3	0.7	0.6	13.3	6.1	24.8	0.1	0.0	0.2	5.0	0.3	13.2	5.6	0.3	13.2
1	Region 33	13.7	-	-	0.6	-	-	0.0	-	0.0	-	14.3	-	0.0	-	0.0	-	0.7	-	0.7	-	0.7	-
1	Region 34	1.2	-	-	0.7	-	-	0.7	-	1.7	-	4.4	-	0.3	-	0.0	-	0.3	-	0.3	-	0.3	-
71	Ave. WM3	13.0		2.7		15.7		0.3		0.7		16.7		0.1		0.1		1.6		1.6		1.6	
	Min. WM3	1.2		0.1		2.0		0.0		0.0		4.4		0.0		0.0		0.0		0.0		0.0	
	Max. WM3					27.9		0.7		7.3		29.0		1.5		2.1		13.2		13.2		13.2	

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2019/20) (continue)

Number of samples	Region	% Defective Kernels				% Total defective		% Foreign matter		% Other Colour		% Combined Deviations		% Pinked Kernels		% Diplodia Kernels		% Fusarium Kernels		% Cobrot Kernels					
		Above 6.35 mm sieve		Below 6.35 mm sieve		ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.				
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			
CLASS: COM																									
2	*Region 12	5.6	3.7	7.5	1.5	1.1	1.9	7.1	5.6	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.1	3.7	1.9	0.1	3.7	
3	Region 13	4.6	2.7	6.4	3.1	1.3	6.2	7.7	4.7	12.5	1.0	0.8	1.2	0.0	0.0	0.0	0.0	0.0	2.0	0.4	4.2	2.0	0.4	4.2	
5	Region 14	6.3	1.1	13.9	2.4	0.8	6.5	8.7	2.5	15.4	1.2	0.8	1.6	0.1	0.0	0.4	10.0	4.0	16.2	0.2	0.0	0.6	0.0	0.0	0.2
7	*Region 15	47.5	3.6	94.5	3.8	1.7	9.2	51.4	6.7	96.2	1.5	0.0	7.1	0.1	0.0	0.5	53.1	7.6	96.2	0.0	0.0	0.0	0.4	0.0	1.6
1	*Region 16	2.7	-	-	2.4	-	-	5.1	-	-	0.1	-	-	0.3	-	-	5.5	-	-	0.1	-	-	0.4	-	-
2	Region 18	47.8	9.2	86.4	1.9	1.2	2.7	49.7	10.4	89.1	1.3	0.2	2.3	0.0	0.0	0.0	51.0	12.7	89.3	0.0	0.0	0.0	0.3	0.0	0.6
7	*Region 19	5.0	1.4	9.1	6.2	1.6	18.1	11.2	7.9	20.0	1.3	0.6	2.3	0.2	0.0	0.5	12.6	9.2	20.6	0.0	0.0	0.2	0.6	0.0	1.3
7	*Region 21	32.1	3.3	85.2	4.0	1.0	15.4	36.1	4.7	95.1	0.8	0.0	2.1	0.2	0.0	0.8	37.1	7.6	95.1	0.1	0.0	0.7	0.7	0.0	1.8
1	*Region 22	3.8	-	-	2.3	-	-	6.1	-	-	0.0	-	-	0.0	-	-	6.1	-	-	0.0	-	-	0.2	-	-
9	Region 23	15.0	4.6	72.4	1.5	0.6	3.3	16.5	7.1	73.0	1.3	0.3	4.4	0.0	0.0	0.0	17.8	8.1	73.3	0.5	0.0	2.4	0.5	0.0	1.1
5	Region 24	46.6	5.5	95.9	2.3	0.7	3.8	48.9	6.3	98.4	0.4	0.0	0.8	0.1	0.0	0.2	49.4	7.1	98.8	0.1	0.0	0.6	1.8	0.4	3.1
1	Region 25	68.2	-	-	0.1	-	-	68.3	-	-	0.1	-	-	0.1	-	-	68.4	-	-	0.4	-	-	0.0	-	-
6	*Region 26	30.4	1.1	71.1	2.5	0.4	6.8	32.9	1.8	78.0	0.7	0.0	2.4	6.2	0.0	18.3	39.7	15.3	78.8	0.2	0.0	0.7	0.0	0.0	1.4
3	*Region 27	17.0	3.9	38.6	3.3	3.0	3.6	20.4	7.4	41.6	0.8	0.5	1.2	0.9	0.4	1.6	22.1	9.4	42.6	0.3	0.0	0.8	0.7	0.3	1.1
1	Region 28	61.6	-	-	0.8	-	-	62.4	-	-	0.2	-	-	0.2	-	-	62.7	-	-	0.0	-	-	0.6	-	-
1	Region 30	9.4	-	-	2.5	-	-	11.9	-	-	1.6	-	-	0.0	-	-	13.5	-	-	0.3	-	-	1.2	-	-
1	*Region 31	3.3	-	-	1.6	-	-	5.0	-	-	0.1	-	-	0.3	-	-	5.4	-	-	0.0	-	-	0.3	-	-
1	*Region 32	1.5	-	-	3.1	-	-	4.6	-	-	0.0	-	-	0.0	-	-	4.6	-	-	0.0	-	-	0.5	-	-
5	*Region 34	8.1	3.6	11.2	1.1	0.8	1.6	9.2	4.5	12.0	0.8	0.2	1.6	0.2	0.0	0.6	10.2	5.0	12.8	0.0	0.0	0.0	2.4	0.4	3.4
1	*Region 36	3.6	-	-	2.5	-	-	6.0	-	-	0.0	-	-	0.2	-	-	6.3	-	-	0.0	-	-	0.5	-	-
69	Ave. COM	22.3	1.1	95.9	2.9	0.1	18.1	25.2	1.8	98.4	0.9	0.0	7.1	0.7	0.0	18.3	26.8	4.0	98.8	0.1	0.0	2.4	0.8	0.0	4.2
	Min. COM																								
	Max. COM																								
516	Ave. WM	8.1	0.3	95.9	2.0	0.0	18.3	10.1	0.8	98.4	0.2	0.0	7.1	0.4	0.0	18.3	10.7	0.8	98.8	0.1	0.0	3.9	0.8	0.0	13.2
	Min. WM																								
	Max. WM																								
890	Ave. Maize	6.5	0.1	95.9	2.1	0.0	18.3	8.6	0.3	98.4	0.2	0.0	7.1	0.3	0.0	18.3	9.1	0.3	98.8	0.1	0.0	3.9	0.8	0.0	13.2
	Min. Maize																								
	Max. Maize																								

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2019/20)
(continue)

*The following white maize samples were downgraded to Class Other Maize due to the presence of poisonous seeds exceeding the maximum allowance

Region	Number of Poisonous seeds (<i>Crotalaria</i> spp., <i>Datura</i> spp., <i>Ricinis communis</i>) Max. allowance 1 seed/1000 g	Number of Poisonous seeds (<i>Argemone mexicana</i> L., <i>Convolvulus</i> spp., <i>Ipomoea purpurea</i> Roth., <i>Lolium temulentum</i> , <i>Xanthium</i> spp.) Max. allowance 7 seeds/1000 g
12	23 <i>Datura</i> spp.	0
12	6 <i>Datura</i> spp.	0
15	19 <i>Datura</i> spp.	0
16	6 <i>Datura</i> spp.	0
19	45 <i>Datura</i> spp.	0
21	0	12 <i>Xanthium strumarium</i>
22	0	12 <i>Xanthium strumarium</i>
26	6 <i>Datura</i> spp.	0
27	6 <i>Datura</i> spp.	0
31	0	12 <i>Xanthium strumarium</i>
32	0	12 <i>Xanthium strumarium</i>
34	0	22 <i>Xanthium strumarium</i>
34	17 <i>Datura</i> spp.	0
36	0	48 <i>Ipomoea purpurea</i>