

**TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2019/20)**

Number of samples	Region	Test weight (kg/ht)			100 kernel mass (g)			Kernel size (%)			Breakage susceptibility (%)			Stress cracks (%)			SAGL Milling index 2020			GYA					
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.		
								ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.							min.	max.
1	Region 11	81.5	-	-	37.1	-	-	2.8	-	-	80.2	-	-	0.3	-	-	0.1	-	-	91	-	-	67	-	-
8	Region 12	74.5	71.4	77.4	35.4	30.3	38.3	24.9	3.7	49.1	65.1	48.3	82.1	1.4	0.4	3.7	0.9	0.0	2.2	73	53	86	63	58	66
9	Region 13	74.4	73.0	75.5	37.4	33.8	40.7	30.4	18.0	38.6	63.7	58.4	75.0	0.8	0.2	1.6	0.6	0.1	1.3	72	64	78	63	61	64
19	Region 14	75.6	71.6	78.5	36.2	33.0	39.3	33.6	18.4	43.1	60.4	51.5	68.7	0.6	0.0	1.7	0.4	0.0	1.3	74	66	86	63	61	66
8	Region 15	76.8	75.2	79.3	38.0	36.4	40.6	36.7	23.8	47.5	57.4	49.0	68.2	1.0	0.0	2.9	0.7	0.0	1.8	76	62	89	64	60	67
14	Region 16	75.8	73.2	77.6	35.9	34.1	39.7	26.5	14.4	41.3	65.0	54.7	75.0	0.9	0.0	2.3	0.6	0.0	1.6	74	64	91	63	61	68
10	Region 17	75.8	71.5	77.5	36.3	29.7	40.7	35.7	20.7	45.9	57.0	49.7	65.2	0.6	0.1	1.2	0.4	0.0	0.8	71	62	83	63	61	66
7	Region 18	75.5	74.1	79.4	34.3	31.7	36.5	22.3	12.4	36.8	65.7	57.3	71.1	1.1	0.3	2.8	0.8	0.3	2.2	66	54	81	61	59	65
8	Region 19	75.3	72.6	77.8	34.7	32.5	36.8	25.9	18.0	41.2	66.0	54.7	72.7	0.9	0.6	1.7	0.6	0.3	1.1	77	66	92	64	61	68
7	Region 20	76.0	74.5	77.7	36.3	32.7	38.9	28.9	11.6	43.9	61.5	52.2	70.9	0.6	0.0	2.2	0.3	0.0	1.3	70	61	78	62	60	64
8	Region 21	75.4	71.7	77.9	35.5	33.0	37.8	23.5	8.4	33.7	66.4	54.7	71.2	0.8	0.2	1.2	0.6	0.2	1.0	73	66	82	63	61	65
7	Region 22	76.5	74.5	78.4	37.9	35.0	41.9	30.0	8.6	43.9	60.0	50.1	76.2	0.6	0.1	1.2	0.4	0.1	0.9	72	67	79	63	61	65
13	Region 23	75.9	72.8	77.9	35.0	31.3	38.6	25.0	6.7	45.6	63.5	50.6	75.0	0.9	0.1	3.1	0.5	0.0	2.0	71	61	88	63	60	67
7	Region 24	77.6	73.0	81.1	34.8	32.6	36.6	22.3	2.8	42.6	64.0	51.6	77.7	1.6	0.8	3.9	1.2	0.6	2.6	78	67	91	64	62	67
2	Region 26	77.3	76.5	78.0	36.9	36.4	37.3	32.1	31.2	32.9	61.4	59.8	62.9	0.6	0.5	1.0	0.7	0.4	0.9	82	80	84	65	65	66
3	Region 27	75.9	74.0	77.9	32.9	30.8	35.0	13.4	6.5	23.4	67.5	64.3	70.9	0.5	0.0	0.9	0.4	0.0	0.7	80	72	88	65	63	67
13	Region 28	78.7	73.7	82.0	33.2	26.0	39.0	23.4	3.7	46.8	62.7	48.7	71.2	0.5	0.0	2.2	0.3	0.0	1.2	86	71	96	66	63	69
10	Region 29	77.0	74.4	79.7	34.3	27.0	41.1	17.8	3.8	44.9	66.5	52.3	76.8	0.9	0.2	2.8	0.6	0.1	2.2	81	75	89	65	64	67
9	Region 30	77.0	75.4	79.3	28.8	22.7	34.2	12.7	1.5	32.7	64.4	50.3	71.8	0.7	0.2	1.4	0.5	0.1	1.2	76	68	83	64	62	66
11	Region 31	76.5	74.3	80.0	31.5	21.8	41.4	15.7	2.8	58.9	65.6	39.9	76.0	1.0	0.4	1.3	0.6	0.2	1.0	76	64	88	64	61	67
12	Region 32	77.0	74.5	79.8	34.3	29.1	40.4	22.7	7.4	46.3	64.5	50.7	75.0	0.8	0.1	2.0	0.6	0.0	1.4	76	67	82	64	62	65
10	Region 33	77.2	74.5	78.9	32.2	29.1	35.3	16.8	6.0	33.9	67.6	56.7	74.0	0.8	0.2	2.8	0.5	0.0	2.0	76	69	82	64	62	65
11	Region 34	77.8	75.4	80.0	34.8	22.2	41.3	17.3	6.8	38.9	69.4	57.0	76.8	0.6	0.0	1.6	0.5	0.0	1.4	80	67	88	65	62	67
3	Region 35	77.7	77.2	78.6	32.0	29.9	35.2	23.9	13.8	39.5	64.1	53.0	70.3	0.6	0.3	1.1	0.5	0.3	0.9	86	77	96	66	64	69
11	Region 36	78.4	74.5	81.7	34.1	30.6	38.0	19.4	5.9	35.3	67.4	58.5	78.7	0.5	0.0	1.3	0.3	0.0	1.0	86	76	90	66	64	67
221	Ave. WM1	76.5	71.4	82.0	34.7	21.8	41.9	24.3	1.5	58.9	64.1	39.9	82.1	0.8	0.0	3.9	0.5	0.0	2.6	76	53	96	64	58	69
	Min. WM1																								
	Max. WM1																								

**TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2019/20)**  
(continue)

Number of samples	Region	Test weight (kg/ha)		100 kernel mass (g)		Above 10 mm sieve		Kernel size (%)		Below 8 mm sieve		Breakage susceptibility (%)		Stress cracks (%)		SAGL Milling index 2020		GYA										
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.						
1	Region 10	76.5	-	-	31.9	-	-	28.8	-	-	61.5	-	-	9.7	-	-	0.4	-	-	72	-	-	63	-	-			
1	Region 11	79.1	-	-	30.5	-	-	1.0	-	-	56.1	-	-	42.9	-	-	0.3	-	-	92	-	-	68	-	-			
2	Region 12	75.4	73.7	77.0	37.7	36.2	39.2	36.1	25.3	46.8	59.8	51.9	67.6	4.2	1.3	7.1	1.0	0.6	1.4	21	14	28	71	62	80	63	60	65
4	Region 13	73.1	71.8	75.4	31.2	26.6	35.9	11.7	2.5	25.9	71.3	66.9	77.9	17.1	7.2	26.8	1.2	0.6	1.7	21	12	27	70	66	72	62	61	63
5	Region 14	76.2	75.4	77.5	36.7	31.9	42.1	33.0	17.0	55.6	60.0	40.3	74.0	7.0	2.3	10.7	0.4	0.2	0.7	12	8	19	74	66	88	63	61	67
14	Region 15	75.7	71.2	78.9	37.7	33.3	43.5	39.3	15.9	61.9	54.4	35.6	68.8	6.2	2.0	15.3	0.8	0.0	1.7	15	4	32	72	62	87	63	60	67
9	Region 16	75.1	72.0	78.6	37.2	33.5	41.0	38.6	26.1	55.4	55.9	42.9	67.9	5.5	1.7	8.3	1.1	0.1	2.8	17	4	39	68	59	82	62	60	65
8	Region 17	74.7	70.9	78.1	36.2	29.5	39.7	26.9	4.2	41.0	64.3	52.1	79.7	8.8	3.2	21.8	1.3	0.2	3.2	21	11	39	68	47	80	62	57	65
4	Region 18	73.4	71.9	75.4	33.4	29.8	35.9	21.9	13.7	34.6	67.7	59.2	71.6	10.5	6.2	17.2	0.9	0.4	1.8	17	8	27	58	51	63	59	58	61
4	Region 19	74.4	72.6	75.4	32.1	31.8	32.4	20.0	2.4	32.0	66.6	61.5	74.9	13.4	6.5	22.7	0.8	0.2	1.9	21	7	32	67	59	71	62	60	63
7	Region 20	73.5	67.0	76.6	35.8	29.4	44.7	33.8	11.0	63.7	58.8	34.8	74.9	7.4	1.5	14.1	1.1	0.1	2.6	21	5	37	70	58	81	62	59	65
13	Region 21	75.9	73.2	78.7	37.5	32.6	42.1	39.1	17.4	53.8	54.6	43.9	69.7	6.3	1.5	14.3	0.5	0.0	0.9	14	7	20	75	63	91	63	61	67
15	Region 22	77.0	75.2	79.0	37.0	33.2	41.2	35.3	21.6	55.2	57.5	40.8	69.6	7.2	3.0	14.8	0.8	0.2	1.1	14	6	25	72	59	84	63	60	66
25	Region 23	75.6	72.8	78.6	36.9	34.2	40.8	36.3	10.9	49.1	57.7	46.0	78.1	5.9	1.6	14.5	0.7	0.1	1.6	15	4	39	71	53	93	62	58	68
6	Region 24	76.7	75.7	77.6	37.3	31.7	41.8	39.0	33.4	47.3	56.0	48.6	62.3	5.0	4.1	6.4	0.8	0.3	1.7	14	9	17	79	74	85	65	63	66
1	Region 25	75.4	-	-	31.9	-	-	21.5	-	-	66.3	-	-	12.2	-	-	0.4	-	-	13	-	-	64	-	-	61	-	-
6	Region 26	73.0	69.9	76.2	32.5	30.3	34.6	18.8	4.4	31.3	68.2	57.3	78.2	13.0	10.2	17.4	1.2	0.6	2.5	24	12	37	63	35	74	61	54	63
4	Region 27	75.0	72.9	76.7	31.1	27.1	35.5	9.7	5.1	20.1	67.4	64.2	69.3	22.9	12.5	28.8	0.7	0.3	1.1	14	8	22	73	64	77	63	61	64
1	Region 28	79.5	-	-	33.3	-	-	2.3	-	-	64.4	-	-	33.3	-	-	0.8	-	-	18	-	-	94	-	-	68	-	-
6	Region 29	77.5	76.3	78.7	37.2	35.3	40.7	25.7	12.1	41.8	67.1	55.5	78.5	7.3	2.4	12.4	0.7	0.1	1.3	16	7	25	83	76	89	65	64	67
1	Region 30	76.3	-	-	32.4	-	-	18.5	-	-	70.9	-	-	10.6	-	-	0.3	-	-	8	-	-	76	-	-	64	-	-
3	Region 31	75.5	73.6	77.1	28.6	26.0	30.9	13.7	4.3	25.1	69.0	64.1	73.6	17.2	5.5	31.6	0.6	0.2	0.9	14	7	21	79	76	84	65	64	66
2	Region 32	76.5	76.1	76.9	33.1	31.5	34.6	20.9	12.6	29.1	65.3	63.4	67.1	13.9	7.5	20.3	0.4	0.0	0.8	18	8	28	75	74	76	64	63	64
2	Region 33	78.3	78.3	78.3	29.2	29.0	29.3	9.0	6.7	11.3	65.4	64.0	66.8	25.6	24.7	26.5	0.6	0.5	0.7	8	7	9	81	78	84	65	64	66
4	Region 34	76.9	73.8	79.5	33.2	31.2	36.3	14.9	6.3	21.5	69.2	64.3	76.7	15.9	10.6	29.4	1.2	0.4	2.3	13	3	18	81	65	92	65	61	68
7	Region 36	77.7	76.1	79.3	34.6	30.2	37.6	15.5	5.8	28.9	71.3	62.8	83.8	13.1	7.2	28.7	1.9	0.6	2.7	27	12	58	89	83	99	67	65	69
<b>155</b>	<b>Ave. WM2</b>	<b>75.7</b>			<b>35.6</b>			<b>29.9</b>			<b>60.8</b>			<b>9.3</b>			<b>1.1</b>			<b>17</b>			<b>73</b>			<b>63</b>		
	<b>Min. WM2</b>	<b>67.0</b>			<b>26.0</b>			<b>1.0</b>			<b>34.8</b>			<b>0.0</b>			<b>0.0</b>			<b>3</b>			<b>35</b>			<b>54</b>		
	<b>Max. WM2</b>	<b>79.5</b>			<b>44.7</b>			<b>63.7</b>			<b>83.8</b>			<b>42.9</b>			<b>5.5</b>			<b>3.2</b>			<b>58</b>			<b>99</b>		

**TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2019/20)**  
(continue)

Number of samples	Region	Test weight (kg/hi)		100 kernel mass (g)		Above 10 mm sieve		Kernel size (%)		Below 8 mm sieve		Breakage susceptibility (%)		Stress cracks (%)			SAGL Milling index 2020			GYA								
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.						
<b>GRADE: WM3</b>																												
1	Region 12	77.9	-	-	33.6	-	-	34.6	-	-	60.0	-	-	5.4	-	-	1.8	-	-	1.5	-	-	76	-	-	64	-	-
1	Region 13	70.9	-	-	28.1	-	-	4.8	-	-	80.1	-	-	15.1	-	-	4.4	-	-	3.1	-	-	62	-	-	60	-	-
4	Region 14	73.2	72.6	74.4	35.2	30.7	38.2	28.0	13.6	38.9	65.5	58.6	73.9	6.6	2.5	12.5	1.2	0.6	1.8	1.0	0.5	1.7	65	45	79	61	56	65
5	Region 15	74.5	73.4	76.0	35.2	32.0	38.7	33.4	16.9	50.8	58.2	44.8	70.5	8.4	4.4	12.6	1.6	0.7	3.1	1.3	0.6	2.4	61	56	67	60	59	62
2	Region 16	73.3	72.9	73.6	34.8	34.7	34.8	22.2	14.4	29.9	70.9	65.1	76.6	7.0	5.0	9.0	1.9	1.7	2.0	1.5	1.3	1.6	66	64	67	61	61	62
3	Region 17	73.9	69.3	77.5	32.6	29.0	35.3	26.2	16.4	37.6	64.9	55.2	71.3	8.9	7.2	12.3	1.8	0.6	3.2	1.4	0.5	2.5	66	56	77	61	59	64
4	Region 18	73.4	71.9	75.7	34.5	31.4	36.3	30.7	23.4	34.1	62.4	58.4	69.5	6.9	4.4	8.2	0.9	0.4	2.0	0.7	0.3	1.7	63	58	67	61	59	62
1	Region 19	74.1	-	-	32.9	-	-	22.1	-	-	60.9	-	-	17.0	-	-	1.6	-	-	1.2	-	-	68	-	-	62	-	-
1	Region 20	73.4	-	-	40.0	-	-	59.2	-	-	34.9	-	-	5.9	-	-	1.4	-	-	1.3	-	-	65	-	-	61	-	-
6	Region 21	74.0	73.4	74.9	36.9	31.9	41.5	36.2	7.1	57.1	55.3	39.7	72.5	8.5	3.2	20.4	1.0	0.4	2.7	0.7	0.3	1.9	76	57	92	64	59	68
9	Region 22	74.9	74.0	76.3	36.2	31.2	39.8	37.5	22.7	47.8	55.9	48.2	67.9	6.6	4.0	10.4	1.4	0.4	2.0	1.1	0.3	1.6	63	57	80	61	59	65
9	Region 23	74.7	71.9	77.4	36.6	29.9	43.2	40.9	12.0	56.0	54.9	41.2	77.2	4.2	2.3	10.8	2.0	0.7	6.3	1.3	0.4	3.4	71	60	90	63	60	67
7	Region 24	71.8	68.9	77.2	31.2	27.2	38.4	29.1	3.4	45.7	61.2	46.4	69.6	9.7	4.6	32.1	3.1	1.0	5.3	2.3	0.9	4.1	55	33	82	59	53	65
1	Region 25	75.9	-	-	34.7	-	-	39.5	-	-	54.3	-	-	6.2	-	-	0.8	-	-	0.5	-	-	61	-	-	60	-	-
7	Region 26	74.0	69.9	78.5	33.7	31.7	36.9	30.0	8.1	36.9	60.5	55.9	69.8	9.5	5.5	22.1	1.7	0.3	3.3	1.2	0.2	2.0	67	57	82	62	59	65
1	Region 27	77.5	-	-	38.3	-	-	42.1	-	-	54.1	-	-	3.8	-	-	0.4	-	-	0.3	-	-	89	-	-	67	-	-
2	Region 28	76.4	75.6	77.2	23.7	19.3	28.0	6.8	3.3	10.3	58.9	47.3	70.5	34.3	19.2	49.4	1.5	0.9	2.0	1.1	0.5	1.6	81	81	82	65	65	65
1	Region 29	77.6	-	-	33.7	-	-	14.6	-	-	69.6	-	-	15.8	-	-	1.0	-	-	0.6	-	-	74	-	-	63	-	-
4	Region 32	74.6	71.8	76.1	32.3	28.0	35.2	21.5	12.0	29.5	66.5	61.9	71.5	12.1	7.6	16.5	1.2	0.5	2.0	0.9	0.2	1.5	69	60	79	62	60	65
1	Region 33	76.1	-	-	32.2	-	-	42.0	-	-	47.3	-	-	10.7	-	-	1.8	-	-	1.1	-	-	87	-	-	66	-	-
1	Region 34	74.5	-	-	43.4	-	-	37.8	-	-	59.0	-	-	3.2	-	-	0.0	-	-	0.0	-	-	86	-	-	66	-	-
<b>71</b>	<b>Ave. WM3</b>	<b>74.2</b>			<b>34.5</b>			<b>31.8</b>			<b>59.5</b>			<b>8.7</b>			<b>1.6</b>			<b>1.2</b>			<b>67</b>			<b>62</b>		
	<b>Min. WM3</b>	<b>68.9</b>			<b>19.3</b>			<b>3.3</b>			<b>34.9</b>			<b>2.3</b>			<b>0.0</b>			<b>0.0</b>			<b>33</b>			<b>53</b>		
	<b>Max. WM3</b>	<b>78.5</b>			<b>43.4</b>			<b>59.2</b>			<b>80.1</b>			<b>49.4</b>			<b>6.3</b>			<b>4.1</b>			<b>92</b>			<b>68</b>		

**TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2019/20)**  
(continue)

Number of samples	Region	Test weight (kg/h)			100 kernel mass (g)		Above 10 mm sieve			Kernel size (%)			Below 8 mm sieve			Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling index 2020			GYA						
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			
<b>CLASS: COM</b>																																		
2	Region 12	75.6	74.9	76.3	38.5	37.6	39.4	38.8	30.3	47.2	56.4	48.2	64.5	4.9	4.6	5.2	0.8	0.7	0.8	0.7	0.6	0.7	22	11	32	73	73	73	63	63	63			
3	Region 13	73.6	73.0	74.3	34.2	32.2	37.0	26.7	13.3	42.7	64.0	52.9	70.0	9.3	4.4	17.7	1.3	0.4	1.9	0.9	0.3	1.3	18	9	28	72	81	76	72	81	64	63	65	
5	Region 14	75.4	73.1	78.3	36.0	33.9	39.0	32.0	14.4	47.4	60.0	48.5	69.5	8.0	4.1	18.9	0.6	0.1	1.0	0.4	0.0	0.8	10	8	14	74	65	74	65	95	63	61	68	
7	Region 15	73.5	71.0	77.2	35.6	31.9	38.9	45.6	25.5	57.8	49.4	40.2	64.3	5.0	2.0	10.2	1.7	0.4	2.1	1.4	0.3	1.7	29	10	48	59	47	59	47	80	60	57	65	65
1	Region 16	76.9	-	-	37.1	-	-	33.2	-	-	59.4	-	-	7.4	-	-	1.3	-	-	1.1	-	-	13	-	-	74	-	-	74	-	-	63	-	-
2	Region 18	66.5	63.4	69.5	31.6	26.3	36.9	37.7	36.6	38.8	56.1	55.9	56.3	6.2	4.9	7.5	2.9	2.0	3.7	2.2	1.7	2.7	31	30	32	42	26	58	42	26	58	55	51	60
7	Region 19	73.2	69.6	76.5	32.1	30.7	33.0	16.2	5.3	32.3	70.7	57.1	79.3	13.2	9.1	18.7	1.3	0.5	2.7	0.9	0.4	1.5	21	12	37	66	54	66	54	80	62	58	65	65
7	Region 21	72.7	69.2	74.6	33.0	25.7	37.0	22.4	10.9	32.9	66.9	61.2	77.1	10.7	4.5	21.2	2.0	0.4	4.7	1.5	0.3	3.2	23	8	37	72	57	72	57	90	63	59	67	67
1	Region 22	74.8	-	-	32.7	-	-	27.2	-	-	61.6	-	-	11.2	-	-	1.4	-	-	1.1	-	-	18	-	-	63	-	-	63	-	-	61	-	-
9	Region 23	73.4	69.8	77.4	37.1	31.2	39.2	40.1	32.4	53.0	55.3	45.5	60.9	4.6	1.5	7.3	1.3	0.5	1.9	0.8	0.4	1.1	21	9	31	75	57	75	57	87	64	59	67	67
5	Region 24	71.1	66.5	75.9	32.0	27.7	36.0	33.1	22.4	38.0	60.3	57.7	64.7	6.6	4.3	12.9	2.8	0.6	4.9	2.0	0.5	3.2	26	9	43	50	31	50	31	72	57	53	63	63
1	Region 25	69.7	-	-	30.1	-	-	13.1	-	-	69.3	-	-	17.6	-	-	4.4	-	-	3.3	-	-	48	-	-	32	-	-	32	-	-	53	-	-
6	Region 26	73.6	67.4	81.2	30.4	25.0	33.9	23.0	1.1	51.1	57.6	45.6	71.3	19.5	2.7	48.7	2.1	0.2	4.5	1.5	0.1	3.3	22	7	39	70	43	70	43	98	62	56	69	69
3	Region 27	74.7	71.3	76.9	33.6	30.2	37.3	30.1	18.7	41.1	59.5	52.6	66.3	10.4	6.3	15.0	1.8	0.1	2.8	1.2	0.1	2.0	22	7	32	73	56	73	56	87	63	59	66	66
1	Region 28	73.6	-	-	37.1	-	-	46.3	-	-	50.6	-	-	3.1	-	-	1.9	-	-	1.7	-	-	26	-	-	69	-	-	69	-	-	62	-	-
1	Region 30	76.1	-	-	36.0	-	-	49.8	-	-	45.2	-	-	5.0	-	-	1.9	-	-	1.5	-	-	22	-	-	89	-	-	89	-	-	67	-	-
1	Region 31	77.5	-	-	36.1	-	-	16.8	-	-	69.0	-	-	14.2	-	-	0.6	-	-	0.6	-	-	10	-	-	74	-	-	74	-	-	63	-	-
1	Region 32	76.6	-	-	31.9	-	-	21.9	-	-	60.7	-	-	17.4	-	-	0.5	-	-	0.3	-	-	12	-	-	72	-	-	72	-	-	63	-	-
5	Region 34	76.9	75.0	77.9	36.2	32.1	41.6	25.1	8.7	49.8	65.9	47.1	79.4	9.0	3.1	16.1	0.9	0.5	1.8	0.7	0.4	1.2	9	4	18	81	78	81	78	91	65	64	67	67
1	Region 36	78.9	-	-	37.9	-	-	24.1	-	-	64.1	-	-	11.8	-	-	1.2	-	-	1.0	-	-	16	-	-	91	-	-	91	-	-	67	-	-
<b>69</b>	<b>Ave. COM</b>	<b>73.7</b>	<b>63.4</b>	<b>81.2</b>	<b>34.3</b>	<b>25.0</b>	<b>41.6</b>	<b>30.4</b>	<b>1.1</b>	<b>57.8</b>	<b>60.3</b>	<b>40.2</b>	<b>79.4</b>	<b>9.4</b>	<b>1.5</b>	<b>48.7</b>	<b>1.6</b>	<b>0.1</b>	<b>4.9</b>	<b>1.2</b>	<b>0.0</b>	<b>3.3</b>	<b>21</b>	<b>4</b>	<b>48</b>	<b>69</b>	<b>26</b>	<b>98</b>	<b>62</b>	<b>51</b>	<b>69</b>	<b>69</b>	<b>69</b>	<b>69</b>
<b>516</b>	<b>Ave. WM</b>	<b>75.6</b>	<b>63.4</b>	<b>82.0</b>	<b>34.9</b>	<b>19.3</b>	<b>44.7</b>	<b>27.8</b>	<b>1.0</b>	<b>63.7</b>	<b>62.0</b>	<b>34.8</b>	<b>83.8</b>	<b>10.2</b>	<b>1.2</b>	<b>49.4</b>	<b>1.1</b>	<b>0.0</b>	<b>6.3</b>	<b>0.8</b>	<b>0.0</b>	<b>4.1</b>	<b>16</b>	<b>2</b>	<b>58</b>	<b>73</b>	<b>26</b>	<b>99</b>	<b>63</b>	<b>51</b>	<b>69</b>	<b>69</b>	<b>69</b>	<b>69</b>
<b>890</b>	<b>Ave. Maize</b>	<b>75.9</b>	<b>63.4</b>	<b>82.4</b>	<b>33.0</b>	<b>15.0</b>	<b>44.7</b>	<b>19.7</b>	<b>0.0</b>	<b>63.7</b>	<b>63.3</b>	<b>30.2</b>	<b>83.8</b>	<b>17.1</b>	<b>1.2</b>	<b>68.5</b>	<b>1.1</b>	<b>0.0</b>	<b>6.3</b>	<b>0.8</b>	<b>0.0</b>	<b>4.1</b>	<b>15</b>	<b>2</b>	<b>58</b>	<b>75</b>	<b>26</b>	<b>99</b>	<b>63</b>	<b>54</b>	<b>69</b>	<b>69</b>	<b>69</b>	<b>69</b>
	<b>Min. Maize</b>																																	
	<b>Max. Maize</b>																																	