

TABLE 19: NUTRITIONAL VALUES OF WHITE MAIZE ACCORDING TO GRADE (2019/20)												TABLE 20: NUTRITIONAL VALUES OF YELLOW MAIZE ACCORDING TO GRADE (2019/20)																
Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)			Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)			
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	
GRADE: WM1												GRADE: YM1																
-	Region 10	-	-	-	-	-	-	-	-	-	-	-	12	Region 10	3.8	3.5	4.1	8.4	8.0	8.9	72.8	71.6	74.1	1.8	1.6	2.0		
1	Region 11	3.9	-	-	8.7	-	-	74.0	-	-	-	1.7	-	9	Region 11	3.7	3.4	4.0	8.5	8.1	9.1	73.6	72.9	74.2	1.7	1.7	1.8	
8	Region 12	4.2	4.0	4.4	8.3	7.2	8.8	73.2	71.9	74.1	1.9	1.8	2.1	2	Region 12	4.3	4.1	4.4	8.8	8.5	9.1	72.8	72.3	73.3	2.0	1.9	2.0	
9	Region 13	4.3	4.0	4.7	8.2	7.7	8.5	73.0	72.6	73.6	1.9	1.8	2.0	-	Region 13	-	-	-	-	-	-	-	-	-	-	-	-	
19	Region 14	4.2	3.9	4.8	8.0	7.4	8.8	73.5	72.5	74.5	1.9	1.8	2.0	4	Region 14	4.2	4.0	4.4	8.7	7.7	9.7	72.7	71.9	74.0	1.9	1.9	1.9	
8	Region 15	4.1	3.7	4.7	8.4	7.6	8.8	73.4	72.9	74.0	1.9	1.7	2.0	3	Region 15	4.0	3.9	4.1	8.4	8.0	8.8	73.3	72.8	73.8	1.8	1.7	1.9	
14	Region 16	4.2	3.7	5.0	8.1	7.4	8.9	73.4	71.9	74.6	1.9	1.8	2.0	1	Region 16	4.2	-	-	8.4	-	-	73.4	-	-	1.9	-	-	
10	Region 17	4.1	3.9	5.0	7.7	7.5	8.1	73.8	72.5	74.2	1.8	1.6	1.9	1	Region 17	4.1	-	-	9.2	-	-	72.8	-	-	1.9	-	-	
7	Region 18	4.1	3.8	4.3	7.8	7.1	8.2	73.9	73.3	74.4	1.9	1.8	1.9	3	Region 18	3.9	3.6	4.2	8.2	8.0	8.4	73.7	73.2	74.2	1.9	1.8	1.9	
8	Region 19	4.2	4.1	4.3	8.2	7.9	8.6	73.5	73.3	73.7	1.9	1.8	2.0	2	Region 19	4.1	3.9	4.2	8.5	8.3	8.6	73.0	72.4	73.6	1.9	1.9	2.0	
7	Region 20	4.1	3.9	4.3	8.0	7.6	8.7	73.7	73.3	74.3	1.8	1.7	1.9	6	Region 20	3.9	3.7	4.1	8.8	8.5	9.5	72.6	71.7	73.4	1.9	1.9	1.9	
8	Region 21	4.2	4.1	4.7	8.0	7.6	8.7	73.6	72.8	74.6	1.9	1.8	2.0	6	Region 21	4.1	3.7	4.5	9.1	8.5	10.1	71.9	69.9	73.0	2.0	1.9	2.1	
7	Region 22	4.0	3.9	4.3	8.1	7.9	8.6	73.7	72.2	74.3	1.9	1.8	1.9	1	Region 22	4.0	-	-	8.0	-	-	73.5	-	-	1.9	-	-	
13	Region 23	4.1	3.8	4.5	7.9	6.8	8.9	73.8	72.9	74.7	1.9	1.7	2.0	1	Region 23	3.7	-	-	8.7	-	-	73.5	-	-	1.8	-	-	
7	Region 24	4.0	3.8	4.6	8.3	7.5	9.2	73.6	73.2	74.2	1.8	1.7	1.9	6	Region 24	4.0	3.8	4.3	8.4	7.9	8.9	72.7	72.2	73.3	1.9	1.8	2.0	
-	Region 25	-	-	-	-	-	-	-	-	-	-	-	6	Region 25	3.7	3.6	3.8	8.5	7.1	9.5	72.5	71.9	72.9	2.0	1.8	2.1		
2	Region 26	4.1	4.0	4.2	8.6	8.6	8.6	73.1	72.8	73.4	1.9	1.9	2.0	6	Region 26	3.9	3.6	4.4	9.4	8.3	10.8	71.3	69.2	72.6	2.0	1.8	2.2	
3	Region 27	4.3	4.0	4.5	8.6	8.3	9.0	73.2	72.8	73.4	1.8	1.7	1.9	10	Region 27	3.9	3.6	4.3	9.6	8.4	10.6	71.6	70.2	72.9	2.0	1.9	2.1	
13	Region 28	4.0	3.5	4.4	9.5	8.2	11.7	72.4	69.6	73.6	1.9	1.8	1.9	18	Region 28	3.8	3.5	4.2	9.5	8.7	10.5	71.9	70.7	73.8	1.9	1.9	2.1	
10	Region 29	4.0	3.6	4.4	8.9	7.6	9.6	73.1	71.9	74.0	1.9	1.8	2.0	26	Region 29	4.0	3.6	4.5	9.6	8.8	10.4	71.7	70.5	73.1	2.0	1.8	2.3	
9	Region 30	3.9	3.5	4.4	8.7	7.0	9.6	73.3	72.2	74.8	1.8	1.6	2.1	24	Region 30	4.0	3.5	4.4	8.9	7.9	9.8	72.6	71.6	74.1	1.9	1.8	2.1	
11	Region 31	3.9	3.4	4.4	8.9	7.4	10.0	73.0	71.9	74.4	1.8	1.7	1.9	25	Region 31	3.9	3.5	4.2	9.2	7.9	10.0	72.4	71.1	73.9	1.9	1.8	2.1	
12	Region 32	3.9	3.8	4.1	8.5	7.4	9.3	73.2	71.9	74.9	1.9	1.7	2.1	21	Region 32	3.9	3.5	4.3	8.9	8.3	9.6	72.3	71.4	73.8	2.0	1.8	2.1	
10	Region 33	3.9	3.8	4.0	8.5	8.1	9.1	73.5	72.9	74.3	1.8	1.7	2.0	12	Region 33	3.7	3.4	4.1	8.8	8.1	9.5	72.7	72.3	73.4	1.9	1.8	2.0	
11	Region 34	4.0	3.8	4.3	9.0	7.7	10.0	72.8	71.8	74.1	1.8	1.7	1.9	17	Region 34	3.9	3.6	4.3	8.8	7.8	9.6	72.7	71.8	73.6	2.0	1.8	2.0	
3	Region 35	4.1	4.0	4.2	9.0	8.5	9.7	72.8	72.0	73.4	1.8	1.8	1.9	4	Region 35	3.9	3.5	4.3	9.6	9.1	10.2	71.7	70.6	72.4	1.9	1.8	2.0	
11	Region 36	4.1	3.6	4.6	9.3	8.5	10.0	72.8	71.4	74.3	1.8	1.7	2.0	18	Region 36	3.9	3.5	4.5	8.9	8.2	10.5	72.6	71.1	73.8	1.9	1.7	2.0	
221	Ave. WM1	4.1	3.4	5.0	8.4	6.8	11.7	73.3	69.6	74.9	1.9	1.6	2.1	244	Ave. YM1	3.9	3.4	4.5	9.0	7.1	10.8	72.4	69.2	74.2	1.9	1.6	2.3	
	Min. WM1													Min. YM1														
	Max. WM1													Max. YM1														

TABLE 19: NUTRITIONAL VALUES OF WHITE MAIZE ACCORDING TO GRADE (2019/20) (continue)													TABLE 20: NUTRITIONAL VALUES OF YELLOW MAIZE ACCORDING TO GRADE (2019/20) (continue)														
Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)			Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)		
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: WM2													GRADE: YM2														
1	Region 10	4.1	-	-	8.5	-	-	73.0	-	-	2.0	-	-	2	Region 10	4.2	4.0	4.4	8.6	7.9	9.3	73.2	72.3	74.0	1.7	1.7	1.8
1	Region 11	3.7	-	-	8.9	-	-	74.0	-	-	1.6	-	-	1	Region 11	3.8	-	-	8.8	-	-	72.4	-	-	1.9	-	-
2	Region 12	4.0	3.6	4.4	7.9	7.7	8.1	73.7	73.3	74.1	1.9	1.9	1.9	-	Region 12	-	-	-	-	-	-	-	-	-	-	-	-
4	Region 13	4.0	3.9	4.2	8.3	7.9	8.6	73.4	72.4	73.9	1.9	1.8	2.0	1	Region 13	4.1	-	-	8.4	-	-	73.2	-	-	2.0	-	-
5	Region 14	4.0	3.8	4.2	8.2	7.8	8.7	73.6	73.4	73.9	1.8	1.7	1.9	1	Region 14	4.3	-	-	7.9	-	-	73.6	-	-	2.0	-	-
14	Region 15	3.9	3.7	4.5	8.3	7.6	9.7	73.5	72.5	74.3	1.9	1.8	2.1	2	Region 15	4.0	4.0	4.0	7.8	7.6	8.0	73.2	73.1	73.3	2.0	1.9	2.1
9	Region 16	3.9	3.7	4.0	7.9	7.2	8.8	73.5	71.7	74.5	1.9	1.8	2.1	2	Region 16	4.1	4.0	4.2	8.9	8.6	9.2	72.9	72.9	72.9	1.9	1.9	2.0
8	Region 17	4.2	3.9	4.8	8.3	7.8	8.9	73.3	72.2	73.9	1.9	1.8	2.0	-	Region 17	-	-	-	-	-	-	-	-	-	-	-	-
4	Region 18	4.1	3.9	4.3	7.9	7.7	8.3	73.6	72.9	74.3	1.9	1.8	2.1	2	Region 18	3.8	3.7	3.9	8.7	8.6	8.8	72.7	72.6	72.8	2.0	1.9	2.0
4	Region 19	4.1	4.1	4.2	8.1	7.5	8.4	73.6	73.4	73.7	1.9	1.9	1.9	-	Region 19	-	-	-	-	-	-	-	-	-	-	-	-
7	Region 20	4.2	3.8	4.8	8.5	8.0	8.7	73.1	72.7	73.5	1.9	1.8	2.1	-	Region 20	-	-	-	-	-	-	-	-	-	-	-	-
13	Region 21	4.1	3.9	4.5	8.4	7.3	9.3	73.1	72.1	74.0	1.9	1.8	2.0	3	Region 21	4.0	3.6	4.4	9.8	9.1	10.6	71.0	69.2	72.0	2.1	2.0	2.1
15	Region 22	4.0	3.8	4.2	8.1	7.4	8.7	73.5	72.9	74.2	1.9	1.8	2.0	4	Region 22	4.0	3.7	4.4	8.9	8.3	9.5	72.4	71.4	73.4	1.9	1.8	2.0
25	Region 23	4.0	3.7	4.2	8.2	7.3	8.9	73.5	72.4	74.3	1.9	1.6	2.0	-	Region 23	-	-	-	-	-	-	-	-	-	-	-	-
6	Region 24	3.9	3.7	4.1	8.5	8.3	8.7	73.6	73.3	74.0	1.9	1.8	2.0	4	Region 24	4.1	3.8	4.3	8.8	7.8	9.4	71.9	70.3	73.7	2.1	1.8	2.2
1	Region 25	4.1	-	-	7.8	-	-	73.7	-	-	2.0	-	-	1	Region 25	4.0	-	-	8.1	-	-	72.9	-	-	2.1	-	-
6	Region 26	4.1	3.8	4.6	8.0	6.7	8.6	73.4	72.5	73.9	1.9	1.8	2.0	8	Region 26	4.0	3.7	4.4	8.9	7.9	9.9	71.7	69.7	73.0	2.0	1.9	2.2
4	Region 27	4.3	4.1	4.6	8.4	7.7	8.7	73.4	72.8	73.7	1.9	1.8	1.9	5	Region 27	4.0	3.8	4.2	9.6	9.1	10.2	71.4	70.3	71.9	1.9	1.8	2.0
1	Region 28	3.8	-	-	9.3	-	-	72.8	-	-	1.8	-	-	7	Region 28	3.8	3.5	4.1	10.4	9.9	10.8	71.0	69.4	72.0	2.0	1.9	2.1
6	Region 29	4.0	3.7	4.2	9.1	8.7	9.8	72.7	71.2	73.5	1.9	1.7	1.9	7	Region 29	3.9	3.7	4.4	9.7	8.9	10.9	71.7	70.3	72.7	2.0	1.9	2.1
1	Region 30	3.9	-	-	8.0	-	-	73.9	-	-	1.8	-	-	6	Region 30	3.9	3.6	4.1	9.1	8.3	9.9	72.1	70.9	73.5	2.0	1.9	2.2
3	Region 31	4.0	3.9	4.2	9.3	8.6	10.5	72.3	70.9	73.2	1.9	1.9	1.9	5	Region 31	3.7	3.3	4.0	9.4	8.4	10.6	72.2	71.6	72.8	2.0	1.8	2.1
2	Region 32	3.9	3.8	4.0	8.4	8.1	8.8	73.7	72.9	74.4	1.9	1.8	2.0	8	Region 32	3.9	3.6	4.1	9.0	8.8	9.2	72.5	71.6	73.3	1.9	1.8	2.1
2	Region 33	3.9	3.8	4.1	8.9	8.2	9.5	72.3	71.8	72.8	1.9	1.8	2.0	5	Region 33	3.6	3.4	3.8	8.7	7.9	9.1	72.8	72.2	73.1	2.0	1.9	2.1
4	Region 34	3.8	3.5	4.0	8.8	8.1	10.4	73.2	71.4	74.5	1.8	1.7	1.9	-	Region 34	-	-	-	-	-	-	-	-	-	-	-	-
-	Region 35	-	-	-	-	-	-	-	-	-	-	-	-	-	Region 35	-	-	-	-	-	-	-	-	-	-	-	-
7	Region 36	4.0	3.6	4.6	9.0	8.5	10.4	73.4	72.2	74.1	1.8	1.7	1.9	5	Region 36	3.6	3.4	3.8	8.9	8.5	9.6	73.1	72.9	73.6	1.8	1.8	1.9
155	Ave. WM2	4.0			8.3			73.4			1.9			79	Ave. YM2	3.9			9.1			72.1			2.0		
	Min. WM2				6.7			70.9			1.6				Min. YM2				7.6			69.2			1.7		
	Max. WM2		3.5	4.8	10.5			74.5			2.1				Max. YM2	4.4			10.9			74.0			2.2		

TABLE 19: NUTRITIONAL VALUES OF WHITE MAIZE ACCORDING TO GRADE (2019/20) (continue)													TABLE 20: NUTRITIONAL VALUES OF YELLOW MAIZE ACCORDING TO GRADE (2019/20) (continue)															
Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)			Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)			
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	
GRADE: WM3													GRADE: YM3															
1	Region 10	3.9	-	-	8.5	-	-	73.9	-	-	1.8	-	-	-	Region 10	-	-	-	-	-	-	-	-	-	-	-	-	
1	Region 11	3.7	-	-	7.7	-	-	74.2	-	-	2.0	-	-	Region 11	4.3	-	-	73.0	-	-	8.6	-	-	-	-	-	-	
4	Region 12	4.4	3.8	4.9	7.8	7.5	8.3	73.4	73.0	73.9	2.0	1.9	2.1	Region 12	-	-	-	-	-	-	-	-	-	-	-	-		
5	Region 13	4.0	3.8	4.3	8.0	7.9	8.2	73.6	72.8	74.2	2.0	1.9	2.1	Region 13	-	-	-	-	-	-	-	-	-	-	-	-		
2	Region 14	4.0	4.0	4.0	7.7	7.4	8.1	74.0	73.7	74.2	1.9	1.9	2.0	Region 14	-	-	-	-	-	-	-	-	-	-	-	-		
3	Region 15	4.1	3.8	4.3	7.9	7.6	8.0	73.3	73.3	73.4	2.0	1.9	2.0	Region 15	-	-	-	-	-	-	-	-	-	-	-	-		
4	Region 16	4.0	4.0	4.0	8.0	7.8	8.4	73.6	73.4	74.1	1.9	1.8	2.0	Region 16	-	-	-	-	-	-	-	-	-	-	-	-		
1	Region 17	4.1	-	-	8.3	-	-	73.4	-	-	1.9	-	-	Region 17	-	-	-	-	-	-	-	-	-	-	-	-		
1	Region 18	3.7	-	-	8.4	-	-	73.4	-	-	2.0	-	-	Region 18	-	-	-	-	-	-	-	-	-	-	-	-		
6	Region 19	4.2	3.9	4.9	8.6	8.0	9.3	72.7	71.8	73.3	2.0	1.9	2.1	Region 19	-	-	-	-	-	-	-	-	-	-	-	-		
9	Region 20	3.9	3.7	4.3	8.0	7.7	8.7	73.4	73.0	73.7	2.0	1.9	2.1	Region 20	-	-	-	-	-	-	-	-	-	-	-	-		
9	Region 21	4.0	3.9	4.2	8.3	7.7	8.9	73.4	72.7	73.8	2.0	1.8	2.1	Region 21	-	-	-	-	-	-	-	-	-	-	-	-		
7	Region 22	4.1	3.8	4.3	7.9	7.4	8.6	72.9	71.8	74.3	2.1	1.8	2.4	Region 22	-	-	-	-	-	-	-	-	-	-	-	-		
1	Region 23	4.1	-	-	8.0	-	-	73.3	-	-	2.0	-	-	Region 23	-	-	-	-	-	-	-	-	-	-	-	-		
7	Region 24	4.2	3.9	4.7	8.6	7.8	9.7	72.6	71.9	73.5	2.0	1.9	2.1	Region 24	4.3	4.2	4.4	72.4	71.6	73.3	8.5	7.9	9.0	72.4	71.6	73.3		
1	Region 25	4.1	-	-	9.5	-	-	72.2	-	-	1.9	-	-	Region 25	-	-	-	-	-	-	-	-	-	-	-	-		
2	Region 26	3.7	3.5	3.8	10.5	10.3	10.7	71.3	71.1	71.4	2.0	2.0	2.0	Region 26	-	-	-	-	-	-	-	-	-	-	-	-		
1	Region 27	3.8	-	-	9.0	-	-	73.1	-	-	1.9	-	-	Region 27	3.8	3.6	4.0	71.6	71.2	72.0	9.3	9.0	9.6	71.6	71.2	72.0		
-	Region 28	-	-	-	-	-	-	-	-	-	-	-	-	Region 28	3.7	3.5	3.9	71.8	71.4	72.1	9.6	9.1	10.1	71.8	71.4	72.1		
-	Region 29	-	-	-	-	-	-	-	-	-	-	-	-	Region 29	4.6	-	-	70.3	-	-	9.5	-	-	70.3	-	-		
-	Region 30	-	-	-	-	-	-	-	-	-	-	-	-	Region 30	4.0	-	-	72.7	-	-	7.8	-	-	72.7	-	-		
4	Region 32	3.8	3.7	3.9	8.4	7.8	9.9	73.4	72.1	74.8	1.9	1.8	2.1	Region 32	3.8	-	-	72.1	-	-	9.2	-	-	72.1	-	-		
1	Region 33	4.4	-	-	9.5	-	-	73.1	-	-	1.9	-	-	Region 33	-	-	-	-	-	-	-	-	-	-	-	-		
1	Region 34	3.9	-	-	9.7	-	-	71.9	-	-	1.9	-	-	Region 34	4.1	-	-	72.6	-	-	8.7	-	-	72.6	-	-		
71	Ave. WM3	4.0	3.5	4.9	8.3	7.4	10.7	73.2	71.1	74.8	2.0	1.8	2.4	13	Ave. YM3	4.0	3.5	4.6	9.0	7.8	10.1	72.0	70.3	73.3	2.0	1.8	2.2	
	Min. WM3													Min. YM3														
	Max. WM3													Max. YM3														

TABLE 19: NUTRITIONAL VALUES OF WHITE MAIZE ACCORDING TO GRADE (2019/20) (continue)												TABLE 20: NUTRITIONAL VALUES OF YELLOW MAIZE ACCORDING TO GRADE (2019/20) (continue)															
Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)			Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)		
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
CLASS: COM																											
-	Region 08	-	-	-	-	-	-	-	-	-	-	-	-	1	Region 08	3.8	-	-	9.2	-	-	72.9	-	-	1.8	-	
-	Region 10	-	-	-	-	-	-	-	-	-	-	-	1	Region 10	3.9	-	-	8.7	-	-	72.7	-	-	1.8	-		
2	Region 12	4.0	3.9	4.1	8.4	8.3	8.6	72.8	72.6	73.1	1.9	1.9	2.0	-	Region 11	-	-	-	-	-	-	-	-	-	-		
3	Region 13	4.4	4.3	4.5	8.4	7.9	8.8	73.0	72.6	73.4	1.9	1.8	2.0	1	Region 13	4.2	-	-	8.1	-	-	73.0	-	-	1.9	-	
5	Region 14	4.2	4.0	4.4	8.4	7.4	9.0	72.8	72.3	73.7	1.9	1.9	2.0	1	Region 14	4.4	-	-	9.4	-	-	71.1	-	-	2.0	-	
7	Region 15	3.9	3.7	4.2	8.5	8.1	8.9	72.5	71.9	73.3	2.0	1.9	2.2	1	Region 15	4.0	-	-	8.3	-	-	72.7	-	-	1.8	-	
1	Region 16	4.0	-	-	7.9	-	-	73.7	-	-	1.8	-	-	-	Region 16	-	-	-	-	-	-	-	-	-	-		
2	Region 18	3.8	3.7	3.9	8.1	7.9	8.3	72.0	70.5	73.5	2.2	1.9	2.6	3	Region 18	4.0	4.0	4.1	8.0	7.5	8.7	74.0	73.8	74.3	2.0	1.9	2.0
7	Region 19	4.1	3.9	4.3	7.9	7.2	8.4	73.7	72.9	74.5	1.9	1.8	1.9	-	Region 19	-	-	-	-	-	-	-	-	-	-		
7	Region 21	4.3	3.7	4.9	8.7	7.6	9.3	72.7	71.3	73.7	2.0	1.9	2.2	-	Region 21	-	-	-	-	-	-	-	-	-	-		
1	Region 22	4.1	-	-	7.4	-	-	74.4	-	-	1.9	-	-	-	Region 22	-	-	-	-	-	-	-	-	-	-		
9	Region 23	3.9	3.7	4.2	8.4	8.0	8.9	73.3	72.4	74.1	1.9	1.8	2.1	2	Region 23	4.3	4.3	4.3	9.1	8.7	9.5	71.9	71.6	72.3	2.1	2.1	2.2
5	Region 24	4.0	3.9	4.3	8.2	7.9	8.7	72.2	70.9	73.9	2.3	1.9	2.6	5	Region 24	3.8	3.8	3.9	8.1	7.0	8.9	72.3	70.8	73.3	2.1	1.8	2.5
1	Region 25	4.4	-	-	7.3	-	-	72.6	-	-	2.1	-	-	-	Region 25	-	-	-	-	-	-	-	-	-	-	-	
6	Region 26	3.9	3.6	4.5	9.2	7.5	10.4	72.0	70.6	73.3	2.0	1.8	2.2	4	Region 26	4.1	3.7	4.5	9.6	9.0	10.7	70.2	68.3	71.7	2.2	2.0	2.4
3	Region 27	4.1	3.9	4.3	8.5	8.2	8.6	73.4	72.6	73.8	1.9	1.8	2.1	2	Region 27	3.9	3.9	4.0	9.6	9.4	9.8	71.4	71.0	71.8	1.9	1.8	1.9
1	Region 28	3.7	-	-	9.2	-	-	73.1	-	-	2.1	-	-	2	Region 28	3.8	3.7	4.0	9.3	9.0	9.6	71.0	69.6	72.4	2.1	2.0	2.3
-	Region 29	-	-	-	-	-	-	-	-	-	-	-	1	Region 29	3.8	-	-	10.2	-	-	71.4	-	-	2.0	-	-	
1	Region 30	4.3	-	-	9.1	-	-	72.7	-	-	2.0	-	-	-	Region 30	-	-	-	-	-	-	-	-	-	-		
1	Region 31	3.8	-	-	8.9	-	-	73.1	-	-	1.7	-	-	3	Region 31	3.9	3.7	4.0	9.1	8.7	9.6	72.4	71.8	73.0	1.9	1.9	2.0
1	Region 32	3.8	-	-	7.6	-	-	74.3	-	-	1.8	-	-	5	Region 32	3.9	3.6	4.1	9.3	9.0	9.7	72.3	71.8	72.8	1.9	1.8	2.1
5	Region 34	3.9	3.6	4.0	9.4	8.9	9.8	72.6	71.7	73.3	1.9	1.8	2.0	1	Region 34	4.2	-	-	8.5	-	-	73.0	-	-	1.9	-	
1	Region 36	3.8	-	-	9.0	-	-	72.9	-	-	1.8	-	-	5	Region 36	3.7	3.5	3.9	8.7	7.9	9.6	73.0	71.6	74.9	1.9	1.8	2.0
69	Ave. COM	4.0	3.6	4.9	8.5	7.2	10.4	72.9	70.5	74.5	2.0	1.7	2.6	38	Ave. COM	3.9	3.5	4.5	8.9	7.0	10.7	72.2	68.3	74.9	2.0	1.8	2.5
516	Ave. White	4.0	3.4	5.0	8.4	6.7	11.7	73.2	69.6	74.9	1.9	1.6	2.6	374	Min. Yellow	3.9	3.3	4.6	9.0	7.0	10.9	72.3	68.3	74.9	1.9	1.6	2.5
890	Ave. Maize	4.0	3.3	5.0	8.7	6.7	11.7	72.8	68.3	74.9	1.9	1.6	2.6	890	Ave. Maize	4.0	3.3	5.0	8.7	6.7	11.7	72.8	68.3	74.9	1.9	1.6	2.6