

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20**

Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B <sub>1</sub> LOQ: 5 µg/kg	B <sub>2</sub> LOQ: 5 µg/kg	G <sub>1</sub> LOQ: 5 µg/kg	G <sub>2</sub> LOQ: 5 µg/kg		B <sub>1</sub> LOQ: 20 µg/kg	B <sub>2</sub> LOQ: 20 µg/kg	B <sub>3</sub> LOQ: 20 µg/kg						
8	COM	ND	ND	ND	ND	ND	ND	ND	ND	3 748	514	ND	33	ND	ND
10	YM1	ND	ND	ND	ND	ND	47	ND	ND	578	ND	ND	ND	ND	ND
10	YM2	ND	ND	ND	ND	ND	211	40	ND	365	ND	ND	ND	ND	ND
10	YM1	ND	ND	ND	ND	ND	741	119	61	148	ND	ND	ND	ND	ND
10	WM2	ND	ND	ND	ND	ND	ND	ND	ND	1 214	351	ND	ND	ND	ND
10	YM1	ND	ND	ND	ND	ND	84	20	ND	537	ND	ND	ND	ND	ND
10	COM	ND	ND	ND	ND	ND	1 729	520	126	664	141	ND	88	ND	ND
11	WM2	ND	ND	ND	ND	ND	243	68	ND	1 915	335	ND	ND	ND	ND
11	YM3	ND	ND	ND	ND	ND	370	67	29	993	121	ND	40	ND	ND
11	YM1	ND	ND	ND	ND	ND	356	82	ND	ND	ND	ND	ND	ND	ND
11	YM1	ND	ND	ND	ND	ND	88	ND	ND	401	ND	ND	ND	ND	ND
11	WM1	ND	ND	ND	ND	ND	22	ND	ND	1 619	433	ND	27	ND	ND
11	YM1	ND	ND	ND	ND	ND	271	29	ND	1 838	252	ND	29	ND	ND
11	YM2	ND	ND	ND	ND	ND	4 565	990	373	1 061	174	ND	29	ND	ND
12	YM1	10	ND	ND	ND	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
12	WM3	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND
12	COM	ND	ND	ND	ND	ND	23	ND	ND	217	ND	ND	ND	ND	ND
12	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
12	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
12	WM1	ND	ND	ND	ND	ND	134	52	ND	139	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	ND	ND	ND	ND	127	ND	ND	ND	ND	ND
13	COM	ND	ND	ND	ND	ND	217	159	ND	263	ND	ND	ND	ND	ND
13	COM	ND	ND	ND	ND	ND	ND	ND	ND	212	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	ND	53	ND	ND	129	ND	ND	ND	ND	ND
13	YM2	ND	ND	ND	ND	ND	39	ND	ND	527	161	ND	ND	ND	ND
13	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	WM3	ND	ND	ND	ND	ND	246	81	47	280	ND	ND	ND	ND	ND
13	WM2	ND	ND	ND	ND	ND	ND	ND	ND	599	ND	ND	ND	ND	ND
14	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	39	ND	ND	ND	ND	ND	ND	ND	ND

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg				Total	DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B <sub>1</sub>	B <sub>2</sub>	G <sub>1</sub>	G <sub>2</sub>		B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>	Total							
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg		LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg								
14	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	74	25	ND	99	626	144	ND	ND	ND	ND	
14	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	WM2	ND	ND	ND	ND	ND	336	90	36	462	182	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	28	ND	ND	28	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	284	ND	ND	ND	ND	ND	
14	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	404	154	ND	243	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	113	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	166	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	92	57	ND	149	ND	ND	ND	ND	ND	ND	
14	WM3	ND	ND	ND	ND	ND	317	117	25	459	158	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	107	ND	ND	ND	ND	ND	
15	YM2	ND	ND	ND	ND	ND	136	ND	ND	136	5 060	768	85	ND	ND	ND	
15	YM1	ND	ND	ND	ND	ND	244	ND	ND	244	521	109	ND	ND	ND	ND	
15	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	532	ND	ND	ND	ND	ND	
15	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	2 269	337	ND	ND	ND	ND	
15	YM1	ND	ND	ND	ND	ND	1 379	413	109	1 901	1 158	282	56	ND	ND	ND	
15	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 072	256	ND	ND	ND	ND	
15	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	266	ND	ND	ND	ND	ND	
15	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	64	ND	ND	ND	
15	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	288	ND	ND	ND	ND	ND	
15	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	402	ND	ND	ND	ND	ND	
15	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	670	122	ND	ND	ND	ND	
15	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	2 047	362	ND	ND	ND	ND	
15	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	526	125	ND	ND	ND	ND	
15	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	327	ND	ND	ND	ND	ND	
15	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	136	ND	ND	ND	ND	ND	

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg					Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg	
		B <sub>1</sub>	B <sub>2</sub>	G <sub>1</sub>	G <sub>2</sub>	Total	B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>							Total
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg		LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg							
15	WM1	ND	ND	ND	ND	ND	ND	ND	ND	569	ND	ND	ND	ND	ND	
15	WM2	ND	ND	ND	ND	ND	ND	ND	ND	808	169	ND	ND	ND	ND	
15	WM1	ND	ND	ND	ND	ND	ND	ND	ND	385	ND	ND	ND	ND	ND	
16	YM1	ND	ND	ND	ND	ND	ND	ND	ND	126	ND	ND	ND	ND	ND	
16	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
16	YM2	ND	ND	ND	ND	95	36	ND	131	1 071	117	ND	ND	ND	ND	
16	WM1	ND	ND	ND	ND	ND	ND	ND	ND	330	ND	ND	ND	ND	ND	
16	YM2	ND	ND	ND	ND	75	35	ND	110	401	ND	ND	ND	ND	ND	
16	WM3	ND	ND	ND	ND	ND	ND	ND	ND	780	190	31	ND	ND	ND	
16	WM1	ND	ND	ND	ND	ND	ND	ND	ND	851	153	ND	ND	ND	ND	
16	WM2	ND	ND	ND	ND	ND	ND	ND	ND	1 191	159	ND	ND	ND	ND	
16	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
16	WM2	ND	ND	ND	ND	ND	ND	ND	ND	1 332	271	ND	ND	ND	ND	
16	COM	ND	ND	ND	ND	ND	ND	ND	ND	230	ND	ND	ND	ND	ND	
16	WM1	ND	ND	ND	ND	21	ND	ND	21	101	ND	ND	ND	ND	ND	
17	WM2	ND	ND	ND	ND	21	ND	ND	21	268	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	20	ND	ND	20	243	123	ND	ND	ND	ND	
17	WM3	ND	ND	ND	ND	31	47	ND	78	1 606	324	26	ND	ND	ND	
17	WM2	ND	ND	ND	ND	378	192	40	610	1 466	140	ND	ND	ND	ND	
17	WM3	ND	ND	ND	ND	ND	ND	ND	ND	264	102	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	184	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	129	ND	ND	ND	ND	ND	
17	WM2	ND	ND	ND	ND	ND	ND	ND	ND	145	ND	ND	ND	ND	ND	
18	WM1	ND	ND	ND	ND	313	115	30	458	185	ND	ND	ND	ND	ND	
18	COM	ND	ND	ND	ND	ND	ND	ND	ND	377	129	ND	ND	ND	ND	
18	WM1	ND	ND	ND	ND	ND	ND	ND	ND	224	ND	ND	ND	ND	ND	
18	WM2	ND	ND	ND	ND	ND	ND	ND	ND	296	ND	ND	ND	ND	ND	
18	YM2	ND	ND	ND	ND	ND	ND	ND	ND	509	212	ND	ND	ND	ND	
18	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg				Total	DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B <sub>1</sub>	B <sub>2</sub>	G <sub>1</sub>	G <sub>2</sub>		B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>	Total							
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg		LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg								
18	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	369	ND	ND	ND	ND	ND	
18	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	244	ND	ND	ND	ND	ND	
18	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	237	ND	ND	ND	ND	ND	
18	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
18	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	112	ND	ND	ND	ND	ND	
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	146	ND	ND	ND	ND	ND	
19	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	183	ND	ND	ND	ND	ND	
19	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	243	ND	ND	ND	ND	ND	
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	130	ND	ND	ND	ND	ND	
19	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	801	ND	ND	ND	ND	ND	
19	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 457	301	ND	ND	ND	ND	
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	248	ND	ND	ND	ND	ND	
19	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	229	ND	ND	ND	ND	ND	
19	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
19	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	118	ND	ND	ND	ND	ND	
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	280	ND	ND	ND	ND	ND	
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	225	ND	ND	58	ND	ND	
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	690	ND	ND	ND	ND	ND	
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 724	219	ND	ND	ND	ND	
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 249	212	ND	25	ND	ND	
20	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	7 516	829	ND	54	ND	ND	
20	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	3 188	362	ND	46	ND	ND	
20	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	216	130	ND	ND	ND	ND	
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	317	ND	ND	ND	ND	ND	
20	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	265	ND	ND	ND	ND	ND	
21	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	116	ND	ND	ND	ND	ND	
21	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	649	213	ND	ND	ND	ND	
21	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 432	170	ND	ND	ND	ND	
21	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	243	ND	ND	ND	ND	ND	

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B <sub>1</sub>	B <sub>2</sub>	G <sub>1</sub>	G <sub>2</sub>		B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>						
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg		LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg						
21	WM2	ND	ND	ND	ND	ND	ND	ND	376	128	ND	ND	ND	ND	
21	YM2	ND	ND	ND	ND	ND	ND	ND	332	ND	ND	ND	ND	ND	
21	WM3	ND	ND	ND	ND	ND	ND	ND	178	ND	ND	ND	ND	ND	
21	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	YM2	ND	ND	ND	ND	510	136	50	1 141	ND	ND	ND	ND	ND	
21	WM1	ND	ND	ND	ND	ND	ND	ND	185	ND	ND	ND	ND	ND	
21	YM1	ND	ND	ND	ND	190	114	ND	217	ND	ND	ND	ND	ND	
21	WM1	ND	ND	ND	ND	ND	ND	ND	275	ND	ND	ND	ND	ND	
21	WM2	ND	ND	ND	ND	33	ND	ND	488	124	ND	ND	ND	ND	
21	WM2	ND	ND	ND	ND	ND	ND	ND	132	ND	ND	ND	ND	ND	
21	YM2	ND	ND	ND	ND	ND	ND	ND	361	ND	ND	ND	ND	ND	
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	WM2	ND	ND	ND	ND	58	ND	ND	467	105	ND	ND	ND	ND	
22	YM2	ND	ND	ND	ND	ND	ND	ND	1 515	262	ND	ND	ND	ND	
22	COM	ND	ND	ND	ND	ND	ND	ND	770	143	ND	ND	ND	ND	
22	WM2	ND	ND	ND	ND	ND	ND	ND	1 581	385	ND	ND	ND	ND	
22	WM1	ND	ND	ND	ND	ND	ND	ND	698	118	ND	ND	ND	ND	
22	WM3	ND	ND	ND	ND	ND	ND	ND	2 588	440	ND	ND	ND	ND	
22	WM3	ND	ND	ND	ND	ND	ND	ND	1 948	350	ND	110	ND	ND	
22	WM2	ND	ND	ND	ND	23	ND	ND	792	104	ND	ND	ND	ND	
22	WM1	ND	ND	ND	ND	ND	ND	ND	606	ND	ND	ND	ND	ND	
22	WM3	ND	ND	ND	ND	28	ND	ND	523	ND	ND	ND	ND	ND	
22	WM2	ND	ND	ND	ND	51	ND	ND	375	ND	ND	22	ND	ND	
22	WM1	ND	ND	ND	ND	ND	ND	ND	131	ND	ND	ND	ND	ND	
22	YM2	ND	ND	ND	ND	ND	ND	ND	431	131	ND	ND	ND	ND	
23	WM2	ND	ND	ND	ND	372	92	27	695	130	ND	40	ND	ND	
23	WM1	ND	ND	ND	ND	29	ND	ND	201	ND	ND	ND	ND	ND	
23	YM1	ND	ND	ND	ND	45	ND	ND	2 002	216	ND	39	ND	ND	
23	WM2	ND	ND	ND	ND	68	20	ND	720	123	ND	ND	ND	ND	
23	COM	ND	ND	ND	ND	ND	ND	ND	241	ND	ND	ND	ND	ND	

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg						Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOD: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B <sub>1</sub> LOQ: 5 µg/kg	B <sub>2</sub> LOQ: 5 µg/kg	G <sub>1</sub> LOQ: 5 µg/kg	G <sub>2</sub> LOQ: 5 µg/kg	Total	B <sub>1</sub> LOQ: 20 µg/kg	B <sub>2</sub> LOQ: 20 µg/kg	B <sub>3</sub> LOQ: 20 µg/kg	Total						
23	COM	ND	ND	ND	ND	ND	49	ND	ND	49	538	142	ND	ND	ND	
23	COM	ND	ND	ND	ND	ND	143	36	ND	179	237	ND	ND	ND	ND	
23	WM1	ND	ND	ND	ND	ND	23	ND	ND	23	356	ND	ND	ND	ND	
23	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	3 387	489	ND	ND	ND	
23	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	843	151	ND	ND	ND	
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	339	ND	ND	ND	ND	
23	WM2	ND	ND	ND	ND	ND	22	ND	ND	22	540	ND	20	ND	ND	
23	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	7 700	1 072	52	ND	ND	
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	668	108	ND	ND	ND	
23	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	514	ND	ND	ND	ND	
23	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	460	ND	23	ND	ND	
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	240	ND	ND	ND	ND	
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	298	ND	ND	ND	ND	
23	WM3	ND	ND	ND	ND	ND	63	ND	ND	63	221	ND	ND	ND	ND	
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	896	125	ND	ND	ND	
23	COM	ND	ND	ND	ND	ND	76	27	ND	103	1 052	194	ND	ND	ND	
23	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	318	ND	ND	ND	ND	
24	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 791	244	57	ND	ND	
24	WM2	ND	ND	ND	ND	ND	225	48	ND	273	922	127	ND	ND	ND	
24	WM1	ND	ND	ND	ND	ND	161	50	ND	211	1 291	198	70	ND	ND	
24	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
24	WM1	ND	ND	ND	ND	ND	258	84	ND	342	110	ND	ND	ND	ND	
24	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
24	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
24	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	243	ND	ND	ND	ND	
24	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
24	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	455	ND	ND	ND	ND	
24	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	4 761	1 173	93	ND	ND	
24	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	4 969	1 066	539	ND	ND	
24	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	3 880	592	24	ND	ND	

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		B <sub>1</sub> LOQ: 5 µg/kg	B <sub>2</sub> LOQ: 5 µg/kg	G <sub>1</sub> LOQ: 5 µg/kg	G <sub>2</sub> LOQ: 5 µg/kg	Total	B <sub>1</sub> LOQ: 20 µg/kg	B <sub>2</sub> LOQ: 20 µg/kg						
24	YM2	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND
24	YM1	ND	ND	ND	ND	ND	ND	ND	211	ND	ND	ND	ND	ND
24	COM	ND	ND	ND	ND	ND	ND	ND	445	ND	ND	ND	ND	ND
25	YM1	ND	ND	ND	ND	ND	ND	ND	449	ND	ND	ND	ND	ND
25	COM	ND	ND	ND	ND	ND	ND	ND	116	ND	ND	ND	ND	ND
25	YM1	ND	ND	ND	ND	ND	ND	ND	454	116	ND	ND	ND	ND
25	WM3	ND	ND	ND	ND	ND	ND	ND	176	ND	ND	ND	ND	ND
25	WM2	ND	ND	ND	ND	ND	ND	ND	396	112	ND	ND	ND	ND
25	YM2	ND	ND	ND	ND	ND	ND	ND	219	ND	ND	ND	ND	ND
26	YM2	ND	ND	ND	ND	ND	ND	ND	1 267	278	ND	ND	ND	ND
26	WM3	ND	ND	ND	ND	ND	58	ND	1 088	142	ND	ND	ND	ND
26	YM1	ND	ND	ND	ND	ND	167	44	339	ND	ND	ND	ND	ND
26	WM2	ND	ND	ND	ND	ND	ND	ND	109	ND	ND	ND	ND	ND
26	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
26	WM2	ND	ND	ND	ND	ND	ND	ND	223	ND	ND	ND	ND	ND
26	YM1	ND	ND	ND	ND	ND	26	ND	696	151	ND	ND	ND	ND
26	COM	ND	ND	ND	ND	ND	156	71	ND	ND	ND	ND	ND	ND
26	WM2	ND	ND	ND	ND	ND	ND	ND	157	ND	ND	ND	ND	ND
26	YM2	ND	ND	ND	ND	ND	942	403	1 166	211	ND	ND	ND	ND
26	WM1	ND	ND	ND	ND	ND	ND	ND	147	ND	ND	ND	ND	ND
26	WM3	ND	ND	ND	ND	ND	ND	ND	322	ND	ND	ND	ND	ND
26	YM2	ND	ND	ND	ND	ND	394	162	302	ND	ND	ND	ND	ND
26	YM1	ND	ND	ND	ND	ND	ND	ND	931	189	ND	ND	ND	ND
26	WM2	ND	ND	ND	ND	ND	ND	ND	344	ND	ND	ND	ND	ND
26	COM	ND	ND	ND	ND	ND	ND	ND	283	ND	ND	ND	ND	ND
26	WM3	ND	ND	ND	ND	ND	ND	ND	984	251	ND	ND	ND	ND
27	YM3	ND	ND	ND	ND	ND	ND	ND	104	ND	ND	ND	ND	ND
27	YM1	ND	ND	ND	ND	ND	ND	ND	369	ND	ND	ND	ND	ND
27	WM1	ND	ND	ND	ND	ND	ND	ND	185	ND	ND	ND	ND	ND
27	YM1	ND	ND	ND	ND	ND	ND	ND	579	ND	ND	ND	ND	ND



**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg	
		B <sub>1</sub>	B <sub>2</sub>	G <sub>1</sub>	G <sub>2</sub>	B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>							Total
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg							
27	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
27	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
27	WM1	ND	ND	ND	ND	ND	ND	ND	116	ND	ND	ND	ND		
27	WM3	ND	ND	ND	ND	ND	ND	ND	965	166	ND	ND	ND		
27	YM1	ND	ND	ND	ND	ND	ND	ND	400	ND	ND	ND	ND		
27	WM2	ND	ND	ND	ND	ND	ND	ND	214	ND	ND	ND	ND		
27	YM2	ND	ND	ND	ND	ND	ND	ND	122	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	167	26	ND	460	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	127	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	512	ND	ND	ND	ND		
28	COM	ND	ND	ND	ND	26	ND	ND	566	ND	ND	ND	ND		
28	YM3	ND	ND	ND	ND	ND	ND	ND	322	ND	ND	ND	ND		
28	WM2	ND	ND	ND	ND	164	50	ND	368	ND	ND	ND	ND		
28	YM2	ND	ND	ND	ND	484	233	37	1 453	160	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	203	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	192	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	389	ND	ND	ND	ND		
28	WM3	ND	ND	ND	ND	ND	ND	ND	611	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	288	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	369	ND	ND	ND	ND		
28	COM	ND	ND	ND	ND	ND	ND	ND	1 115	256	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	1 419	180	ND	ND	ND		
28	YM2	ND	ND	ND	ND	ND	ND	ND	2 150	256	ND	ND	ND		
28	WM1	ND	ND	ND	ND	130	37	ND	398	ND	ND	ND	ND		
28	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
29	WM1	ND	ND	ND	ND	ND	ND	ND	440	124	ND	ND	ND		
29	YM1	ND	ND	ND	ND	22	ND	ND	285	ND	ND	ND	ND		
29	YM1	ND	ND	ND	ND	ND	ND	ND	105	ND	ND	ND	ND		
29	YM1	ND	ND	ND	ND	ND	ND	ND	475	ND	ND	ND	ND		



**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			Total	DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B <sub>1</sub> LOQ: 5 µg/kg	B <sub>2</sub> LOQ: 5 µg/kg	G <sub>1</sub> LOQ: 5 µg/kg	G <sub>2</sub> LOQ: 5 µg/kg		B <sub>1</sub> LOQ: 20 µg/kg	B <sub>2</sub> LOQ: 20 µg/kg	B <sub>3</sub> LOQ: 20 µg/kg							
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	431	ND	ND	25	ND	ND
29	YM2	ND	ND	ND	ND	ND	215	84	ND	299	998	ND	ND	ND	ND	ND
29	WM3	ND	ND	ND	ND	ND	515	281	42	838	5 225	612	ND	55	ND	ND
29	YM2	ND	ND	ND	ND	ND	68	ND	ND	68	352	ND	ND	ND	ND	ND
29	WM2	ND	ND	ND	ND	ND	349	133	42	524	1 338	121	ND	56	ND	ND
29	YM2	ND	ND	ND	ND	ND	31	ND	ND	31	1 538	333	ND	50	ND	ND
29	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 403	240	ND	ND	ND	ND
29	YM2	ND	ND	ND	ND	ND	145	42	ND	187	113	ND	ND	ND	ND	ND
29	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	67	ND	ND	67	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	208	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	399	ND	ND	ND	ND	ND
29	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	768	116	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	181	53	ND	234	945	183	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	591	283	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 585	194	ND	ND	ND	ND
30	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	224	ND	ND	ND	ND	ND
30	COM	ND	ND	ND	ND	ND	34	ND	ND	34	709	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	440	169	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	101	ND	ND	ND	ND	ND
30	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	614	100	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	533	109	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	649	105	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	206	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 857	222	ND	45	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	589	131	ND	ND	ND	ND
31	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 687	300	ND	ND	ND	ND

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B <sub>1</sub>	B <sub>2</sub>	G <sub>1</sub>	G <sub>2</sub>		B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>						
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg		LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg						
31	COM	ND	ND	ND	ND	ND	ND	ND	504	ND	ND	ND	ND	ND	
31	YM2	ND	ND	ND	ND	ND	ND	ND	410	121	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	216	ND	ND	ND	ND	ND	
31	WM1	ND	ND	ND	ND	ND	ND	ND	519	ND	ND	55	ND	ND	
31	YM2	ND	ND	ND	ND	ND	38	610	788	195	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	55	55	1 110	224	ND	ND	ND	ND	
31	WM1	ND	ND	ND	ND	ND	ND	ND	457	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	165	ND	ND	ND	ND	ND	
31	COM	ND	ND	ND	ND	ND	373	102	ND	ND	ND	ND	ND	ND	
31	WM2	ND	ND	ND	ND	ND	ND	ND	110	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	208	ND	ND	ND	ND	ND	
31	COM	ND	ND	ND	ND	ND	ND	ND	781	125	ND	ND	ND	ND	
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	ND	182	81	ND	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	771	273	798	116	ND	270	ND	ND	
32	WM1	ND	ND	ND	ND	ND	189	50	343	ND	ND	ND	ND	ND	
32	COM	ND	ND	ND	ND	ND	39	ND	511	104	ND	ND	ND	ND	
32	COM	ND	ND	ND	ND	ND	ND	ND	441	ND	ND	ND	ND	ND	
32	YM2	ND	ND	ND	ND	ND	707	265	ND	ND	ND	ND	ND	ND	
32	WM3	ND	ND	ND	ND	ND	52	20	2 672	290	ND	270	ND	ND	
32	YM2	ND	ND	ND	ND	ND	ND	ND	997	148	ND	ND	ND	ND	
32	YM2	ND	ND	ND	ND	ND	650	278	582	ND	ND	ND	ND	ND	
32	YM2	ND	ND	ND	ND	ND	227	65	230	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	835	155	1 243	190	ND	79	ND	ND	
32	WM1	ND	ND	ND	ND	ND	ND	ND	202	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	94	27	231	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	36	ND	1 808	262	ND	ND	ND	ND	
32	WM2	ND	ND	ND	ND	ND	ND	ND	482	ND	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	ND	60	ND	532	ND	ND	ND	ND	ND	
33	YM1	ND	ND	ND	ND	ND	ND	ND	199	ND	ND	ND	ND	ND	

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg					Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg	
		B <sub>1</sub>	B <sub>2</sub>	G <sub>1</sub>	G <sub>2</sub>	Total	B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>							Total
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg		LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg							
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	186	ND	ND	ND	ND	ND	
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	289	ND	ND	ND	ND	ND	
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	828	ND	ND	ND	ND	ND	
33	WM3	ND	ND	ND	ND	2 651	984	276	3 911	291	ND	ND	ND	ND	ND	
33	YM2	ND	ND	ND	ND	395	129	33	557	165	ND	ND	ND	ND	ND	
33	WM2	ND	ND	ND	ND	30	ND	ND	30	670	111	ND	ND	ND	ND	
33	YM2	ND	ND	ND	ND	42	ND	ND	42	861	ND	35	ND	ND	ND	
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	110	ND	ND	ND	ND	ND	
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	230	ND	ND	ND	ND	ND	
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	271	ND	ND	ND	ND	ND	
34	WM1	ND	ND	ND	ND	365	152	23	540	2 096	346	ND	ND	ND	ND	
34	COM	ND	ND	ND	ND	873	381	60	1 314	3 975	408	124	ND	ND	ND	
34	WM1	ND	ND	ND	ND	351	126	29	506	454	ND	ND	ND	ND	ND	
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	208	ND	ND	ND	ND	ND	
34	WM2	ND	ND	ND	ND	ND	ND	ND	ND	3 302	501	60	ND	ND	ND	
34	COM	ND	ND	ND	ND	ND	ND	ND	ND	905	ND	ND	ND	ND	ND	
34	WM1	ND	ND	ND	ND	131	52	ND	183	425	ND	ND	ND	ND	ND	
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	416	ND	ND	ND	ND	ND	
34	WM2	ND	ND	ND	ND	21	ND	ND	21	980	107	ND	ND	ND	ND	
34	WM2	ND	ND	ND	ND	ND	ND	ND	ND	175	ND	ND	ND	ND	ND	
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	263	ND	ND	ND	ND	ND	
34	YM1	ND	ND	ND	ND	62	22	ND	84	600	107	ND	ND	ND	ND	
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	364	ND	ND	ND	ND	ND	
34	YM1	ND	ND	ND	ND	775	398	58	1 231	636	ND	ND	ND	ND	ND	
34	YM3	ND	ND	ND	ND	75	38	ND	113	548	109	ND	ND	ND	ND	
34	COM	ND	ND	ND	ND	21	ND	ND	21	1 392	165	ND	ND	ND	ND	
35	YM1	ND	ND	ND	ND	1 942	565	195	2 702	226	ND	ND	ND	ND	ND	
35	YM1	ND	ND	ND	ND	270	55	ND	325	ND	ND	ND	ND	ND	ND	
35	WM1	ND	ND	ND	ND	192	61	ND	253	ND	ND	ND	ND	ND	ND	

**TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2019/20 (continue)**

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg		
		B <sub>1</sub> LOQ: 5 µg/kg	B <sub>2</sub> LOQ: 5 µg/kg	G <sub>1</sub> LOQ: 5 µg/kg	G <sub>2</sub> LOQ: 5 µg/kg	Total	B <sub>1</sub> LOQ: 20 µg/kg	B <sub>2</sub> LOQ: 20 µg/kg							B <sub>3</sub> LOQ: 20 µg/kg	Total
		ND	ND	ND	ND	ND	ND	ND							ND	ND
35	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
35	YM1	ND	ND	ND	ND	128	42	ND	ND	ND	ND	ND	ND			
35	YM1	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	ND			
36	WM2	ND	ND	ND	ND	61	26	ND	1 954	152	ND	36	ND			
36	YM2	ND	ND	ND	ND	36	ND	ND	779	ND	23	ND	ND			
36	COM	ND	ND	ND	ND	ND	ND	ND	167	ND	ND	ND	ND			
36	YM1	ND	ND	ND	ND	ND	ND	ND	687	ND	28	ND	ND			
36	COM	ND	ND	ND	ND	ND	ND	ND	721	110	ND	ND	ND			
36	WM2	ND	ND	ND	ND	178	101	ND	2 105	136	37	ND	ND			
36	COM	ND	ND	ND	ND	ND	ND	ND	1 010	ND	ND	ND	ND			
36	COM	ND	ND	ND	ND	469	156	36	349	ND	ND	ND	ND			
36	WM2	ND	ND	ND	ND	ND	ND	ND	199	ND	ND	ND	ND			
36	WM2	ND	ND	ND	ND	ND	ND	ND	668	113	ND	ND	ND			
36	YM2	ND	ND	ND	ND	ND	ND	ND	744	ND	ND	ND	ND			
36	YM1	ND	ND	ND	ND	21	ND	ND	733	ND	ND	ND	ND			
36	YM1	ND	ND	ND	ND	ND	ND	ND	824	ND	ND	ND	ND			
36	YM2	ND	ND	ND	ND	ND	ND	ND	1 353	184	ND	ND	ND			
36	WM1	ND	ND	ND	ND	ND	ND	ND	1 231	110	78	ND	ND			
36	WM1	ND	ND	ND	ND	ND	ND	ND	221	ND	ND	ND	ND			
36	YM1	ND	ND	ND	ND	ND	ND	ND	399	ND	ND	ND	ND			
<b>Total number of samples</b>		<b>350</b>	<b>350</b>	<b>350</b>	<b>350</b>	<b>350</b>	<b>350</b>	<b>350</b>	<b>350</b>	<b>350</b>	<b>350</b>	<b>350</b>	<b>350</b>			
<b>Average of total number of samples</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>103</b>	<b>32</b>	<b>7</b>	<b>656</b>	<b>82</b>	<b>9</b>	<b>0</b>	<b>0</b>			
<b>Number of positive results</b>		<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>121</b>	<b>75</b>	<b>33</b>	<b>299</b>	<b>120</b>	<b>44</b>	<b>0</b>	<b>0</b>			
<b>Average of positive results</b>		<b>10</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>299</b>	<b>152</b>	<b>71</b>	<b>768</b>	<b>238</b>	<b>70</b>	<b>-</b>	<b>-</b>			
<b>Maximum of positive results</b>		<b>10</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>4 565</b>	<b>990</b>	<b>373</b>	<b>7 700</b>	<b>1 173</b>	<b>539</b>	<b>-</b>	<b>-</b>			

**Note:**

Limit of quantitation (LOQ) means the lowest concentration level that can be quantified with acceptable precision and accuracy by the LC-MS/MS.

A concentration measured below the LOQ is reported as <LOQ.

Limit of detection (LOD) is the lowest concentration level that can be detected but not quantified and is 50% of the LOQ of each mycotoxin.

A concentration measured below the LOD is reported as not detected (ND).

µg/kg = ppb (parts per billion)