

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2020/21)																																			
Number of samples	Region	% Defective Kernels						% Total defective	% Foreign matter	% Other Colour		% Combined Deviations	% Pinked Kernels		% Diplodia Kernels	% Fusarium Kernels		% Cobrot Kernels																	
		Above 6.35 mm sieve		Below 6.35 mm sieve		ave.	min.			max.	ave.		min.	max.		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.											
		ave.	min.	max.	ave.																				min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: WM1																																			
8	Region 12	2.0	1.0	3.1	2.5	1.2	4.3	4.5	2.6	6.9	0.1	0.0	0.4	0.1	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.3	0.4	0.0	1.3						
23	Region 13	2.1	0.9	4.1	2.0	0.3	5.3	4.2	1.6	6.6	0.1	0.0	0.3	0.1	0.0	0.3	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.4	0.5	0.0	1.4
25	Region 14	2.5	0.2	5.3	1.5	0.2	2.9	4.0	0.5	6.8	0.1	0.0	0.2	0.0	0.0	0.2	0.1	0.5	7.0	0.1	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.7	0.6	0.0	1.7	
6	Region 16	2.0	0.9	3.6	1.6	1.1	3.1	3.7	2.4	5.2	0.1	0.0	0.2	0.0	0.0	0.2	0.3	2.6	5.4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	0.5	0.0	1.2	0.6	0.0	1.7		
15	Region 17	1.8	0.7	3.4	1.5	0.4	2.9	3.3	1.5	4.5	0.0	0.0	0.1	0.1	0.0	0.5	3.4	1.5	4.5	0.1	0.0	0.4	0.0	0.0	0.0	0.0	0.4	0.5	0.0	1.8	0.5	0.0	1.8		
24	Region 18	1.6	0.4	4.4	2.0	0.7	5.1	3.6	1.7	6.0	0.1	0.0	0.3	0.4	0.0	2.4	4.0	1.7	6.3	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.4	0.0	2.6	0.4	0.0	2.6		
17	Region 19	1.8	0.5	3.9	2.2	0.6	4.2	4.0	2.0	6.9	0.1	0.0	0.3	0.1	0.0	0.9	4.2	2.3	6.9	0.3	0.0	5.4	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.3	0.0	0.7		
15	Region 20	1.7	0.6	4.7	1.4	0.4	2.7	3.1	1.3	6.9	0.0	0.0	0.2	0.2	0.0	0.6	3.3	1.6	7.7	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.9	0.3	0.0	0.9			
27	Region 21	1.4	0.0	4.6	1.9	0.9	6.7	3.3	1.5	6.7	0.0	0.0	0.2	0.1	0.0	0.6	3.4	1.6	7.4	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.0	1.7	0.3	0.0	1.7			
9	Region 22	2.8	1.3	4.2	2.1	0.7	2.9	4.9	2.7	6.7	0.1	0.0	0.2	0.0	0.0	0.0	4.9	2.8	6.7	0.0	0.0	0.0	0.1	0.0	0.7	0.9	0.0	2.1	1.0	0.0	2.1				
31	Region 23	1.7	0.7	3.9	1.8	0.7	4.7	3.5	1.7	6.9	0.1	0.0	0.2	0.0	0.0	0.2	3.6	1.7	6.9	0.0	0.0	0.3	0.0	0.0	0.1	0.4	0.0	2.6	0.4	0.0	2.6				
10	Region 24	2.5	0.5	4.0	1.7	0.7	2.5	4.2	2.4	6.0	0.1	0.0	0.3	0.1	0.0	0.7	4.3	2.7	6.0	0.1	0.0	0.5	0.0	0.0	0.2	0.8	0.0	1.7	0.8	0.0	1.7				
2	Region 25	1.7	1.3	2.0	1.3	1.2	1.4	3.0	2.8	3.2	0.2	0.0	0.3	0.0	0.0	0.0	3.1	3.1	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	0.3	0.3	0.4				
5	Region 26	2.4	1.0	5.0	1.1	0.2	2.4	3.5	1.2	5.2	0.1	0.0	0.2	0.4	0.0	1.3	4.0	1.8	6.6	0.1	0.0	0.4	0.0	0.0	0.0	0.5	0.0	0.9	0.5	0.0	0.9				
3	Region 27	1.3	0.3	2.8	2.9	2.2	4.1	4.1	3.0	5.0	0.0	0.0	0.0	0.3	0.0	0.7	4.4	3.2	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.2	0.5	0.0	1.2				
12	Region 28	1.8	0.3	4.9	1.4	0.2	2.4	3.2	1.4	5.4	0.1	0.0	0.2	0.4	0.0	1.2	3.6	1.4	6.8	0.1	0.0	0.6	0.0	0.0	0.0	0.4	0.0	1.7	0.4	0.0	1.7				
26	Region 29	2.5	0.7	4.7	1.3	0.3	3.1	3.8	1.2	6.0	0.1	0.0	0.3	0.3	0.0	1.5	4.2	2.0	6.2	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	1.1	0.5	0.0	1.1				
23	Region 30	3.2	2.0	5.0	1.2	0.4	2.4	4.5	2.9	6.4	0.0	0.0	0.1	0.8	0.0	1.8	5.2	3.1	7.1	0.1	0.0	1.2	0.0	0.0	0.4	0.8	0.0	2.3	0.8	0.0	2.3				
10	Region 31	2.5	0.2	4.0	1.5	0.8	2.3	4.0	1.3	5.9	0.0	0.0	0.2	0.6	0.0	2.2	4.6	1.5	6.8	0.2	0.0	2.1	0.0	0.0	0.0	0.7	0.1	1.2	0.7	0.1	1.2				
13	Region 32	2.6	0.4	4.4	1.7	0.7	3.4	4.4	2.8	6.5	0.0	0.0	0.2	0.5	0.0	1.9	4.9	2.8	7.4	0.7	0.0	3.6	0.0	0.0	0.0	0.7	0.1	1.7	0.7	0.1	1.7				
40	Region 33	2.7	0.6	5.3	1.0	0.2	2.7	3.8	0.8	6.6	0.0	0.0	0.3	0.5	0.0	2.3	4.3	1.4	8.0	0.1	0.0	4.1	0.0	0.0	0.2	0.8	0.0	2.6	0.8	0.0	2.6				
21	Region 34	2.4	0.6	6.0	1.7	0.2	2.8	4.1	2.1	7.0	0.0	0.0	0.3	0.1	0.0	0.4	4.2	2.1	7.1	1.4	0.0	6.6	0.0	0.0	0.0	0.5	0.0	1.8	0.5	0.0	1.8				
6	Region 35	1.6	0.1	3.8	0.4	0.0	1.0	2.0	0.6	3.9	0.0	0.0	0.2	0.2	0.0	0.7	2.2	0.6	4.2	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.3	0.1	0.0	0.3				
17	Region 36	3.3	1.1	5.4	1.5	0.7	4.5	4.7	2.0	6.8	0.1	0.0	0.3	0.2	0.0	1.1	5.0	2.0	6.9	0.1	0.0	0.5	0.0	0.0	0.0	0.7	0.0	1.9	0.7	0.0	1.9				
388	Ave. WM1	2.2	0.0	6.0	1.6	0.0	6.7	3.8	0.5	7.0	0.1	0.0	0.3	0.2	0.0	2.4	4.1	0.5	8.0	0.2	0.0	6.6	0.0	0.0	0.7	0.5	0.0	2.6	0.5	0.0	2.6				
	Min. WM1	0.0	0.0	6.0	0.0	0.0	6.7	0.5	0.5	7.0	0.0	0.0	0.3	0.0	0.0	2.4	0.5	0.5	8.0	0.0	0.0	6.6	0.0	0.0	0.7	0.5	0.0	2.6	0.0	0.0	2.6				
	Max. WM1	6.0	6.0	6.0	6.7	6.7	6.7	7.0	7.0	7.0	0.3	0.3	2.4	8.0	8.0	2.4	8.0	8.0	8.0	8.0	0.3	6.6	6.6	0.7	0.7	8.0	8.0	2.6	2.6	2.6	2.6				

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2020/21) (continue)																						
Number of samples	Region	% Defective Kernels				% Total defective		% Foreign matter		% Other Colour		% Combined Deviations		% Pinked Kernels		% Diplodia Kernels		% Fusarium Kernels		% Cobrot Kernels		
		Above 6.35 mm sieve		Below 6.35 mm sieve		ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: WM2																						
1	Region 11	5.5	5.5	5.5	2.8	2.8	2.8	8.3	8.3	8.3	0.3	0.3	0.3	0.5	0.5	0.5	0.0	0.0	0.3	0.3	0.3	0.3
3	Region 12	4.2	3.1	5.0	3.4	2.9	4.2	7.6	6.3	9.2	0.3	0.0	0.4	0.0	0.0	0.0	0.1	0.0	1.2	0.6	1.9	1.3
4	Region 13	3.6	0.9	7.8	3.3	1.6	5.3	6.9	2.5	11.5	0.3	0.1	0.5	0.1	0.0	0.3	0.2	0.0	0.8	0.0	1.8	0.9
9	Region 14	4.4	0.9	8.0	2.6	1.5	4.7	7.0	3.4	10.3	0.2	0.0	0.4	0.0	0.0	0.2	0.0	0.0	1.1	0.2	2.4	1.1
1	Region 16	1.0	1.0	1.0	1.4	1.4	1.4	2.3	2.3	2.3	0.1	0.1	0.1	4.0	4.0	4.0	0.2	0.2	0.0	0.0	0.0	0.2
2	Region 17	3.5	2.3	4.8	2.6	2.6	2.7	6.2	5.0	7.4	0.2	0.0	0.5	0.0	0.0	0.4	0.2	0.0	0.7	0.4	1.0	0.8
3	Region 18	2.1	0.9	3.6	4.1	0.8	7.4	6.2	1.7	11.0	0.3	0.0	0.4	0.3	0.0	0.5	0.0	0.0	0.1	0.0	0.2	0.1
5	Region 19	2.4	0.5	4.0	4.8	1.9	6.3	7.2	2.4	9.6	0.2	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.8	0.3
1	Region 20	9.5	9.5	9.5	1.2	1.2	1.2	10.7	10.7	10.7	0.2	0.2	0.2	1.5	1.5	1.5	12.4	12.4	12.4	12.4	12.4	3.9
3	Region 21	3.4	1.6	6.8	6.5	1.1	9.8	9.8	7.9	11.5	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.8	0.0	2.4	0.8
2	Region 22	5.0	3.2	6.8	4.6	4.4	4.8	9.6	7.6	11.6	0.3	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.8	0.4	1.2	0.8
6	Region 23	2.7	1.2	5.1	2.5	0.5	4.7	5.2	2.7	8.5	0.3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.7	0.2	1.3	0.7
2	Region 24	3.4	0.9	5.9	3.9	1.6	6.3	7.3	7.2	7.4	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.9	0.1	1.8	0.9
2	Region 26	0.6	0.4	0.8	6.0	1.4	10.5	6.6	2.2	10.9	0.1	0.0	0.2	3.1	0.4	5.7	9.7	8.0	0.2	0.0	0.4	0.2
2	Region 27	0.6	0.2	1.1	7.0	6.2	7.8	7.6	7.3	8.0	0.1	0.0	0.1	0.2	0.2	0.3	7.9	7.4	0.3	0.2	0.4	0.3
1	Region 29	12.3	12.3	12.3	0.1	0.1	0.1	12.4	12.4	12.4	0.0	0.0	0.0	0.0	0.0	0.0	12.4	12.4	12.4	12.4	12.4	3.8
7	Region 30	4.5	2.1	6.2	2.0	0.9	5.3	6.5	4.8	10.6	0.0	0.0	0.1	2.7	0.0	4.7	9.3	7.3	10.7	10.7	10.7	1.6
7	Region 31	5.5	1.2	7.7	1.8	1.0	2.5	7.3	2.2	10.1	0.1	0.0	0.4	1.3	0.0	4.9	8.7	3.4	15.1	15.1	15.1	0.6
8	Region 32	6.7	3.0	10.2	1.5	0.9	3.1	8.2	4.3	11.0	0.1	0.0	0.4	0.8	0.2	1.4	9.1	5.5	12.6	12.6	12.6	2.2
10	Region 33	5.0	2.2	9.1	2.4	0.9	4.2	7.4	3.4	10.7	0.1	0.0	0.5	0.8	0.0	2.9	8.3	3.9	10.7	10.7	10.7	1.9
4	Region 34	2.9	1.6	5.3	2.9	2.1	4.1	5.8	4.3	8.1	0.3	0.0	0.5	0.1	0.0	0.4	6.2	5.0	8.1	8.1	8.1	0.5
1	Region 35	7.9	7.9	7.9	2.5	2.5	2.5	10.4	10.4	10.4	0.2	0.2	0.2	0.0	0.0	0.0	10.6	10.6	10.6	10.6	10.6	1.4
6	Region 36	5.8	4.6	6.7	2.2	0.5	3.7	8.0	7.2	8.9	0.1	0.0	0.4	0.2	0.0	0.4	8.3	7.2	9.3	9.3	9.3	1.3
90	Ave. WM2	4.4	0.2	12.3	2.9	0.1	10.5	7.3	1.7	12.4	0.2	0.0	0.5	0.6	0.0	5.7	8.1	2.6	15.1	15.1	15.1	1.2
	Min. WM2																					0.0
	Max. WM2																					6.1

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2020/21) (continue)																									
Number of samples	Region	% Defective Kernels						% Total defective	% Foreign matter		% Other Colour		% Combined Deviations		% Pinked Kernels		% Diplodia Kernels		% Fusarium Kernels		% Cobrot Kernels				
		Above 6.35 mm sieve		Below 6.35 mm sieve		ave.	min.		max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	
		ave.	min.	max.	ave.																				min.
GRADE: WM3																									
1	Region 13	2.7	2.7	2.7	3.7	3.7	6.3	6.3	6.3	0.6	0.6	0.6	6.9	6.9	0.0	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6		
3	Region 14	3.3	2.7	4.1	3.0	1.8	4.9	6.3	4.8	7.6	0.6	0.6	0.7	7.0	5.3	8.1	0.2	0.0	0.5	0.3	0.8	0.5	0.3	0.8	
1	Region 16	11.9	11.9	11.9	1.4	1.4	1.4	13.3	13.3	13.3	0.6	0.6	0.6	14.1	14.1	14.1	0.2	0.2	0.2	1.5	1.5	8.8	8.8	8.8	
8	Region 17	11.4	1.4	20.6	1.3	0.4	3.2	12.7	3.4	21.3	0.3	0.0	0.7	13.1	4.0	21.3	0.1	0.0	0.3	0.5	0.0	2.8	2.3	0.0	8.0
1	Region 18	12.3	12.3	12.3	2.3	2.3	2.3	14.6	14.6	14.6	0.3	0.3	0.3	15.2	15.2	15.2	0.2	0.2	0.2	2.8	2.8	2.8	5.8	5.8	8.6
5	Region 19	4.9	1.5	12.6	6.7	2.7	10.5	11.6	4.2	16.7	0.5	0.0	0.6	12.4	4.8	17.0	0.3	0.0	1.4	0.0	0.0	0.0	1.1	0.2	3.7
1	Region 20	3.6	3.6	3.6	1.6	1.6	1.6	5.2	5.2	5.2	0.6	0.6	0.6	6.3	6.3	6.3	0.1	0.1	0.1	0.0	0.0	0.0	0.8	0.8	0.8
3	Region 21	1.4	0.8	1.8	6.3	2.1	11.4	7.7	3.9	13.1	0.5	0.1	0.7	8.2	4.5	13.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.6
5	Region 23	9.5	0.2	19.3	2.8	0.4	9.5	12.3	1.4	19.8	0.4	0.0	0.7	12.8	2.1	20.1	0.0	0.0	0.0	0.3	0.0	1.4	4.9	0.0	15.5
1	Region 26	7.5	7.5	7.5	21.1	21.1	21.1	28.7	28.7	28.7	0.1	0.1	0.1	30.0	30.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4
2	Region 30	2.2	1.2	3.2	2.0	1.2	2.8	4.2	2.5	6.0	0.3	0.0	0.6	7.9	3.0	12.7	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.5	1.8
2	Region 31	2.0	1.2	2.8	2.0	0.9	3.1	4.0	3.8	4.3	0.5	0.5	0.6	9.4	6.6	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	0.8
1	Region 32	4.8	4.8	4.8	2.5	2.5	2.5	7.3	7.3	7.3	0.6	0.6	0.6	8.1	8.1	8.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.3	2.3
1	Region 33	1.4	1.4	1.4	2.6	2.6	2.6	4.1	4.1	4.1	0.4	0.4	0.4	11.9	11.9	11.9	0.4	0.4	0.4	0.0	0.0	0.0	0.3	0.3	0.3
1	Region 34	0.6	0.6	0.6	1.2	1.2	1.2	1.8	1.8	1.8	0.7	0.7	0.7	3.6	3.6	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36	Ave. WM3	6.4			3.6			10.0			0.4			11.3			0.1			0.3			2.1		2.3
	Min. WM3	0.2			0.4			1.4			0.0			2.1			0.0			0.0			0.0		0.0
	Max. WM3	20.6			21.1			28.7			0.7			30.0			1.4			2.8			15.5		16.9

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2020/21) (continue)

Number of samples	Region	% Defective Kernels				% Total defective		% Foreign matter		% Other Colour		% Combined Deviations		% Pinked Kernels		% Diplodia Kernels		% Fusarium Kernels		% Cobrot Kernels		
		Above 6.35 mm sieve		Below 6.35 mm sieve		ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.	
		ave.	min.	max.	ave.																	min.
CLASS: COM																						
1	Region 11	0.9	0.9	0.9	2.4	2.4	2.4	3.3	3.3	0.1	0.1	0.1	0.3	0.3	0.3	0.0	0.0	0.0	0.2	0.2	0.2	0.2
3	Region 12	3.6	3.2	3.9	5.8	3.7	7.6	9.3	7.3	10.8	0.3	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.8	0.8
1	Region 13	4.0	4.0	4.0	1.3	1.3	1.3	5.3	5.3	5.3	1.2	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4
3	Region 14	3.0	2.4	4.1	2.1	0.8	3.0	5.1	3.2	7.1	0.7	0.0	1.4	0.0	0.0	0.1	0.0	0.0	1.0	0.2	2.0	2.0
4	Region 17	3.4	0.6	5.5	2.0	0.7	3.5	5.4	3.0	8.1	0.8	0.0	1.3	0.2	0.0	0.6	0.0	0.0	1.1	0.0	1.9	1.1
1	Region 18	1.8	1.8	1.8	7.1	7.1	7.1	8.9	8.9	8.9	1.1	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.5
2	Region 19	2.1	0.4	3.7	3.1	1.9	4.4	5.2	4.8	5.6	2.0	0.8	3.1	0.1	0.0	0.2	0.0	0.0	0.7	0.2	1.3	0.7
3	Region 21	1.1	0.6	1.8	7.4	1.9	13.2	8.6	3.8	13.8	0.3	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.3
2	Region 22	4.9	3.1	6.6	15.7	10.5	21.0	20.6	17.1	24.1	2.7	1.5	3.9	1.0	0.6	1.4	0.0	0.0	24.4	20.0	28.7	0.7
5	Region 23	4.0	1.3	10.8	1.6	0.9	2.1	5.6	3.1	12.7	1.1	0.8	2.1	0.0	0.0	0.0	0.0	0.0	6.7	3.9	13.5	2.2
1	Region 24	1.9	1.9	1.9	2.0	2.0	2.0	3.9	3.9	3.9	0.9	0.9	0.9	0.0	0.0	0.0	0.0	0.0	4.8	4.8	4.8	0.2
1	Region 25	2.5	2.5	2.5	4.8	4.8	4.8	7.2	7.2	7.2	2.3	2.3	2.3	1.0	1.0	1.0	0.0	0.0	10.6	10.6	10.6	0.0
1	Region 28	1.0	1.0	1.0	0.9	0.9	0.9	1.9	1.9	1.9	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	2.7	2.7	2.7	0.0
2	Region 30	6.8	6.6	7.0	1.4	0.8	2.0	8.2	7.3	9.1	1.2	1.2	1.2	0.9	0.0	1.8	0.0	0.0	10.3	10.2	10.4	1.8
1	Region 31	55.1	55.1	55.1	1.8	1.8	1.8	56.9	56.9	56.9	1.2	1.2	1.2	0.6	0.6	0.6	0.0	0.0	58.7	58.7	58.7	1.4
4	Region 32	2.2	0.7	3.7	2.0	1.0	3.2	4.2	1.7	5.2	0.2	0.0	0.7	0.5	0.0	1.0	0.0	0.0	4.8	1.7	6.6	0.6
3	Region 33	3.4	2.2	5.0	1.5	1.1	2.2	4.9	3.6	7.1	1.1	0.0	2.0	5.3	0.4	12.8	0.0	0.0	11.2	8.5	16.4	1.1
4	Region 34	2.6	1.8	4.1	1.5	0.8	2.3	4.0	2.7	5.3	0.7	0.1	1.0	0.2	0.0	0.5	0.0	0.0	4.9	3.9	5.4	0.8
4	Region 36	4.1	1.9	6.1	1.8	0.9	2.5	5.9	4.4	7.7	0.8	0.0	2.2	0.6	0.1	1.8	0.0	0.0	7.3	5.7	8.5	0.7
46	Ave. COM	4.3	0.4	55.1	3.2	0.7	21.0	7.5	1.7	56.9	0.9	0.0	3.9	0.6	0.0	12.8	0.0	0.0	9.0	1.7	58.7	0.9
	Min. COM																					
	Max. COM																					
560	Ave. WM	3.0	0.0	55.1	2.1	0.0	21.1	5.1	0.5	56.9	0.2	0.0	3.9	0.4	0.0	12.8	0.0	0.0	5.6	0.5	58.7	0.8
	Min. WM																					
	Max. WM																					
1000	Ave. Maize	2.6	0.0	55.1	2.1	0.0	30.9	4.7	0.2	56.9	0.2	0.0	4.7	0.3	0.0	12.8	0.0	0.0	5.1	0.2	58.7	0.7
	Min. Maize																					
	Max. Maize																					

TABLE 3: RSA GRADING OF WHITE MAIZE ACCORDING TO GRADE (2020/21)
(continue)

*The following white maize samples were downgraded to Class Other Maize due to the presence of poisonous seeds exceeding the maximum allowance

Region	Number of Poisonous seeds (Crotalaria spp., Datura spp., Ricinis communis) Max. allowance 1 seed/1000 g	Number of Poisonous seeds (Argemone mexicana L., Convolvulus spp., Ipomoea purpurea Roth., Lolium temulentum, Xanthium spp.) Max. allowance 7 seeds/1000 g
11	18 <i>Datura</i> spp.	0
12	20 <i>Datura</i> spp.	0
12	6 <i>Datura</i> spp.	0
12	6 <i>Datura</i> spp.	0
14	6 <i>Datura</i> spp.	0
17	6 <i>Datura</i> spp.	0
21	0	24 <i>Xanthium Strumarium</i>
21	6 <i>Datura</i> spp.	0
21	6 <i>Datura</i> spp.	0
28	6 <i>Datura</i> spp.	0
32	6 <i>Datura</i> spp.	0
32	12 <i>Datura</i> spp.	0
32	0	10 <i>Xanthium Strumarium</i>
32	6 <i>Datura</i> spp.	0
34	6 <i>Datura</i> spp.	0
36	0	24 <i>Xanthium Strumarium</i>
36	0	12 <i>Xanthium Strumarium</i>
36	0	12 <i>Xanthium Strumarium</i>