

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2020/21)																															
Number of samples	Region	Test weight (kg/hi)			100 kernel mass (g)			Kernel size (%)			Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling index 2021			GYA								
		kernel mass (g)			Above 10 mm sieve			Above 8 mm sieve			Below 8 mm sieve			< 6.35 mm sieve			< 4.75 mm sieve			ave.			min.			max.					
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			
GRADE: WM1																															
8	Region 12	74.2	71.9	75.3	34.2	30.7	36.3	32.5	13.5	41.8	60.0	52.4	76.4	7.5	5.8	10.1	1.4	0.4	3.2	1.3	0.4	3.0	18	7	32	69	63	78	62	61	64
23	Region 13	74.2	72.2	76.8	31.9	26.3	38.1	20.2	0.2	50.7	64.6	46.8	77.7	15.2	2.5	33.0	0.8	0.0	2.5	0.6	0.0	2.2	13	5	31	71	61	79	63	60	65
25	Region 14	75.9	73.9	78.1	32.7	28.7	36.3	26.6	6.3	36.5	63.8	57.5	73.9	9.7	4.0	22.9	0.7	0.0	2.5	0.6	0.0	1.7	11	5	19	69	57	83	62	59	65
6	Region 16	75.5	75.2	75.9	30.9	30.2	32.0	15.8	11.8	24.7	66.8	62.6	71.4	17.4	12.7	25.1	1.0	0.2	2.7	0.7	0.0	2.0	11	3	22	66	62	71	61	60	63
15	Region 17	75.3	73.8	76.8	32.7	30.1	34.6	25.9	2.8	42.4	62.6	52.8	72.9	11.6	4.8	24.3	0.5	0.1	1.5	0.4	0.0	1.4	10	5	18	68	51	78	62	58	64
24	Region 18	74.9	72.4	77.3	31.9	28.7	35.8	22.6	3.2	47.1	66.0	48.9	77.7	11.4	4.0	29.8	0.9	0.0	2.9	0.6	0.0	1.8	14	3	33	72	64	86	63	61	66
17	Region 19	74.2	68.5	77.9	31.0	25.8	36.2	13.6	4.2	27.9	70.0	63.4	83.1	16.4	5.3	26.3	0.9	0.0	2.9	0.7	0.0	2.3	13	5	28	71	57	87	63	59	67
15	Region 20	75.5	74.2	77.1	31.2	28.5	35.6	15.1	4.7	32.2	67.4	57.5	76.8	17.5	8.5	28.9	0.6	0.0	1.1	0.4	0.0	0.9	9	2	17	67	48	75	62	57	64
27	Region 21	76.1	74.0	78.1	31.7	26.8	38.7	21.1	3.3	47.8	64.8	47.3	73.0	14.1	4.9	29.8	0.6	0.0	3.0	0.4	0.0	1.6	10	3	28	72	63	82	63	61	65
9	Region 22	76.2	73.8	78.3	34.5	29.8	37.3	27.1	11.7	36.0	63.8	57.6	71.9	9.1	2.4	20.5	1.5	0.4	2.7	1.1	0.3	1.6	18	8	29	69	62	74	62	60	63
31	Region 23	77.0	75.1	78.4	34.7	31.1	40.6	28.9	17.2	48.0	61.2	48.6	69.2	9.9	3.1	17.9	0.5	0.0	1.7	0.4	0.0	1.3	8	2	20	69	57	79	62	59	64
10	Region 24	76.4	73.5	78.1	33.6	29.4	38.2	26.2	0.9	40.0	61.5	53.0	68.4	12.3	6.3	41.8	0.4	0.0	1.1	0.3	0.0	0.8	10	1	18	69	37	80	62	54	65
2	Region 25	74.7	72.7	76.7	32.2	31.0	33.4	15.4	4.0	26.7	67.3	65.6	69.0	17.4	7.7	27.0	0.7	0.4	0.9	0.5	0.3	0.7	17	14	19	62	58	66	60	60	61
5	Region 26	76.0	73.6	77.4	32.3	30.9	35.2	16.1	11.0	22.0	71.6	68.3	74.1	12.4	5.8	20.7	1.3	0.2	3.0	0.9	0.0	2.4	17	4	41	68	58	78	62	59	64
3	Region 27	75.8	74.8	77.0	30.2	29.6	31.0	11.7	0.2	21.6	67.5	61.9	70.6	20.8	7.8	37.9	1.3	1.1	1.5	1.0	0.8	1.3	18	14	23	63	48	78	61	57	64
12	Region 28	77.8	75.9	81.1	34.7	29.1	40.6	21.8	6.1	41.6	66.8	51.5	76.3	11.5	2.5	19.4	0.4	0.0	1.3	0.3	0.0	1.1	12	3	26	81	65	111	65	61	72
26	Region 29	76.2	73.9	79.3	34.1	30.2	39.8	23.3	5.1	48.3	65.7	46.8	78.3	11.0	3.1	23.9	0.6	0.0	1.5	0.5	0.0	1.2	10	3	21	76	64	90	64	61	67
23	Region 30	77.0	74.0	78.9	35.4	31.0	39.8	21.7	7.2	38.4	67.1	55.5	76.5	11.2	5.5	20.5	0.6	0.0	1.5	0.4	0.0	1.1	11	2	26	78	70	88	64	62	67
10	Region 31	76.4	73.5	78.6	31.7	24.9	35.6	10.5	1.9	17.6	68.1	63.7	73.4	21.4	9.9	29.8	0.6	0.2	1.3	0.4	0.0	0.9	9	1	19	77	67	93	64	62	68
13	Region 32	77.0	73.6	79.0	34.2	27.3	39.6	16.1	3.4	28.9	67.8	59.5	73.6	16.0	4.5	31.6	0.6	0.0	1.7	0.5	0.0	1.2	9	4	16	77	58	90	64	59	67
40	Region 33	77.2	73.8	79.4	34.7	26.9	40.4	17.9	3.0	39.0	68.5	52.2	77.8	13.6	1.7	33.6	0.4	0.0	2.0	0.3	0.0	1.8	9	3	23	76	64	90	64	61	67
21	Region 34	76.2	68.8	78.9	32.5	25.6	39.5	16.3	2.5	46.2	62.5	41.8	75.6	21.2	1.6	55.7	0.9	0.0	3.9	0.6	0.0	2.6	13	3	36	76	57	86	64	59	66
6	Region 35	78.1	77.1	78.9	34.3	30.0	39.2	18.4	6.0	23.8	69.6	61.7	82.1	12.0	3.8	14.5	0.6	0.3	1.1	0.5	0.2	0.9	13	5	30	83	75	93	66	64	68
17	Region 36	77.3	75.0	78.9	33.5	27.1	38.4	17.5	5.4	30.9	67.3	55.9	72.6	15.2	4.7	37.3	0.6	0.0	1.5	0.5	0.0	1.4	10	3	19	82	72	89	65	63	67
388	Ave. WM1	76.1			33.2			21.0	0.2	50.7	65.6	41.8	83.1	13.4	1.6	55.7	0.7	0.0	3.9	0.5	0.0	3.0	11	1	41	73	37	111	63	54	72
	Min. WM1	68.5			24.9			40.6																							
	Max. WM1	81.1			50.7			83.1			83.1	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7	55.7

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2020/21)
(continue)

Number of samples	Region	Test weight (kg/ha)			100 kernel mass (g)			Kernel size (%)			Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling index 2021			GYA						
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.					
								ave.	min.	max.	ave.	min.	max.	ave.	min.										max.				
1	Region 11	76.5	76.5	76.5	30.7	30.7	30.7	4.5	4.5	4.5	71.2	71.2	71.2	24.3	24.3	24.3	0.4	0.4	0.4	8	8	8	91	91	91	68	68	68	
3	Region 12	74.6	73.9	75.6	35.4	34.3	36.9	28.1	24.2	33.6	62.9	57.9	65.7	9.0	7.8	10.7	1.6	0.7	2.8	25	18	33	70	64	76	62	61	64	
4	Region 13	74.4	72.5	76.1	31.6	28.5	36.4	20.1	7.6	37.5	68.0	59.6	79.2	11.9	2.9	21.8	0.7	0.0	1.6	13	4	22	70	59	75	62	60	63	
9	Region 14	75.6	73.0	77.4	32.5	30.5	34.6	30.3	2.1	44.6	60.9	48.5	71.2	8.7	4.5	26.7	0.8	0.0	2.9	10	5	23	67	61	74	62	60	63	
1	Region 16	76.6	76.6	76.6	32.0	32.0	32.0	24.3	24.3	24.3	66.0	66.0	66.0	9.7	9.7	9.7	1.1	1.1	1.1	11	11	11	79	79	79	65	65	65	
2	Region 17	74.5	74.1	74.9	34.5	33.6	35.3	34.4	20.5	48.2	57.0	48.4	65.5	8.7	3.4	14.0	1.1	0.5	1.6	16	10	22	69	68	71	62	62	63	
3	Region 18	73.5	72.2	74.4	31.5	28.9	34.2	21.8	16.3	31.1	67.9	61.0	74.1	10.3	7.9	13.4	1.0	0.5	1.6	18	9	26	69	64	75	62	61	64	
5	Region 19	73.1	71.0	74.2	30.3	24.7	34.1	17.8	9.4	37.8	68.1	58.5	74.8	14.1	3.7	28.1	1.8	0.7	3.0	21	15	28	65	52	73	61	58	63	
1	Region 20	75.1	75.1	75.1	35.1	35.1	35.1	43.3	43.3	43.3	46.6	46.6	46.6	10.1	10.1	10.1	0.4	0.4	0.4	5	5	5	57	57	57	59	59	59	
3	Region 21	75.1	73.4	76.0	33.3	31.0	36.7	20.5	16.3	28.5	66.6	63.0	71.4	12.9	8.5	18.3	0.7	0.6	0.9	12	3	18	69	58	87	62	59	66	
2	Region 22	76.1	75.6	76.6	34.8	33.8	35.8	32.5	24.5	40.4	60.7	53.3	68.0	6.9	6.3	7.5	2.0	1.7	2.2	26	25	26	63	63	63	61	61	61	
6	Region 23	76.3	73.6	77.6	36.3	33.0	39.0	33.4	22.8	48.7	60.7	50.0	69.0	5.9	1.3	9.7	0.7	0.0	2.7	13	1	24	69	49	82	62	57	65	
2	Region 24	73.7	70.7	76.7	32.0	31.3	32.7	23.8	13.5	34.0	65.4	55.8	75.0	10.9	10.2	11.5	2.4	0.4	4.3	23	8	38	66	62	70	61	60	62	
2	Region 26	75.6	75.2	75.9	30.2	28.0	32.3	14.0	12.1	15.9	73.1	73.0	73.2	12.9	11.1	14.7	0.5	0.3	0.7	9	3	15	71	69	73	63	62	63	
2	Region 27	75.9	75.7	76.0	31.5	29.6	33.3	21.2	19.7	22.7	69.9	69.2	70.5	9.0	8.1	9.8	1.6	1.4	1.7	20	17	22	69	68	70	62	62	62	
1	Region 29	76.6	76.6	76.6	37.4	37.4	37.4	36.8	36.8	36.8	58.1	58.1	58.1	5.1	5.1	5.1	0.9	0.9	0.9	14	14	14	82	82	82	65	65	65	
7	Region 30	77.1	73.4	80.0	35.9	30.9	40.1	19.0	9.2	28.0	67.4	63.5	72.0	13.6	7.9	20.5	0.7	0.0	1.3	13	10	16	83	76	94	65	64	68	
7	Region 31	77.5	74.9	79.0	35.6	32.9	39.1	15.7	2.1	27.1	68.1	55.9	83.6	16.2	9.9	22.8	0.7	0.1	1.8	13	5	26	78	62	84	64	61	66	
8	Region 32	78.0	76.1	79.9	36.4	32.4	39.2	23.3	8.5	38.3	63.0	57.5	76.3	13.6	4.0	28.5	0.4	0.1	1.1	9	3	15	81	72	88	65	63	67	
10	Region 33	76.0	73.3	79.6	37.7	30.5	42.6	28.2	7.9	42.3	63.0	50.8	75.9	8.8	3.4	16.9	1.2	0.0	2.7	21	12	39	78	64	87	64	61	66	
4	Region 34	76.7	74.9	78.6	31.4	29.3	34.7	12.3	10.2	14.3	59.0	45.8	78.3	28.8	9.2	42.2	1.1	0.0	3.5	12	2	32	79	70	86	65	62	66	
1	Region 35	76.8	76.8	76.8	32.0	32.0	32.0	13.6	13.6	13.6	66.0	66.0	66.0	20.4	20.4	20.4	1.2	1.2	1.2	18	18	18	80	80	80	65	65	65	
6	Region 36	77.6	76.9	78.4	33.2	30.2	34.7	14.6	6.3	24.5	65.5	57.9	71.0	19.9	13.4	31.8	0.9	0.2	1.7	10	5	16	76	69	81	64	62	65	
90	Ave. WM2	76.0	70.7	80.0	34.2	24.7	42.6	23.1	2.1	48.7	64.3	45.8	83.6	12.6	1.3	42.2	1.0	0.0	4.3	14	1	39	74	49	94	63	57	68	
	Min. WM2																												
	Max. WM2																												

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2020/21)
(continue)

Number of samples	Region	Test weight (kg/ha)		100 kernel mass (g)		Kernel size (%)			Breakage susceptibility (%)			Stress cracks (%)			SAGL Milling index 2021			GYA													
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.								
								ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.							min.	max.						
1	Region 13	71.5	71.5	71.5	28.4	28.4	28.4	4.5	4.5	4.5	71.3	71.3	71.3	24.2	24.2	24.2	1.5	1.5	1.5	1.0	1.0	1.0	21	21	21	62	62	62	60	60	60
3	Region 14	75.6	75.1	75.9	34.0	32.2	35.7	34.8	20.3	49.1	58.3	46.6	67.4	6.9	4.1	12.3	0.3	0.0	0.6	0.3	0.0	0.5	10	6	12	67	65	71	62	61	63
1	Region 16	76.9	76.9	76.9	37.5	37.5	37.5	25.4	25.4	25.4	66.3	66.3	66.3	8.3	8.3	8.3	1.1	1.1	1.1	1.0	1.0	1.0	10	10	10	78	78	78	64	64	64
8	Region 17	73.9	69.2	77.6	32.7	28.2	36.9	26.5	20.5	43.4	65.3	51.3	72.8	8.3	5.3	12.6	1.9	0.2	3.9	1.5	0.2	3.3	19	11	28	71	62	86	63	60	66
1	Region 18	76.4	76.4	76.4	35.0	35.0	35.0	39.5	39.5	39.5	57.9	57.9	57.9	2.6	2.6	2.6	1.0	1.0	1.0	0.4	0.4	0.4	22	22	22	84	84	84	66	66	66
5	Region 19	73.5	71.4	75.4	29.7	27.0	33.5	18.7	4.3	28.9	66.2	55.8	73.4	15.0	6.3	23.5	1.3	0.4	2.0	0.9	0.3	1.4	23	13	29	67	49	75	62	57	63
1	Region 20	75.6	75.6	75.6	30.5	30.5	30.5	22.3	22.3	22.3	59.1	59.1	59.1	18.6	18.6	18.6	0.1	0.1	0.1	0.0	0.0	0.0	8	8	8	70	70	70	62	62	62
3	Region 21	73.8	72.7	75.5	29.5	28.6	30.1	18.5	16.5	19.8	68.2	66.4	70.5	13.3	10.3	17.1	0.5	0.0	0.9	0.5	0.0	0.8	5	3	6	69	66	74	62	61	63
5	Region 23	76.5	75.9	77.5	37.6	35.6	40.2	36.5	27.1	49.5	57.0	47.8	62.3	6.6	2.5	11.2	0.9	0.4	2.0	0.6	0.3	1.4	10	4	22	68	64	72	62	61	63
1	Region 26	73.9	73.9	73.9	30.5	30.5	30.5	11.4	11.4	11.4	61.5	61.5	61.5	27.1	27.1	27.1	1.7	1.7	1.7	1.0	1.0	1.0	20	20	20	69	69	69	62	62	62
2	Region 30	76.8	75.4	78.1	30.5	25.5	35.4	7.4	3.0	11.8	66.3	59.0	73.5	26.4	14.7	38.0	0.9	0.3	1.5	0.8	0.3	1.3	16	10	21	75	73	78	64	63	64
2	Region 31	75.2	74.7	75.7	33.0	31.3	34.7	13.9	11.5	16.3	75.7	71.9	79.4	10.5	9.1	11.8	0.4	0.1	0.7	0.3	0.0	0.7	9	8	10	74	68	81	63	62	65
1	Region 32	74.9	74.9	74.9	31.8	31.8	31.8	20.5	20.5	20.5	63.3	63.3	63.3	16.2	16.2	16.2	0.9	0.9	0.9	0.7	0.7	0.7	13	13	13	72	72	72	63	63	63
1	Region 33	75.1	75.1	75.1	31.3	31.3	31.3	13.0	13.0	13.0	69.9	69.9	69.9	17.1	17.1	17.1	0.9	0.9	0.9	0.8	0.8	0.8	14	14	14	76	76	76	64	64	64
1	Region 34	75.5	75.5	75.5	34.0	34.0	34.0	14.7	14.7	14.7	65.1	65.1	65.1	20.2	20.2	20.2	0.4	0.4	0.4	0.3	0.3	0.3	12	12	12	75	75	75	64	64	64
36	Ave. WM3	74.8			32.6			23.4	3.0	49.5	64.3			12.3			1.1			0.8			15			71			62		
	Min. WM3	69.2			25.5			3.0		40.2	46.6			2.5			0.0			0.0			3			49			57		
	Max. WM3	78.1			40.2			49.5		49.5	79.4			38.0			3.9			3.3			29			86			66		

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2020/21)
(continue)

Number of samples	Region	Test weight (kg/hl)		100 kernel mass (g)		Kernel size (%)						Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling index 2021			GYA							
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.					
								ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.										min.	max.			
CLASS: COM																															
1	Region 11	69.9	69.9	69.9	18.9	18.9	18.9	0.6	0.6	0.6	45.7	45.7	45.7	53.7	53.7	53.7	2.0	2.0	2.0	1.8	1.8	1.8	11	11	11	74	74	74	63	63	63
3	Region 12	74.6	74.3	74.9	34.6	33.3	35.9	35.6	21.0	44.6	57.5	49.5	67.0	7.0	3.0	12.0	1.7	1.5	1.8	1.4	1.2	1.5	22	18	26	74	67	77	63	62	64
1	Region 13	74.1	74.1	74.1	34.2	34.2	34.2	38.5	38.5	38.5	56.8	56.8	56.8	4.7	4.7	4.7	0.1	0.1	0.1	0.0	0.0	0.0	3	3	3	80	80	80	65	65	65
3	Region 14	75.3	74.9	75.6	34.1	31.9	37.1	35.5	25.4	55.1	55.4	43.4	64.2	9.1	1.5	16.0	1.2	0.5	2.2	0.7	0.3	1.0	11	7	19	70	67	72	62	62	63
4	Region 17	74.7	72.2	75.9	32.1	28.9	35.1	21.7	3.1	39.1	65.2	58.2	71.7	13.1	2.7	25.2	0.8	0.2	1.3	0.6	0.0	1.2	13	8	18	64	46	71	61	57	63
1	Region 18	75.0	75.0	75.0	35.3	35.3	35.3	5.0	5.0	5.0	74.5	74.5	74.5	20.5	20.5	20.5	0.8	0.8	0.8	0.6	0.6	0.6	14	14	14	83	83	83	66	66	66
2	Region 19	75.6	74.0	77.1	31.0	27.1	34.8	19.4	0.0	38.8	53.2	51.5	54.8	27.5	6.4	48.5	1.1	0.7	1.5	0.8	0.6	1.0	17	15	18	73	62	85	63	60	66
3	Region 21	74.8	73.7	76.9	29.4	26.0	33.0	21.8	11.4	31.9	64.3	60.8	69.7	13.9	7.3	26.2	0.4	0.0	1.0	0.2	0.0	0.4	5	3	7	75	68	87	63	62	67
2	Region 22	72.1	71.6	72.6	34.1	33.3	34.9	27.0	9.6	44.3	66.4	52.2	80.6	6.7	3.5	9.8	2.4	1.4	3.4	1.8	1.3	2.3	20	18	22	65	65	65	61	61	61
5	Region 23	76.3	74.6	77.8	36.1	32.4	37.8	34.8	24.0	43.3	59.1	53.2	67.2	6.0	3.5	8.8	0.9	0.0	1.4	0.7	0.0	1.2	12	4	20	70	67	72	62	62	63
1	Region 24	77.2	77.2	77.2	30.9	30.9	30.9	14.4	14.4	14.4	65.4	65.4	65.4	20.2	20.2	20.2	1.8	1.8	1.8	1.2	1.2	1.2	15	15	15	68	68	68	62	62	62
1	Region 25	76.0	76.0	76.0	26.7	26.7	26.7	4.3	4.3	4.3	63.4	63.4	63.4	32.3	32.3	32.3	1.3	1.3	1.3	1.1	1.1	1.1	23	23	23	48	48	48	57	57	57
1	Region 28	77.5	77.5	77.5	33.1	33.1	33.1	10.3	10.3	10.3	67.0	67.0	67.0	22.7	22.7	22.7	0.8	0.8	0.8	0.5	0.5	0.5	6	6	6	67	67	67	62	62	62
2	Region 30	76.7	76.3	77.0	37.1	35.5	38.6	34.1	33.8	34.4	60.1	57.9	62.3	5.8	3.3	8.3	0.5	0.0	0.9	0.4	0.0	0.7	14	12	15	73	73	73	63	63	63
1	Region 31	72.0	72.0	72.0	29.7	29.7	29.7	28.3	28.3	28.3	65.5	65.5	65.5	6.2	6.2	6.2	2.8	2.8	2.8	2.2	2.2	2.2	40	40	40	60	60	60	60	60	60
4	Region 32	75.9	73.7	78.2	34.3	29.6	37.2	25.0	9.0	33.6	65.5	60.6	74.5	9.5	5.8	16.5	0.6	0.1	0.9	0.5	0.1	0.8	8	4	12	76	71	83	64	63	66
3	Region 33	73.3	71.9	74.9	39.3	37.6	40.4	18.0	8.0	27.2	71.5	61.2	78.8	10.4	6.5	13.2	0.3	0.1	0.7	0.2	0.0	0.6	21	18	24	88	85	90	67	66	67
4	Region 34	75.4	69.6	78.3	31.2	29.1	33.3	11.8	9.3	14.6	68.9	64.8	74.8	19.4	15.9	21.9	1.1	0.3	2.1	0.7	0.2	1.2	11	4	22	77	68	82	64	62	65
4	Region 36	75.6	74.9	76.9	32.0	27.6	35.7	9.4	6.4	16.8	71.1	66.1	76.9	19.6	13.2	27.5	0.8	0.2	1.4	0.5	0.1	1.1	17	8	25	74	65	81	63	61	65
46	Ave. COM	75.0	69.6	78.3	33.1	18.9	40.4	22.6	0.0	55.1	63.5	43.4	80.6	13.9	1.5	53.7	1.0	0.0	3.4	0.7	0.0	2.3	14	3	40	72	46	90	63	57	67
560	Ave. WM	75.9	68.5	81.1	33.3	18.9	42.6	21.6	0.0	55.1	65.1	41.8	83.6	13.3	1.3	55.7	0.8	0.0	4.3	0.6	0.0	3.3	12	1	41	73	37	111	63	54	72
1000	Ave. Maize	76.2	68.5	82.6	32.4	18.9	43.8	15.4	0.0	55.1	65.5	5.6	83.6	19.2	1.3	88.1	0.8	0.0	4.3	0.6	0.0	3.3	12	1	49	74	37	111	63	54	72