

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21

Region	Grade	Aflatoxin µg/kg						Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	Total	B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg	Total						
10	YM1	ND	ND	ND	ND	ND	278	68	30	376	196	ND	ND	ND	ND	ND
10	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	516	ND	ND	56	ND	ND
10	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	108	ND	ND	ND	ND	ND
10	YM2	ND	ND	ND	ND	ND	115	20	ND	135	401	244	ND	ND	ND	ND
10	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	452	ND	ND	ND	ND	ND
10	YM1	ND	ND	ND	ND	ND	112	ND	ND	112	291	ND	ND	ND	ND	ND
10	YM1	ND	ND	ND	ND	ND	76	38	ND	114	265	ND	ND	ND	ND	ND
11	YM1	ND	ND	ND	ND	ND	27	ND	ND	27	ND	ND	ND	ND	ND	ND
11	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
11	WM2	ND	ND	ND	ND	ND	3 610	1 459	304	5373	632	161	ND	ND	ND	ND
12	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
12	WM1	ND	ND	ND	ND	ND	55	ND	ND	55	198	ND	ND	ND	ND	ND
12	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
12	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	108	ND	ND	ND	ND	ND
12	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	113	ND	ND	ND	ND	ND
12	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	ND	127	44	ND	171	ND	ND	ND	ND	ND	ND
13	YM1	ND	ND	ND	ND	ND	32	ND	ND	32	251	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	520	ND	ND	ND	ND	ND
13	YM2	ND	ND	ND	ND	ND	139	39	ND	178	ND	ND	ND	ND	ND	ND
13	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	244	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	ND	154	89	ND	243	239	ND	ND	ND	ND	ND
13	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	117	ND	ND	ND	ND	ND
13	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	COM	ND	ND	ND	ND	ND	259	54	38	351	206	ND	ND	ND	ND	ND
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
14	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	183	ND	ND	ND	ND	ND
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)

Region	Grade	Aflatoxin µg/kg						Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	Total	B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg	Total						
14	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	211	23	ND	234	267	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	COM	ND	ND	ND	ND	22	ND	ND	22	182	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	ND	ND	ND	139	ND	ND	ND	ND	ND	
14	COM	ND	ND	ND	ND	ND	ND	ND	ND	528	120	ND	ND	ND	ND	
14	COM	ND	ND	ND	ND	ND	ND	ND	ND	167	ND	ND	ND	ND	ND	
14	WM2	ND	ND	ND	ND	ND	ND	ND	ND	149	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	250	ND	ND	ND	ND	ND	
14	WM3	ND	ND	ND	ND	ND	ND	ND	ND	265	ND	ND	ND	ND	ND	
16	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
16	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
16	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	107	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	ND	ND	ND	ND	210	ND	ND	ND	ND	ND	
17	COM	ND	ND	ND	ND	ND	ND	ND	ND	177	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	232	78	ND	310	1 141	221	ND	ND	ND	ND	
17	COM	ND	ND	ND	ND	ND	ND	ND	ND	761	127	ND	ND	ND	ND	
17	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	662	121	ND	ND	ND	ND	
18	YM1	ND	ND	ND	ND	ND	ND	ND	ND	104	ND	ND	ND	ND	ND	
18	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)

Region	Grade	Aflatoxin µg/kg						Fumonisin µg/kg				DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg				
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	Total	B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg	Total	LOQ: 100 µg/kg							LOQ: 100 µg/kg	LOQ: 5 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg
18	YM1	ND	ND	ND	ND	ND	95	38	ND	133	ND	ND	ND	ND	ND	ND					
18	COM	ND	ND	ND	ND	ND	74	ND	ND	74	2 169	237	ND	ND	ND	ND					
18	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	465	ND	ND	ND	ND	ND					
18	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	115	ND	ND	ND	ND	ND					
18	WM1	ND	ND	ND	ND	ND	29	ND	ND	29	ND	ND	ND	ND	ND	ND					
18	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	146	ND	ND	ND	ND	ND					
18	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
18	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
18	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
18	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
18	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
18	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
19	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
19	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
19	YM2	ND	ND	ND	ND	ND	179	51	ND	230	ND	ND	ND	ND	ND	ND					
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
19	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	105	ND	ND	ND	ND	ND					
19	YM1	ND	ND	ND	ND	ND	232	74	22	328	196	ND	ND	ND	ND	ND					
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	166	ND	ND	ND	ND	ND					
19	WM2	ND	ND	ND	ND	ND	91	28	ND	119	577	ND	ND	ND	ND	ND					
19	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	163	ND	ND	ND	ND	ND					
19	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	379	ND	ND	ND	ND	ND					
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
19	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	325	ND	ND	ND	ND	ND					
20	YM1	ND	ND	ND	ND	ND	126	33	ND	159	ND	ND	ND	ND	ND	ND					
20	YM1	ND	ND	ND	ND	ND	432	235	24	691	ND	ND	ND	ND	ND	ND					
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	331	129	ND	ND	ND	ND					
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	651	147	ND	ND	ND	ND					
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	491	ND	ND	ND	ND	ND					

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)

Region	Grade	Aflatoxin µg/kg					Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOD: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	Total	B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg						
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	1 165	208	ND	ND	ND	ND
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	810	151	ND	ND	ND	ND
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	119	ND	ND	ND	ND	ND
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	439	105	ND	ND	ND	ND
21	YM1	ND	ND	ND	ND	77	33	ND	110	284	ND	ND	ND	ND	ND
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	WM2	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	ND	ND	ND
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	WM2	ND	ND	ND	ND	ND	ND	ND	ND	1 159	315	ND	ND	ND	ND
21	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	COM	ND	ND	ND	ND	ND	ND	ND	ND	109	ND	ND	ND	ND	ND
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
21	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
22	WM1	ND	ND	ND	ND	ND	ND	ND	ND	111	ND	ND	ND	ND	ND
22	YM1	ND	ND	ND	ND	ND	ND	ND	ND	330	ND	ND	ND	ND	ND
22	WM1	ND	ND	ND	ND	ND	ND	ND	ND	170	ND	ND	ND	ND	ND
22	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
22	YM2	ND	ND	ND	ND	ND	ND	ND	ND	307	ND	ND	ND	ND	ND
22	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
22	WM1	ND	ND	ND	ND	ND	ND	ND	ND	185	ND	ND	ND	ND	ND
22	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)															
Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg						
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	1 165	208	ND	ND	ND	
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
20	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
20	WM1	ND	ND	ND	ND	ND	ND	ND	810	151	ND	ND	ND	ND	
20	WM1	ND	ND	ND	ND	ND	ND	ND	119	ND	ND	ND	ND	ND	
21	WM1	ND	ND	ND	ND	ND	ND	ND	439	105	ND	ND	ND	ND	
21	YM1	ND	ND	ND	ND	ND	77	33	284	ND	ND	ND	ND	ND	
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	WM2	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	ND	ND	ND	
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	WM2	ND	ND	ND	ND	ND	ND	ND	1 159	315	ND	ND	ND	ND	
21	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	COM	ND	ND	ND	ND	ND	ND	ND	109	ND	ND	ND	ND	ND	
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
21	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
22	WM1	ND	ND	ND	ND	ND	ND	ND	111	ND	ND	ND	ND	ND	
22	YM1	ND	ND	ND	ND	ND	ND	ND	330	ND	ND	ND	ND	ND	
22	WM1	ND	ND	ND	ND	ND	ND	ND	170	ND	ND	ND	ND	ND	
22	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
22	YM2	ND	ND	ND	ND	ND	ND	ND	307	ND	ND	ND	ND	ND	
22	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
22	WM1	ND	ND	ND	ND	ND	ND	ND	185	ND	ND	ND	ND	ND	
22	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)															
Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg						
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	154	ND	ND	ND	ND	ND
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	114	ND	ND	ND	ND	ND
23	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	YM1	ND	ND	ND	ND	ND	178	50	ND	ND	ND	ND	ND	ND	ND
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	YM1	ND	ND	ND	ND	ND	94	23	117	124	ND	ND	ND	ND	ND
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	WM3	ND	ND	ND	ND	ND	ND	ND	ND	315	ND	ND	ND	ND	ND
23	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	YM1	ND	ND	ND	ND	ND	ND	ND	ND	208	ND	ND	ND	ND	ND
23	WM2	ND	ND	ND	ND	ND	ND	ND	ND	516	ND	ND	ND	ND	ND
23	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
23	COM	ND	ND	ND	ND	ND	193	46	239	269	ND	ND	ND	ND	ND
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	144	ND	ND	ND	ND	ND
23	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
24	WM1	ND	ND	ND	ND	ND	ND	ND	ND	181	ND	ND	ND	ND	ND
24	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
24	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
24	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
24	YM1	ND	ND	ND	ND	ND	ND	ND	ND	531	105	52	ND	ND	ND
24	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
25	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
25	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
25	COM	ND	ND	ND	ND	ND	ND	ND	ND	353	ND	ND	ND	ND	ND
25	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
25	WM1	ND	ND	ND	ND	ND	ND	ND	ND	331	ND	ND	ND	ND	ND
25	WM1	ND	ND	ND	ND	ND	ND	ND	ND	122	ND	ND	ND	ND	ND
25	YM1	ND	ND	ND	ND	ND	ND	ND	ND	173	ND	ND	ND	ND	ND
25	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)															
Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg						
25	YM2	ND	ND	ND	ND	ND	ND	ND	ND	199	ND	ND	ND	ND	
26	COM	ND	ND	ND	ND	ND	ND	ND	ND	124	ND	ND	ND	ND	
26	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
26	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
26	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
26	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
26	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
26	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
26	YM1	ND	ND	ND	ND	ND	ND	ND	150	ND	ND	ND	ND	ND	
26	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
26	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
26	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
26	YM1	ND	ND	ND	ND	ND	ND	ND	222	ND	ND	ND	ND	ND	
26	YM2	ND	ND	ND	ND	ND	ND	ND	129	ND	ND	ND	ND	ND	
27	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
27	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
27	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
28	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
28	WM1	ND	ND	ND	ND	ND	ND	ND	113	ND	ND	ND	ND	ND	
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
28	WM1	ND	ND	ND	ND	ND	ND	ND	306	ND	ND	ND	ND	ND	
28	YM1	ND	ND	ND	ND	ND	ND	ND	188	ND	ND	ND	ND	ND	
28	WM1	ND	ND	ND	ND	ND	ND	ND	244	ND	ND	ND	ND	ND	
28	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
28	WM1	ND	ND	ND	ND	ND	ND	62	133	466	118	ND	ND	ND	
28	WM1	ND	ND	ND	ND	ND	ND	ND	796	155	ND	ND	ND	ND	
28	YM2	ND	ND	ND	ND	ND	ND	ND	356	ND	ND	ND	ND	ND	

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)															
Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg						
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	153	ND	ND	ND	ND	ND
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	312	ND	ND	27	ND	ND
28	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	170	ND	ND	ND	ND	ND
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	290	ND	ND	ND	ND	ND
29	YM3	ND	ND	ND	ND	ND	ND	ND	ND	263	101	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	98	45	20	163	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	1 132	262	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	194	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	431	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	139	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	609	164	ND	ND	ND	ND
29	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	615	179	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	412	111	32	555	ND	ND	ND	ND
29	WM2	ND	ND	ND	ND	ND	ND	1 646	589	121	2356	184	101	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	168	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	88	32	100	120	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	178	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	171	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	720	111	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	315	137	29	481	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	527	111	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	283	ND	ND	ND	ND	ND
30	WM3	ND	ND	ND	ND	ND	ND	ND	ND	594	105	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	887	ND	ND	ND	ND	ND

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)															
Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg						
30	COM	ND	ND	ND	ND	ND	ND	ND	ND	487	100	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	264	93	22	995	184	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	510	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	277	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	1 606	359	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	142	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	111	ND	ND	ND	ND	ND
30	COM	ND	ND	ND	ND	ND	ND	ND	ND	391	ND	ND	ND	ND	ND
30	YM3	ND	ND	ND	ND	ND	ND	ND	ND	474	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	76	38	ND	470	ND	ND	20	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM2	ND	ND	ND	ND	ND	ND	ND	ND	294	163	ND	ND	ND	ND
30	COM	ND	ND	ND	ND	ND	ND	ND	ND	715	ND	ND	ND	ND	ND
30	WM2	ND	ND	ND	ND	ND	35	ND	ND	950	162	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	750	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	268	130	23	291	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	573	111	ND	ND	ND	ND
30	WM2	ND	ND	ND	ND	ND	ND	ND	ND	359	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	243	ND	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	123	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	44	ND	ND	204	ND	ND	ND	ND	ND
31	COM	ND	ND	ND	ND	ND	483	183	40	100	ND	ND	ND	ND	ND
31	YM2	ND	ND	ND	ND	ND	143	90	ND	327	ND	ND	ND	ND	ND
31	COM	ND	ND	ND	ND	ND	ND	ND	ND	432	122	ND	ND	ND	ND
31	COM	ND	ND	ND	ND	ND	50	26	ND	732	160	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	593	ND	ND	ND	ND	ND

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)															
Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg	
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	Total	B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg							B ₃ LOQ: 20 µg/kg
31	YM1	ND	ND	ND	ND	ND	ND	ND	184	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	151	ND	ND	ND	ND	ND	
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	1 248	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	199	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	366	99	24	342	105	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	227	ND	ND	ND	ND	ND	
31	WM1	ND	ND	ND	ND	ND	ND	ND	340	ND	ND	ND	ND	ND	
31	WM2	ND	ND	ND	ND	142	48	ND	507	ND	ND	ND	ND	ND	
31	WM2	ND	ND	ND	ND	33	ND	ND	2 945	496	ND	ND	ND	ND	
31	WM3	ND	ND	ND	ND	ND	ND	ND	128	ND	ND	ND	ND	ND	
32	WM2	ND	ND	ND	ND	29	ND	ND	1 953	364	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	43	ND	ND	585	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	54	ND	ND	252	ND	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	372	143	37	243	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	375	127	61	323	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	372	237	38	234	ND	ND	ND	ND	ND	
32	COM	ND	ND	ND	ND	ND	ND	ND	313	ND	ND	ND	ND	ND	
32	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	311	70	ND	267	ND	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	273	152	21	696	103	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	122	36	ND	178	ND	ND	ND	ND	ND	
32	WM2	ND	ND	ND	ND	ND	ND	ND	3 256	571	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	331	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	296	ND	ND	ND	ND	ND	
32	WM2	ND	ND	ND	ND	ND	ND	ND	1 068	173	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	49	ND	ND	128	ND	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	646	150	ND	ND	ND	ND	
32	YM1	ND	ND	ND	ND	ND	ND	ND	735	166	ND	ND	ND	ND	
32	WM1	ND	ND	ND	ND	ND	ND	ND	386	114	ND	ND	ND	ND	

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)																
Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg				DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg	Total						
32	YM1	ND	ND	ND	ND	ND	277	78	ND	355	124	ND	ND	ND	ND	ND
32	YM2	ND	ND	ND	ND	ND	496	198	41	735	ND	ND	ND	ND	ND	ND
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
32	WM2	ND	ND	ND	ND	ND	126	53	ND	179	1 392	244	ND	ND	ND	ND
32	WM2	ND	ND	ND	ND	ND	ND	ND	ND	179	1 217	158	ND	ND	ND	ND
32	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	862	103	20	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	461	129	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	434	142	29	605	776	159	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	99	39	ND	138	ND	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	42	ND	ND	42	283	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	501	100	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	478	107	ND	ND	ND	ND
33	YM3	ND	ND	ND	ND	ND	475	180	32	687	139	ND	ND	ND	ND	ND
33	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	179	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	223	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	327	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	1 945	514	189	2 648	ND	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	800	162	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	152	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	331	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
33	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	114	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	600	103	ND	ND	ND	ND
33	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	424	159	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	316	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	149	ND	ND	ND	ND	ND
33	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	562	118	ND	ND	ND	ND

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)																
Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg	
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg							Total
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	890	ND	26	ND	ND		
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
33	WM1	ND	ND	ND	ND	ND	ND	ND	1 526	210	ND	ND	ND	ND		
33	COM	ND	ND	ND	ND	ND	ND	ND	862	103	20	ND	ND	ND		
33	WM1	ND	ND	ND	ND	ND	ND	ND	519	ND	ND	ND	ND	ND		
34	YM1	ND	ND	ND	ND	ND	ND	ND	508	104	ND	ND	ND	ND		
34	YM1	ND	ND	ND	ND	ND	ND	ND	258	ND	ND	ND	ND	ND		
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
34	WM1	ND	ND	ND	ND	ND	ND	ND	217	ND	ND	ND	ND	ND		
34	YM1	ND	ND	ND	ND	ND	ND	ND	101	ND	ND	ND	ND	ND		
34	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
34	WM1	ND	ND	ND	ND	ND	ND	ND	314	ND	ND	ND	ND	ND		
34	YM1	ND	ND	ND	ND	ND	ND	ND	105	ND	ND	ND	ND	ND		
34	WM1	ND	ND	ND	ND	ND	ND	ND	744	189	ND	ND	ND	ND		
34	YM1	ND	ND	ND	ND	ND	ND	371	429	115	ND	ND	ND	ND		
34	WM1	ND	ND	ND	ND	ND	ND	35	135	ND	ND	ND	ND	ND		
34	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
34	YM1	ND	ND	ND	ND	ND	ND	571	290	ND	ND	ND	ND	ND		
34	COM	ND	ND	ND	ND	ND	ND	ND	294	ND	ND	ND	ND	ND		
34	YM3	ND	ND	ND	ND	ND	ND	ND	112	ND	ND	ND	ND	ND		
34	COM	ND	ND	ND	ND	ND	ND	ND	389	ND	ND	ND	ND	ND		
34	YM1	ND	ND	ND	ND	ND	ND	ND	476	ND	ND	ND	ND	ND		
34	WM1	ND	ND	ND	ND	ND	ND	50	1 599	403	ND	ND	ND	ND		
34	YM1	ND	ND	ND	ND	ND	ND	ND	150	ND	ND	ND	ND	ND		
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
34	WM2	ND	ND	ND	ND	ND	ND	ND	679	ND	ND	ND	ND	ND		
34	WM3	ND	ND	ND	ND	ND	ND	ND	132	ND	ND	ND	ND	ND		
34	WM1	ND	ND	ND	ND	ND	ND	ND	120	ND	ND	ND	ND	ND		
35	YM1	ND	ND	ND	ND	ND	ND	59	ND	ND	ND	ND	ND	ND		
35	WM2	ND	ND	ND	ND	ND	ND	2 683	1 068	129	3 952	201	201	ND		

TABLE 24: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2020/21 (continue)														
Region	Grade	Aflatoxin µg/kg			Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg	
		B ₁ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	G ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	Total	B ₁ LOQ: 20 µg/kg							B ₂ LOQ: 20 µg/kg
35	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
35	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
36	YM1	ND	ND	ND	ND	ND	ND	226	ND	ND	ND	ND	ND	
36	WM2	ND	ND	ND	ND	ND	311	595	123	ND	ND	ND	ND	
36	WM1	ND	ND	ND	ND	ND	ND	425	ND	ND	ND	ND	ND	
36	YM1	ND	ND	ND	ND	ND	119	151	ND	ND	ND	ND	ND	
36	WM1	ND	ND	ND	ND	ND	ND	164	ND	ND	ND	ND	ND	
36	COM	ND	ND	ND	ND	ND	ND	247	ND	ND	ND	ND	ND	
36	YM1	ND	ND	ND	ND	ND	ND	251	ND	ND	ND	ND	ND	
36	COM	ND	ND	ND	ND	ND	ND	138	ND	ND	ND	ND	ND	
36	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
36	WM2	ND	ND	ND	ND	ND	852	1 198	186	ND	22	ND	ND	
36	YM1	ND	ND	ND	ND	ND	955	414	ND	ND	ND	ND	ND	
36	YM1	ND	ND	ND	ND	ND	ND	391	ND	ND	ND	ND	ND	
36	WM1	ND	ND	ND	ND	ND	ND	510	ND	ND	ND	ND	ND	
36	YM1	ND	ND	ND	ND	ND	38	442	104	ND	ND	ND	ND	
36	WM1	ND	ND	ND	ND	ND	ND	1 095	210	ND	ND	ND	ND	
36	YM2	ND	ND	ND	ND	ND	ND	151	ND	ND	ND	ND	ND	
36	YM1	ND	ND	ND	ND	ND	ND	360	ND	ND	ND	ND	ND	
36	WM1	ND	ND	ND	ND	ND	413	574	ND	ND	ND	ND	ND	
Total number of samples		350	350	350	350	350	350	350	350	350	350	350	350	
Average of total number of samples		0	0	0	0	0	100	279	32	0	1	0	0	
Number of positive results		0	0	0	0	0	76	225	63	0	9	0	0	
Average of positive results		-	-	-	-	-	325	434	176	-	38	-	-	
Maximum of positive results		-	-	-	-	-	3 610	3 256	571	-	101	-	-	

Note:

Limit of quantitation (LOQ) means the lowest concentration level that can be quantified with acceptable precision and accuracy by the LC-MS/MS.
 A concentration measured below the LOQ is reported as <LOQ.
 Limit of detection (LOD) is the lowest concentration level that can be detected but not quantified and is 50% of the LOQ of each mycotoxin.
 A concentration measured below the LOD is reported as not detected (ND).
 µg/kg = ppb (parts per billion)