

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2022/23)

Number of samples	Region	Test weight (kg/ht)			100 kernel mass (g)			Kernel size (%)			Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling Index 2023			GYA												
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.									
								ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.										min.	max.							
GRADE: WM1																																			
12	Region 12	76.4	74.2	78.3	38.2	31.9	42.3	32.0	4.5	54.8	59.7	41.1	78.5	8.2	2.3	27.1	1.3	0.4	3.5	1.0	0.4	2.0	2.0	73	63	83	8	1	30	63	61	65			
18	Region 13	75.6	72.4	77.6	36.4	29.2	40.2	25.4	5.1	47.3	63.4	49.1	69.6	11.2	3.6	31.7	1.5	0.0	3.2	1.1	0.0	2.2	2.2	71	51	96	9	2	27	71	51	69			
38	Region 14	76.2	71.9	79.3	34.5	27.5	40.9	26.1	2.5	62.2	62.7	36.7	75.6	11.2	1.1	31.5	0.7	0.0	2.4	0.6	0.0	1.8	1.8	67	44	87	5	1	16	67	44	67			
3	Region 15	75.8	75.2	76.3	38.4	36.5	40.0	47.9	40.1	52.4	48.5	44.4	55.6	3.6	3.2	4.3	0.8	0.6	1.2	0.6	0.6	0.7	0.7	71	69	72	3	0	5	71	69	63	63		
3	Region 16	77.7	76.9	78.4	39.7	38.5	40.5	40.9	39.1	42.1	54.0	53.3	55.4	5.1	3.0	7.6	1.2	0.8	1.5	1.0	0.8	1.3	1.3	73	65	78	8	2	16	73	65	64	64		
24	Region 17	75.7	74.0	77.8	33.8	26.4	37.8	28.7	7.0	50.2	61.1	46.2	77.0	10.3	3.3	25.3	0.7	0.0	3.0	0.6	0.0	2.2	2.2	66	53	79	4	0	14	66	53	64	64		
15	Region 18	76.1	74.2	78.7	33.1	28.3	36.5	16.1	6.3	27.9	66.9	64.0	72.0	17.1	4.6	27.7	0.9	0.4	1.6	0.7	0.4	1.2	1.2	73	60	83	7	2	13	73	60	66	66		
20	Region 19	76.2	73.2	79.8	33.1	26.7	40.5	16.6	3.9	35.6	66.7	57.5	76.9	16.7	4.2	33.0	1.3	0.4	3.6	0.9	0.1	2.3	2.3	73	58	93	8	0	25	73	58	68	68		
20	Region 20	76.9	74.7	78.7	35.7	33.7	43.1	21.6	7.6	36.7	65.2	53.6	76.1	13.2	3.8	24.4	0.9	0.1	3.5	0.7	0.1	2.6	2.6	74	63	85	7	0	20	74	63	61	66		
12	Region 21	76.8	74.1	79.0	36.0	29.4	40.0	26.6	9.2	44.0	64.1	53.4	80.1	9.3	2.6	17.8	1.1	0.4	2.8	0.8	0.2	1.4	1.4	70	59	81	9	2	34	70	59	65	65		
5	Region 22	75.7	74.3	77.9	37.1	33.0	40.5	32.9	8.4	48.7	56.9	48.2	66.5	10.2	3.1	26.4	1.2	0.3	4.2	1.1	0.3	3.4	3.4	70	67	77	6	1	14	70	67	64	64		
19	Region 23	76.9	74.3	78.2	38.9	34.8	44.3	37.3	21.2	59.5	55.7	38.5	65.2	7.0	1.7	21.0	1.0	0.0	3.6	0.8	0.0	2.1	2.1	73	62	84	6	0	27	73	62	66	66		
27	Region 24	76.2	74.0	78.6	35.8	27.5	42.2	32.5	8.3	59.8	58.4	38.2	71.4	9.2	2.0	37.9	0.8	0.2	3.6	0.8	0.2	3.1	3.1	67	35	81	4	0	15	67	35	65	65		
3	Region 25	75.7	75.1	76.5	38.3	36.2	40.0	44.8	41.8	46.5	50.4	48.7	53.0	4.9	4.6	5.2	4.6	0.7	10.6	2.7	0.7	6.1	6.1	69	57	75	40	23	63	69	57	64	64		
7	Region 26	76.4	74.1	78.1	36.7	31.5	43.0	27.2	15.6	50.7	63.1	46.9	71.3	9.7	2.4	18.6	1.0	0.2	2.3	0.7	0.2	1.4	1.4	68	40	90	8	2	15	68	40	67	67		
3	Region 27	76.5	75.9	77.0	33.4	27.4	36.9	19.7	1.5	34.8	63.4	58.9	69.5	16.9	3.5	39.6	1.3	0.3	1.8	0.8	0.3	1.2	1.2	71	69	74	13	6	21	71	69	63	63		
9	Region 28	77.6	75.8	79.4	35.1	32.5	38.1	24.0	10.0	33.2	63.7	57.7	67.0	12.3	4.6	25.9	0.7	0.2	1.3	0.6	0.2	1.3	1.3	79	66	94	3	1	7	79	66	68	68		
15	Region 29	77.0	71.4	79.3	35.0	27.0	42.4	20.7	3.2	53.5	63.0	42.8	77.0	16.2	2.4	36.3	0.7	0.2	1.8	0.6	0.2	1.1	1.1	74	66	84	10	1	19	74	66	66	66		
20	Region 30	77.6	73.8	81.0	34.8	28.7	39.3	20.7	5.1	48.0	66.3	46.0	76.6	13.1	5.5	31.0	0.9	0.0	3.2	0.7	0.0	2.5	2.5	75	58	89	6	1	15	75	58	67	67		
11	Region 31	78.0	77.0	79.9	35.0	30.7	38.6	13.3	6.1	27.9	70.3	62.8	80.4	16.4	9.3	25.3	0.7	0.1	1.7	0.5	0.1	1.7	1.7	76	69	81	5	1	11	76	69	65	65		
9	Region 32	77.0	75.2	78.1	34.1	31.6	38.4	15.3	6.3	31.6	66.5	57.2	78.0	18.3	7.4	35.2	0.8	0.2	1.5	0.7	0.2	1.2	1.2	76	71	81	5	1	11	76	71	65	65		
33	Region 33	76.9	71.7	80.6	34.4	24.1	40.2	14.4	2.0	32.5	68.0	58.0	78.1	17.6	8.2	30.2	0.9	0.1	2.8	0.7	0.1	1.5	1.5	75	65	90	10	0	40	75	65	67	67		
19	Region 34	76.4	71.9	79.3	35.4	30.9	42.3	19.7	5.8	39.0	67.1	55.4	79.0	13.1	4.5	29.1	0.9	0.1	2.6	0.7	0.1	1.8	1.8	69	54	86	7	0	20	69	54	66	66		
8	Region 35	77.9	76.4	80.1	36.4	33.4	43.0	27.0	17.1	55.5	63.3	42.9	71.0	9.7	1.6	15.0	0.8	0.1	1.7	0.6	0.1	1.2	1.2	79	66	93	5	2	9	79	66	68	68		
10	Region 36	76.7	74.2	79.7	33.4	27.9	37.7	17.2	5.7	33.7	65.9	51.1	74.4	17.0	6.7	33.1	1.2	0.1	2.1	0.9	0.1	2.1	2.1	74	59	84	8	0	18	74	59	66	66		
363	Ave. WM1	76.6	71.4	81.0	35.3	24.1	44.3	24.0	1.5	62.2	63.4	36.7	80.4	12.6	1.1	39.6	1.0	0.0	10.6	0.8	0.0	6.1	6.1	72	35	96	7	0	63	72	35	63	54	69	
	Min. WM1																																		
	Max. WM1																																		

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2022/23)
(continue)

Number of samples	Region	Test weight (kg/h)			100 kernel mass (g)			Kernel size (%)			Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling index 2023			GYA									
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.						
								ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.										min.	max.				
GRADE: WM2																																
1	Region 11	78.5	-	-	34.8	-	-	3.4	-	-	74.6	-	-	22.0	-	-	1.5	-	-	1.5	-	-	8	-	-	98	-	-	69	-	-	
3	Region 12	75.9	74.8	76.8	38.7	37.3	39.6	33.0	24.9	38.6	62.1	58.4	66.7	4.9	3.0	8.4	1.1	0.6	1.6	1.1	0.6	1.6	3	2	4	75	71	80	64	63	65	
6	Region 13	75.0	72.9	76.9	35.4	30.9	40.1	31.5	19.2	48.5	61.6	49.5	65.9	6.9	2.0	17.1	1.4	0.4	3.1	1.2	0.4	2.5	7	5	11	63	45	77	61	56	64	
4	Region 14	77.2	76.3	78.8	34.6	30.7	36.5	20.2	11.2	29.9	67.9	62.6	73.5	11.9	7.5	15.3	0.6	0.1	1.2	0.6	0.1	1.2	7	2	13	73	58	89	63	60	67	
1	Region 15	76.6	-	-	40.0	-	-	55.5	-	-	41.3	-	-	3.2	-	-	1.3	-	-	0.9	-	-	4	-	-	70	-	-	62	-	-	
4	Region 16	76.7	75.1	79.0	36.0	33.1	38.0	33.4	25.6	38.5	60.3	57.7	63.6	6.3	3.8	10.8	2.6	1.5	3.7	1.6	1.4	1.8	7	2	14	69	58	75	62	59	64	
7	Region 17	75.3	73.5	77.7	34.2	27.9	36.7	20.5	5.8	47.1	63.0	49.8	72.1	16.4	3.1	35.1	1.4	0.3	2.8	1.1	0.3	1.9	7	2	11	72	56	81	63	59	65	
4	Region 18	75.1	72.5	76.8	35.3	32.3	38.0	36.3	22.3	57.3	56.8	38.7	68.8	7.0	4.0	13.3	1.7	0.8	3.0	1.3	0.7	2.0	7	3	12	69	65	74	62	61	63	
5	Region 19	74.4	72.8	77.4	33.0	31.4	35.2	11.1	3.7	32.0	70.9	59.1	77.3	18.1	8.9	25.9	1.6	0.8	2.4	1.4	0.8	2.2	8	5	11	60	40	70	60	55	62	
7	Region 21	74.5	72.9	77.4	36.1	31.9	40.5	30.2	10.5	54.3	59.0	40.8	71.5	10.7	4.9	18.0	1.8	0.7	3.5	1.5	0.7	2.7	12	2	28	65	57	69	61	59	62	
1	Region 22	77.0	-	-	36.0	-	-	31.5	-	-	60.9	-	-	7.6	-	-	1.4	-	-	1.4	-	-	2	-	-	75	-	-	64	-	-	
6	Region 23	76.8	76.1	77.2	40.4	32.6	45.5	43.3	14.1	58.0	51.6	40.2	73.2	5.2	1.7	12.7	2.0	0.5	4.1	1.4	0.5	2.2	9	0	18	73	67	82	63	62	65	
5	Region 24	75.2	74.0	77.1	34.5	31.4	37.8	22.4	2.8	39.3	61.4	51.7	67.4	16.2	6.5	30.7	2.0	0.6	3.9	1.4	0.6	2.7	9	0	19	69	62	77	62	61	64	
1	Region 25	72.4	-	-	32.3	-	-	7.8	-	-	74.8	-	-	17.4	-	-	3.2	-	-	2.7	-	-	33	-	-	61	-	-	60	-	-	
2	Region 27	75.9	74.3	77.5	30.2	29.7	30.7	4.2	2.6	5.8	60.0	56.9	63.0	35.9	34.4	37.3	1.1	0.4	1.8	0.9	0.4	1.4	19	9	28	72	71	73	63	63	63	
2	Region 28	76.6	75.3	77.9	39.0	37.4	40.5	32.7	26.3	39.0	61.4	57.5	65.3	6.0	3.5	8.4	0.6	0.6	0.6	0.6	0.6	0.6	1	0	2	76	74	77	64	63	64	
5	Region 29	77.9	76.9	79.5	35.0	31.1	38.8	14.7	5.2	29.5	70.5	63.5	75.4	14.8	6.3	22.2	1.3	0.3	2.2	1.0	0.3	2.1	11	6	21	79	71	88	65	63	67	
9	Region 30	76.9	75.4	78.6	34.5	31.6	38.0	20.9	4.8	45.3	64.1	50.9	77.5	14.9	3.7	29.5	1.0	0.2	2.6	0.8	0.2	2.0	5	0	13	71	61	80	63	60	65	
1	Region 31	77.4	-	-	33.2	-	-	11.8	-	-	73.4	-	-	14.8	-	-	0.9	-	-	0.9	-	-	7	-	-	79	-	-	65	-	-	
2	Region 32	75.2	72.6	77.7	39.3	24.7	53.8	6.6	1.5	11.7	67.3	60.5	74.1	26.1	14.2	38.0	2.4	0.7	4.0	1.5	0.7	2.3	12	5	19	70	60	80	62	60	65	
7	Region 33	77.0	74.4	79.1	35.4	25.7	43.2	12.3	3.6	28.5	67.0	61.4	71.9	20.8	4.7	34.9	1.4	0.2	2.9	1.0	0.2	2.0	14	4	23	76	67	86	64	62	66	
6	Region 34	76.1	73.1	80.8	36.1	31.2	40.9	19.4	7.0	42.4	65.5	52.6	77.0	15.2	3.8	23.2	1.3	0.4	2.4	0.9	0.4	1.4	11	5	18	73	66	90	63	61	67	
1	Region 36	78.3	-	-	39.5	-	-	22.9	-	-	65.6	-	-	11.5	-	-	1.7	-	-	1.3	-	-	4	-	-	84	-	-	66	-	-	
90	Ave. WM2	76.0	72.4	80.8	35.6	24.7	53.8	23.5	1.5	58.0	63.1	38.7	77.5	13.4	1.7	38.0	1.5	0.1	4.1	1.2	0.1	2.7	9	0	33	71	40	98	63	55	69	
	Min. WM2																															
	Max. WM2																															

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2022/23)
(continue)

Number of samples	Region	Test weight (kg/hl)			100 kernel mass (g)			Above 10 mm sieve			Above 8 mm sieve			Below 6 mm sieve			Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling Index 2023			GYA		
		ave. min. max.			ave. min. max.			ave. min. max.			ave. min. max.			ave. min. max.			ave. min. max.			ave. min. max.			ave. min. max.			ave. min. max.			ave. min. max.		
GRADE: WM3																															
3	Region 12	74.4	73.9	75.1	37.8	36.2	38.7	48.4	45.3	51.8	48.4	44.4	52.3	3.2	2.4	3.8	1.8	1.3	2.1	1.7	1.3	1.9	4	2	5	70	61	79	62	60	65
2	Region 13	73.6	73.1	74.1	37.9	37.4	38.3	47.8	39.9	52.4	47.8	41.9	53.6	6.1	5.7	6.5	1.4	1.1	1.7	1.4	1.1	1.7	7	6	7	63	56	70	61	59	62
3	Region 14	75.6	73.9	76.9	36.1	31.4	40.4	60.8	12.1	52.5	60.8	43.8	69.9	10.5	3.7	19.3	1.8	0.3	3.3	1.3	0.3	2.4	6	3	10	65	64	66	61	61	61
2	Region 17	76.4	76.3	76.4	35.3	35.1	35.4	60.9	27.3	36.3	60.9	57.6	64.2	7.3	6.1	8.5	0.5	0.4	0.5	0.5	0.4	0.5	5	3	6	66	66	66	61	61	61
2	Region 19	75.8	73.2	78.3	37.0	34.0	39.9	62.7	21.2	37.8	62.7	59.1	66.2	7.9	3.1	12.6	1.9	0.4	3.3	1.6	0.4	2.7	2	1	3	86	85	88	66	66	67
2	Region 20	76.0	74.0	77.9	35.1	34.2	35.9	69.2	11.3	27.6	69.2	62.6	75.7	11.4	9.8	13.0	0.9	0.5	1.3	0.6	0.5	0.8	8	3	13	70	62	78	62	60	64
1	Region 21	76.9	-	-	39.9	-	-	49.4	-	-	49.4	-	-	3.7	-	-	0.8	-	-	0.8	-	-	8	-	-	74	-	-	63	-	-
1	Region 22	75.3	-	-	40.7	-	-	43.5	-	-	43.5	-	-	0.4	-	-	3.6	-	-	3.0	-	-	13	-	-	65	-	-	61	-	-
2	Region 23	77.1	75.9	78.2	35.9	33.7	38.0	66.7	22.4	33.5	66.7	63.4	70.0	5.4	3.1	7.6	0.7	0.4	1.0	0.7	0.4	1.0	1	1	1	65	61	70	61	60	62
1	Region 24	73.1	-	-	33.6	-	-	73.3	-	-	73.3	-	-	16.2	-	-	3.0	-	-	2.5	-	-	12	-	-	59	-	-	60	-	-
2	Region 30	77.4	77.1	77.7	36.5	36.1	36.9	67.9	12.7	27.6	67.9	62.4	73.3	12.0	10.0	14.0	0.5	0.4	0.6	0.5	0.4	0.6	11	4	17	77	69	85	64	62	66
1	Region 32	73.9	-	-	28.9	-	-	71.6	-	-	71.6	-	-	21.6	-	-	0.5	-	-	0.5	-	-	7	-	-	58	-	-	59	-	-
1	Region 34	73.2	-	-	29.4	-	-	67.9	-	-	67.9	-	-	25.8	-	-	0.8	-	-	0.8	-	-	8	-	-	66	-	-	61	-	-
1	Region 35	73.1	-	-	37.9	-	-	55.0	-	-	55.0	-	-	4.6	-	-	0.8	-	-	0.8	-	-	5	-	-	71	-	-	63	-	-
1	Region 36	77.5	-	-	32.0	-	-	70.1	-	-	70.1	-	-	19.5	-	-	0.8	-	-	0.6	-	-	10	-	-	79	-	-	64	-	-
25	Ave. WM3	75.4	-	-	36.0	-	-	60.3	30.4	-	60.3	-	-	9.3	0.4	-	1.3	-	-	1.1	-	-	6	-	-	69	-	-	62	-	-
	Min. WM3	73.1	-	-	28.9	-	-	41.9	6.3	-	41.9	-	-	0.4	-	-	0.3	-	-	0.3	-	-	1	-	-	56	-	-	59	-	-
	Max. WM3	78.3	-	-	40.7	-	-	75.7	56.1	-	75.7	-	-	25.8	-	-	3.6	-	-	3.0	-	-	17	-	-	88	-	-	67	-	-
CLASS: COM																															
1	Region 12	75.9	-	-	40.5	-	-	56.6	41.4	-	56.6	-	-	2.0	-	-	0.4	-	-	0.4	-	-	6	-	-	76	-	-	64	-	-
1	Region 13	74.5	-	-	41.5	-	-	42.7	55.0	-	42.7	-	-	2.3	-	-	0.7	-	-	0.7	-	-	6	-	-	72	-	-	63	-	-
2	Region 14	75.6	74.9	76.2	35.0	33.0	37.0	64.3	7.1	24.5	64.3	58.2	70.4	19.9	17.3	22.5	1.1	0.3	1.9	1.0	0.3	1.7	4	2	6	72	68	76	63	62	64
1	Region 16	74.8	-	-	31.0	-	-	62.5	14.6	-	62.5	-	-	22.9	-	-	1.4	-	-	1.0	-	-	3	-	-	63	-	-	61	-	-
1	Region 17	73.5	-	-	27.5	-	-	67.3	22.1	-	67.3	-	-	10.6	-	-	0.5	-	-	0.5	-	-	1	-	-	58	-	-	59	-	-
4	Region 19	71.7	70.2	73.5	30.6	23.8	36.0	63.9	4.7	35.1	63.9	56.9	70.2	12.8	5.6	25.1	1.9	0.6	3.2	1.3	0.6	2.0	13	0	23	63	52	71	61	58	62
1	Region 20	73.4	-	-	36.7	-	-	48.6	47.0	-	48.6	-	-	4.4	-	-	1.9	-	-	1.3	-	-	9	-	-	79	-	-	64	-	-
12	Region 21	73.4	69.1	76.7	34.3	30.0	40.0	59.2	3.1	53.5	59.2	44.4	72.7	12.7	2.1	30.5	2.3	0.8	3.9	1.7	0.8	2.7	14	2	27	66	54	77	61	59	64
1	Region 22	77.2	-	-	40.0	-	-	59.7	33.5	-	59.7	-	-	6.8	-	-	1.9	-	-	1.2	-	-	6	-	-	60	-	-	60	-	-

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2022/23)
(continue)

Number of samples	Region	Test weight (kg/hl)			100 kernel mass (g)			Kernel size (%)						Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling index 2023			GYA						
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve	Above 8 mm sieve	Below 8 mm sieve	< 6.35 mm sieve	< 4.75 mm sieve	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.					
CLASS: COM																																
2	Region 23	77.0	75.5	78.4	37.3	34.2	40.4	34.4	33.8	34.9	59.9	59.2	60.6	5.8	5.6	5.9	0.4	0.2	0.6	0.4	0.2	0.6	5	2	7	70	68	72	62	62	63	
4	Region 24	76.1	74.5	77.7	38.1	35.2	40.9	44.9	36.0	56.2	50.5	41.1	56.2	4.7	2.7	7.8	0.9	0.4	2.1	0.8	0.4	1.5	3	1	8	70	67	74	62	62	63	
2	Region 26	72.6	72.2	72.9	33.6	33.5	33.6	21.2	6.3	36.0	67.7	59.3	76.1	11.2	4.7	17.6	2.5	1.7	3.3	1.5	1.0	1.9	23	18	28	62	54	69	60	58	62	
1	Region 30	77.9	-	-	38.0	-	-	30.3	-	-	64.0	-	-	5.7	-	-	1.9	-	-	1.2	-	-	14	-	-	78	-	-	64	-	-	
1	Region 33	76.3	-	-	34.4	-	-	37.3	-	-	58.5	-	-	4.2	-	-	0.2	-	-	0.2	-	-	0	-	-	60	-	-	60	-	-	
5	Region 34	75.7	72.5	78.5	34.5	31.0	37.6	19.0	4.1	37.8	62.7	51.2	79.3	18.3	4.8	35.9	1.4	0.4	3.5	1.2	0.4	2.3	14	5	22	75	66	81	64	61	65	
1	Region 35	74.1	-	-	34.0	-	-	20.6	-	-	58.2	-	-	21.2	-	-	1.7	-	-	1.7	-	-	4	-	-	70	-	-	63	-	-	
2	Region 36	73.1	72.9	73.2	32.8	31.9	33.6	17.6	14.7	20.5	66.9	63.9	69.9	15.5	15.4	15.6	3.3	2.6	4.1	2.4	2.0	2.9	10	4	16	68	67	69	62	62	62	
42	Ave. COM	74.4	69.1	78.5	34.7	23.8	41.5	28.2	3.1	56.2	59.9	41.1	79.3	11.9	2.0	35.9	1.7	0.2	4.1	1.3	0.2	2.9	10	0	28	68	52	81	62	58	65	
520	Ave. WM	76.3	69.1	81.0	35.3	23.8	53.8	24.5	1.5	62.2	62.9	36.7	80.4	12.5	0.4	39.6	1.1	0.0	10.6	0.9	0.0	6.1	8	0	63	71	35	98	63	54	69	
1000	Ave. Maize	76.3	69.1	82.2	33.5	22.2	53.8	16.1	0.0	62.2	62.6	17.4	81.1	21.3	0.4	82.2	1.2	0.0	69.0	1.0	0.0	67.3	8	0	63	72	35	98	63	54	69	
	Min. Maize																															
	Max. Maize																															