

TABLE 16: PHYSICAL QUALITY CHARACTERISTICS OF YELLOW MAIZE ACCORDING TO GRADE (2023/24)																															
Number of samples	Region	Test weight (kg/ht)			100 kernel mass (g)			Kernel size (%)						Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling Index 2024			GYA					
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.					
GRADE: YM1																															
3	Region 06	76.0	75.7	76.4	37.0	32.5	39.4	3.8	1.7	5.2	73.5	73.0	74.4	22.7	21.8	23.9	1.8	0.6	2.9	1.4	0.6	2.1	20	0	42	62	56	68	60	59	62
8	Region 08	76.8	73.5	79.5	26.0	21.6	34.3	5.2	0.0	22.3	58.5	27.7	71.8	36.4	6.6	72.3	0.7	0.1	2.0	0.5	0.1	1.1	2	1	3	89	79	100	67	65	70
16	Region 10	79.0	76.3	81.0	34.9	30.9	39.7	1.9	0.8	3.7	57.4	38.7	69.8	40.7	28.2	60.5	0.7	0.0	1.9	0.6	0.0	1.5	10	2	34	72	59	82	63	60	65
8	Region 11	78.2	75.9	79.6	33.4	27.4	37.8	1.8	0.0	3.7	56.7	44.0	70.9	41.5	25.9	55.0	1.0	0.3	2.0	0.9	0.3	1.7	6	2	11	72	65	78	63	61	64
1	Region 12	78.6	-	-	32.5	-	-	0.5	-	-	35.0	-	-	64.5	-	-	2.6	-	-	1.6	-	-	15	-	-	91	-	-	67	-	-
1	Region 13	74.9	-	-	25.4	-	-	6.0	-	-	62.6	-	-	31.4	-	-	2.6	-	-	0.8	-	-	2	-	-	79	-	-	64	-	-
4	Region 14	78.2	77.1	79.9	32.6	31.3	34.4	10.8	0.8	35.1	52.5	43.1	64.0	36.7	7.8	56.1	0.7	0.0	1.2	0.6	0.0	1.0	4	1	8	84	76	88	66	64	67
5	Region 15	77.7	75.8	79.3	36.0	34.4	40.5	3.2	1.3	5.9	64.7	56.4	69.5	32.0	26.8	39.9	1.1	0.7	2.0	1.0	0.7	1.4	4	2	7	77	60	85	64	60	66
3	Region 17	76.3	73.7	79.4	33.6	29.1	37.5	12.3	2.2	20.7	67.0	62.1	71.7	20.7	12.0	26.1	1.6	0.7	2.9	1.5	0.7	2.7	9	6	15	81	79	84	65	64	66
1	Region 18	76.7	-	-	27.2	-	-	2.0	-	-	32.4	-	-	65.6	-	-	2.7	-	-	1.7	-	-	2	-	-	74	-	-	63	-	-
6	Region 19	75.6	73.1	79.6	31.9	25.9	35.4	8.2	2.5	14.8	65.3	55.5	74.0	26.5	13.2	40.6	1.0	0.8	1.3	0.9	0.8	1.2	6	1	11	81	68	88	65	62	67
6	Region 20	76.0	73.9	79.6	28.4	25.1	33.8	4.2	1.2	8.3	59.7	54.2	64.5	36.1	31.4	42.2	1.0	0.4	1.8	0.8	0.2	1.8	3	0	8	74	68	84	63	62	66
1	Region 22	77.3	-	-	33.8	-	-	2.5	-	-	58.6	-	-	38.9	-	-	1.8	-	-	1.4	-	-	11	-	-	79	-	-	64	-	-
5	Region 24	77.0	75.5	78.6	30.7	21.9	38.6	3.4	0.1	7.0	58.8	38.0	70.0	37.7	25.9	61.9	1.0	0.1	2.4	1.0	0.1	2.4	4	2	7	78	75	84	64	64	66
6	Region 25	73.9	70.5	75.3	26.2	20.0	28.3	4.2	1.0	9.8	57.1	44.7	73.1	38.7	17.1	53.5	1.2	0.5	1.6	0.8	0.5	0.9	2	0	4	74	61	81	63	60	65
5	Region 26	74.7	72.2	77.2	23.0	20.7	24.8	2.1	1.5	2.4	48.5	25.8	64.1	49.4	34.4	71.9	1.6	0.7	2.5	1.0	0.7	1.5	2	1	6	76	63	86	64	61	66
2	Region 27	76.6	76.5	76.6	26.6	23.2	30.0	10.5	2.3	18.7	55.1	41.1	69.1	34.4	12.2	56.6	0.8	0.8	0.8	0.8	0.8	0.8	3	2	3	85	82	87	66	65	67
34	Region 28	75.6	68.4	80.7	29.1	22.0	39.0	7.5	0.1	36.1	60.0	39.9	76.7	32.5	3.9	60.0	1.0	0.0	3.0	0.7	0.0	1.8	4	1	9	76	45	101	64	56	70
23	Region 29	76.2	70.6	79.4	29.8	20.8	39.0	10.1	1.1	26.4	65.0	49.4	78.4	24.9	4.5	49.4	1.0	0.3	1.7	0.8	0.3	1.6	4	1	10	81	69	91	65	62	67
27	Region 30	75.4	69.0	81.4	30.0	24.4	37.4	7.7	0.0	35.4	66.1	48.7	79.3	26.2	4.2	51.3	1.2	0.2	3.2	1.0	0.2	2.9	4	0	13	79	68	88	64	62	67
45	Region 31	76.0	70.9	78.4	28.8	20.4	36.0	6.8	0.1	22.3	61.6	47.4	76.3	31.6	9.2	51.3	0.5	0.0	1.7	0.4	0.0	1.4	3	0	11	78	71	86	64	63	66
35	Region 32	75.9	70.7	78.9	29.6	19.1	37.1	10.3	0.0	29.8	57.4	10.1	74.7	32.3	7.5	89.9	0.9	0.0	2.3	0.7	0.0	1.5	5	0	17	78	68	89	64	62	67
22	Region 33	76.7	71.8	78.2	31.7	26.7	36.9	10.1	1.2	24.2	60.8	40.5	70.7	29.1	6.2	57.6	1.2	0.1	2.7	1.0	0.1	2.0	4	0	10	73	45	85	63	56	66
12	Region 34	76.3	73.2	77.9	27.8	24.3	34.3	4.7	1.3	11.2	61.2	52.1	71.9	34.0	21.5	45.7	1.0	0.5	2.0	0.8	0.5	1.4	4	1	8	81	77	85	65	64	66
6	Region 35	76.0	74.5	77.6	32.2	27.0	38.4	6.8	1.2	15.7	62.7	54.4	73.4	30.5	14.9	41.9	1.5	0.2	4.5	1.3	0.2	3.8	5	2	12	76	57	88	64	59	67
14	Region 36	76.3	72.3	80.4	32.0	28.3	39.1	3.5	0.6	8.5	57.1	33.8	73.1	39.5	21.0	65.0	1.5	0.5	3.3	1.2	0.5	2.1	7	0	20	68	54	79	62	58	64
299	Ave. YM1	76.2			30.1			7.0			60.4			32.6			1.0			0.8			5			77			64		
	Min. YM1	68.4			19.1			0.0			36.1			3.9			0.0			0.0			0			45			56		
	Max. YM1	81.4			40.5							79.3				89.9			4.5			3.8			42			101			70

TABLE 16: PHYSICAL QUALITY CHARACTERISTICS OF YELLOW MAIZE ACCORDING TO GRADE (2023/24) (continue)																															
Number of samples	Region	Test weight (kg/ht)			100 kernel mass (g)			Kernel size (%)						Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling Index 2024			GYA					
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.		
GRADE: YM2																															
2	Region 6	75.7	75.4	75.9	37.7	35.7	39.7	1.8	1.1	2.5	71.9	69.6	74.2	26.3	24.7	27.9	1.3	0.9	1.6	1.0	0.9	1.1	7	6	8	62	54	71	61	58	63
3	Region 8	68.3	66.9	70.0	18.9	17.6	20.3	0.4	0.0	0.8	40.2	34.5	45.5	59.3	53.7	65.5	1.4	1.2	1.6	0.5	0.2	0.8	3	2	3	66	62	71	61	60	63
3	Region 11	78.3	77.5	78.9	30.4	28.7	33.3	0.3	0.0	0.8	51.0	44.5	55.6	48.8	43.6	55.5	1.5	0.7	2.1	0.8	0.6	1.0	11	8	14	71	63	76	63	61	64
1	Region 12	76.4	-	-	22.2	-	-	0.4	-	-	32.7	-	-	66.9	-	-	1.2	-	-	1.2	-	-	4	-	-	85	-	-	66	-	-
1	Region 13	76.4	-	-	25.0	-	-	2.8	-	-	51.1	-	-	46.1	-	-	0.5	-	-	0.5	-	-	3	-	-	88	-	-	67	-	-
2	Region 15	78.4	78.3	78.4	36.9	36.5	37.2	2.2	0.5	3.9	64.6	64.4	64.8	33.2	31.7	34.7	0.6	0.4	0.8	0.6	0.3	0.8	5	4	6	82	81	82	65	65	65
3	Region 17	76.5	73.9	77.9	24.4	21.7	29.2	2.5	2.1	3.0	52.8	44.1	65.8	44.7	31.8	52.9	0.7	0.5	0.9	0.7	0.5	0.9	2	0	6	81	75	87	65	63	66
5	Region 18	73.7	71.8	77.1	27.6	24.3	30.0	2.8	1.2	4.5	58.9	45.2	71.6	38.3	24.9	53.6	1.7	0.9	3.0	1.4	0.9	2.2	6	0	13	70	56	78	62	59	64
4	Region 19	75.2	73.2	76.9	23.8	22.0	27.4	2.2	0.0	7.0	34.0	19.0	43.1	63.8	49.9	80.8	1.5	1.2	1.7	0.8	0.3	1.2	3	1	5	82	67	91	65	62	67
1	Region 21	75.9	-	-	26.9	-	-	2.3	-	-	59.9	-	-	37.8	-	-	0.5	-	-	0.5	-	-	1	-	-	82	-	-	65	-	-
1	Region 22	73.9	-	-	26.3	-	-	1.6	-	-	50.3	-	-	48.1	-	-	0.7	-	-	0.7	-	-	4	-	-	64	-	-	61	-	-
7	Region 24	75.6	73.3	76.9	28.0	21.6	37.2	1.3	0.0	3.4	53.4	26.9	73.2	45.3	25.8	72.1	2.0	0.7	5.2	1.5	0.6	3.9	8	2	28	69	58	80	62	60	65
5	Region 25	73.1	71.9	74.8	24.6	21.0	27.9	3.3	1.5	6.8	52.2	31.6	72.2	44.5	21.0	65.7	1.7	1.0	2.7	1.2	0.4	2.1	3	0	9	70	64	73	62	61	63
6	Region 26	73.3	70.9	75.3	23.9	20.8	28.6	3.5	1.7	7.9	57.3	49.4	70.8	39.2	21.3	47.9	1.6	0.9	2.4	1.0	0.5	1.4	4	1	8	76	69	82	64	62	65
3	Region 27	75.7	74.9	76.7	24.9	23.7	27.4	3.9	1.4	6.3	52.4	40.8	60.4	43.7	33.3	55.1	1.2	1.0	1.5	0.8	0.6	1.1	3	1	6	77	69	83	64	62	65
5	Region 28	74.5	71.4	76.5	24.9	19.9	28.6	3.7	1.0	7.0	44.9	24.4	57.4	51.4	40.1	74.6	1.4	0.5	3.0	1.0	0.5	2.3	5	1	12	72	63	78	63	61	64
14	Region 29	75.5	71.5	81.2	23.9	19.7	32.3	1.9	0.0	10.3	39.5	18.4	79.9	58.6	9.8	81.6	1.3	0.3	2.6	0.8	0.3	1.4	2	0	5	83	74	89	65	63	67
5	Region 30	72.7	66.8	78.0	23.2	16.6	30.3	2.8	0.0	4.4	43.0	27.5	67.3	54.2	28.3	72.5	1.8	1.2	2.5	1.0	0.4	2.1	4	1	6	75	66	84	63	61	66
7	Region 31	76.8	74.6	78.9	27.9	24.1	37.7	3.0	0.0	10.5	50.4	34.9	73.1	46.6	16.4	65.1	1.1	0.1	2.7	0.8	0.1	1.7	3	0	12	78	72	92	64	63	68
7	Region 32	74.2	69.3	77.2	27.3	19.9	31.0	8.4	0.0	20.0	56.6	24.3	68.8	35.0	12.7	75.7	0.9	0.2	1.7	0.7	0.2	1.3	4	1	10	77	67	89	64	62	67
5	Region 33	74.7	69.0	77.3	30.4	28.5	31.4	11.0	4.2	17.8	65.3	60.9	69.3	23.7	21.1	31.1	1.0	0.3	1.4	0.7	0.3	1.1	4	2	5	76	70	80	64	62	65
6	Region 34	75.0	69.3	78.1	26.5	20.5	31.3	1.9	0.2	5.7	47.3	32.1	58.5	50.8	38.2	65.9	1.4	0.3	3.8	0.9	0.3	2.1	4	2	8	78	74	85	64	63	66
4	Region 36	76.3	74.4	77.3	30.6	28.9	32.2	1.8	0.7	2.8	46.6	41.8	52.2	51.6	45.0	56.4	2.2	0.7	3.9	1.6	0.4	2.8	12	9	15	67	57	73	62	59	63
100	Ave. YM2	74.9	66.8	81.2	26.3	16.6	39.7	3.2	0.0	20.0	50.0	18.4	79.9	46.8	9.8	81.6	1.4	0.1	5.2	0.9	0.1	3.9	4	0	28	75	54	92	64	58	68

TABLE 16: PHYSICAL QUALITY CHARACTERISTICS OF YELLOW MAIZE ACCORDING TO GRADE (2023/24) (continue)																																	
Number of samples	Region	Test weight (kg/ht)			100 kernel mass (g)			Kernel size (%)						Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling index 2024			GYA							
								Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve																	
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.		
GRADE: YM3																																	
2	Region 08	74.2	73.0	75.3	23.5	21.4	25.5	0.2	0.0	0.4		14.5	9.9	19.0		85.4	80.6	90.1	1.5	1.2	1.7	0.5	0.1	0.9	0	0	0	61	55	68	60	59	62
3	Region 14	75.5	74.2	77.8	18.3	16.3	21.9	0.4	0.0	0.8		26.4	20.2	37.4		73.2	61.8	79.8	0.7	0.1	1.7	0.5	0.1	1.3	2	2	3	82	79	83	65	65	66
1	Region 18	71.4	71.4	71.4	19.9	19.9	19.9	0.1	0.1	0.1		30.8	30.8	30.8		69.1	69.1	69.1	2.0	2.0	2.0	2.0	2.0	2.0	2	2	2	76	76	76	64	64	64
1	Region 19	76.0	76.0	76.0	26.6	26.6	26.6	1.4	1.4	1.4		60.9	60.9	60.9		37.7	37.7	37.7	1.4	1.4	1.4	1.4	1.4	1.4	0	0	0	83	83	83	66	66	66
2	Region 21	76.0	75.0	76.9	19.4	18.4	20.3	2.0	1.4	2.6		26.8	23.3	30.3		71.2	67.1	75.3	0.6	0.3	0.9	0.6	0.3	0.9	1	1	1	82	82	82	65	65	65
1	Region 22	71.9	71.9	71.9	27.3	27.3	27.3	9.0	9.0	9.0		65.8	65.8	65.8		25.2	25.2	25.2	1.0	1.0	1.0	0.8	0.8	0.8	3	3	3	71	71	71	63	63	63
1	Region 24	75.7	75.7	75.7	20.5	20.5	20.5	0.0	0.0	0.0		36.3	36.3	36.3		63.7	63.7	63.7	1.4	1.4	1.4	0.6	0.6	0.6	0	0	0	77	77	77	64	64	64
1	Region 25	71.3	71.3	71.3	25.7	25.7	25.7	2.6	2.6	2.6		46.6	46.6	46.6		50.8	50.8	50.8	3.2	3.2	3.2	2.3	2.3	2.3	7	7	7	65	65	65	61	61	61
2	Region 26	72.4	71.9	72.8	20.8	20.7	20.9	0.5	0.0	1.0		29.2	28.5	29.8		70.4	70.2	70.5	2.6	1.3	3.9	1.5	1.3	1.6	4	4	4	72	69	74	63	62	63
1	Region 28	74.1	74.1	74.1	19.2	19.2	19.2	0.7	0.7	0.7		21.6	21.6	21.6		77.7	77.7	77.7	1.9	1.9	1.9	0.5	0.5	0.5	5	5	5	73	73	73	63	63	63
1	Region 29	74.9	74.9	74.9	21.8	21.8	21.8	1.3	1.3	1.3		44.2	44.2	44.2		54.5	54.5	54.5	0.8	0.8	0.8	0.5	0.5	0.5	2	2	2	86	86	86	66	66	66
2	Region 30	74.6	73.2	75.9	20.8	19.9	21.7	1.0	0.3	1.7		32.4	20.5	44.3		66.6	54.0	79.2	1.6	1.3	1.9	0.7	0.4	0.9	6	2	9	79	75	84	65	63	66
2	Region 31	72.6	70.5	74.7	23.5	23.4	23.6	4.1	3.9	4.2		60.5	57.2	63.8		35.4	32.3	38.6	0.6	0.3	0.9	0.5	0.0	0.9	2	1	2	77	77	77	64	64	64
2	Region 32	75.0	74.4	75.6	30.2	28.5	31.8	12.7	8.1	17.3		63.3	54.3	72.3		24.0	10.4	37.6	0.6	0.3	0.9	0.3	0.2	0.3	3	1	5	73	73	73	63	63	63
2	Region 34	77.6	76.3	78.8	29.6	28.1	31.1	4.7	0.5	8.8		49.2	45.1	53.3		46.2	37.9	54.4	0.6	0.5	0.8	0.4	0.4	0.5	4	1	6	73	73	73	63	63	63
1	Region 35	75.4	75.4	75.4	33.5	33.5	33.5	5.6	5.6	5.6		69.8	69.8	69.8		24.6	24.6	24.6	2.7	2.7	2.7	2.7	2.7	2.7	13	13	13	68	68	68	62	62	62
2	Region 36	74.6	74.3	74.9	32.8	32.4	33.2	4.2	3.8	4.5		71.5	67.8	75.2		24.4	20.3	28.4	2.8	2.1	3.4	2.1	1.6	2.6	4	1	7	61	60	62	60	60	60
27	Ave. YM3	74.5			24.1			3.0				42.6				54.4			1.4			0.9			3			74			63		
	Min. YM3	70.5			16.3			0.0				9.9				10.4			0.1			0.0			0			55			59		
	Max. YM3	78.8			33.5			17.3				75.2				90.1			3.9			2.7			13			86			66		

TABLE 16: PHYSICAL QUALITY CHARACTERISTICS OF YELLOW MAIZE ACCORDING TO GRADE (2023/24) (continue)																															
Number of samples	Region	Test weight (kg/hi)			100 kernel mass (g)			Kernel size (%)						Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling index 2024			GYA					
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.		
GRADE: COM																															
1	Region 08	68.1	-	-	18.8	-	-	0.6	-	-	54.7	-	-	44.7	-	-	3.1	-	-	0.5	-	-	1	-	-	69	-	-	62	-	-
1	Region 11	76.5	-	-	30.5	-	-	2.1	-	-	40.5	-	-	57.4	-	-	0.6	-	-	0.6	-	-	7	-	-	68	-	-	62	-	-
1	Region 14	72.9	-	-	16.5	-	-	0.0	-	-	6.0	-	-	94.0	-	-	0.7	-	-	0.7	-	-	7	-	-	77	-	-	64	-	-
1	Region 18	75.9	-	-	26.3	-	-	3.7	-	-	61.0	-	-	35.3	-	-	0.9	-	-	0.7	-	-	5	-	-	68	-	-	62	-	-
3	Region 19	73.1	70.7	74.9	23.8	21.5	27.4	3.8	0.8	7.9	57.5	44.0	76.7	38.8	15.4	53.4	1.5	0.7	3.0	0.8	0.7	0.9	4	1	7	84	81	89	66	65	67
3	Region 21	73.6	71.7	74.7	26.8	22.0	34.9	3.7	0.2	7.4	54.5	20.3	72.5	41.8	21.8	79.5	1.6	0.4	2.5	0.9	0.4	1.2	11	2	27	82	69	91	65	62	68
1	Region 24	71.7	-	-	24.6	-	-	3.0	-	-	66.3	-	-	30.7	-	-	1.4	-	-	1.4	-	-	5	-	-	79	-	-	64	-	-
2	Region 26	75.5	74.9	76.1	27.2	23.8	30.5	9.0	5.7	12.2	57.2	50.3	64.0	33.9	23.8	44.0	0.9	0.5	1.3	0.9	0.5	1.3	4	3	4	83	69	97	66	62	69
4	Region 28	72.4	68.5	75.2	27.8	24.1	30.7	7.1	1.9	14.4	66.9	65.0	70.1	25.9	20.6	29.3	1.9	1.0	2.5	0.9	0.4	1.3	12	6	16	83	78	90	66	64	67
3	Region 29	77.2	75.4	79.4	27.0	22.7	31.0	6.6	1.4	16.0	58.5	48.4	72.6	34.9	11.4	50.2	0.6	0.1	1.0	0.5	0.1	0.8	7	0	17	87	85	90	66	66	67
9	Region 30	74.1	67.2	77.1	30.6	25.6	39.6	6.7	1.2	15.9	61.7	45.1	80.4	31.6	3.7	52.1	1.7	0.8	3.5	1.2	0.1	2.0	6	2	15	72	64	87	63	61	66
11	Region 31	75.6	73.8	78.0	27.6	21.9	32.7	5.6	1.9	22.3	58.1	43.6	73.5	36.3	13.9	53.0	0.4	0.1	0.9	0.4	0.1	0.9	3	1	6	76	69	83	64	62	65
5	Region 32	76.2	73.5	79.0	29.0	25.4	33.3	8.6	0.0	24.4	57.8	42.1	65.6	33.6	10.0	57.9	0.9	0.4	1.6	0.6	0.1	1.1	4	2	7	77	74	83	64	63	65
2	Region 33	76.5	74.9	78.1	29.3	26.4	32.1	5.0	3.8	6.1	55.6	46.8	64.3	39.5	29.6	49.4	1.5	0.9	2.1	0.9	0.9	0.9	7	4	10	72	67	77	63	62	64
6	Region 34	72.3	68.7	77.1	26.8	22.2	29.6	5.9	1.1	19.1	58.4	43.1	71.3	35.7	9.6	53.8	1.5	0.0	4.6	1.3	0.0	4.6	3	0	12	73	57	78	63	59	64
3	Region 36	76.6	76.1	77.6	32.0	31.1	33.4	2.8	1.5	3.7	57.9	51.1	62.0	39.3	34.9	45.2	1.1	0.9	1.4	1.0	0.9	1.2	7	3	12	70	67	73	62	62	63
56	Ave. COM	74.5			27.8			5.7			57.9			36.5			1.2			0.8			6			76			64		
	Min. COM	67.2			16.5			0.0			6.0			3.7			0.0			0.0			0			57			59		
	Max. COM	79.4			39.6			24.4			80.4			94.0			4.6			4.6			27			97			69		
482	Ave. YM	75.7			28.7			5.8			57.0			37.2			1.1			0.8			5			76			64		
	Min. YM	66.8			16.3			0.0			6.0			3.7			0.0			0.0			0			45			56		
	Max. YM	81.4			40.5			36.1			80.4			94.0			5.2			4.6			42			101			70		
1000	Ave. Maize	75.9			30.1			12.5			59.7			27.7			1.0			0.8			4			75			64		
	Min. Maize	66.8			15.1			0.0			0.6			1.6			0.0			0.0			0			42			56		
	Max. Maize	81.5			42.7			62.7			95.5			94.0			5.2			4.6			42			104			71		