

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE [2018/19]

Number of samples	Region	Test weight (kg/hl)			100 kernel mass (g)			Kernel size (%)						Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling Index 2019			GYA					
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve	Above 8 mm sieve	Below 8 mm sieve	< 6.35 mm sieve	< 4.75 mm sieve	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.				
GRADE: WM1																															
4	Region 11	81.7	81.0	82.2	34.4	32.1	36.2	1.7	0.8	3.7	66.6	63.0	71.2	31.7	25.1	36.1	0.4	0.2	0.6	0.2	0.0	0.4	11	8	16	89.3	86.8	94.4	67.0	66.4	68.3
9	Region 12	77.8	76.4	79.2	37.6	33.3	45.1	36.0	14.0	63.8	56.7	35.2	71.2	7.2	1.0	15.2	1.4	0.4	3.0	1.1	0.3	2.5	13	6	22	91.4	76.4	111.4	67.5	63.9	72.4
7	Region 13	76.8	75.7	78.1	33.0	27.5	35.7	21.5	13.5	32.2	65.8	57.1	73.4	12.7	10.2	20.2	1.8	0.6	3.0	1.5	0.6	2.3	18	13	24	83.9	80.9	92.0	65.7	65.0	67.7
13	Region 14	76.1	71.9	78.9	34.8	28.4	41.1	33.8	19.4	47.7	58.5	47.5	65.5	7.7	3.7	15.4	1.7	0.5	3.7	1.4	0.4	2.9	19	8	33	82.2	69.8	96.7	65.3	62.3	68.8
2	Region 15	75.2	72.8	77.5	35.5	34.7	36.2	31.0	26.9	35.1	61.4	55.5	67.3	7.6	5.8	9.4	2.4	0.9	3.9	2.0	0.8	3.1	16	13	18	79.4	77.0	81.8	64.6	64.1	65.2
4	Region 16	74.9	70.1	76.7	34.9	33.7	37.2	22.4	13.6	26.3	65.5	62.4	68.4	12.2	7.7	18.0	2.2	0.8	3.8	1.8	0.7	2.9	17	9	26	84.8	74.4	105.7	65.9	63.4	71.0
10	Region 17	76.4	74.6	77.9	34.5	31.5	37.9	24.3	10.9	40.4	66.1	52.8	71.9	9.6	6.4	17.5	0.9	0.2	1.6	0.7	0.2	1.0	10	2	18	79.2	74.0	85.5	64.6	63.3	66.1
4	Region 18	76.5	75.6	77.4	32.9	31.2	34.6	23.6	14.8	38.2	63.7	56.6	67.5	12.8	5.2	17.7	1.0	0.5	1.6	0.7	0.4	1.1	13	7	17	83.0	72.8	93.3	65.5	63.1	68.0
9	Region 19	77.0	73.6	80.2	32.0	24.1	36.5	20.4	12.1	33.5	66.8	59.9	74.9	12.8	6.6	22.2	1.0	0.1	2.4	0.7	0.0	2.2	11	4	20	82.2	72.1	98.5	65.3	62.9	69.3
10	Region 20	76.6	73.3	79.5	33.2	27.9	38.5	24.7	16.6	30.6	63.5	57.2	68.4	11.9	5.2	26.2	0.5	0.0	1.1	0.4	0.0	1.0	9	4	17	78.8	66.1	93.8	64.5	61.4	68.1
16	Region 21	77.2	74.4	79.5	35.4	30.5	39.2	27.2	4.0	45.7	62.6	48.7	74.1	10.2	3.4	25.7	1.3	0.2	2.8	1.0	0.2	2.1	12	4	24	83.5	69.7	93.7	65.6	62.3	68.1
8	Region 22	75.8	74.9	76.9	36.5	33.5	40.1	37.8	28.4	52.1	55.6	41.9	62.4	6.6	1.3	9.2	1.6	0.7	2.9	1.2	0.6	2.3	19	6	28	73.2	65.8	78.8	63.1	61.3	64.5
7	Region 23	75.4	72.6	77.9	35.8	32.8	38.9	34.2	19.8	47.4	60.3	47.4	75.8	5.5	4.4	7.2	1.7	1.2	2.6	1.5	1.0	2.2	18	12	27	74.0	60.4	82.5	63.3	60.0	65.3
6	Region 24	77.6	75.9	80.0	34.1	32.9	35.5	25.9	9.9	33.6	64.2	57.5	71.8	9.9	5.5	18.3	1.5	0.3	3.5	1.1	0.3	2.5	20	8	32	85.7	81.2	95.9	66.2	65.1	68.6
4	Region 26	77.7	76.7	79.6	35.1	33.8	36.0	16.7	14.2	19.8	69.3	66.8	70.7	14.1	9.5	18.9	1.5	1.0	1.7	1.1	0.8	1.4	17	15	21	78.8	70.1	88.8	64.5	62.4	66.9
2	Region 27	76.8	74.3	79.3	33.5	31.1	35.8	28.4	23.0	33.8	63.3	56.3	70.3	8.3	6.7	9.9	1.1	0.8	1.4	0.9	0.5	1.2	15	8	22	71.8	65.2	78.3	62.8	61.2	64.4
9	Region 28	79.0	77.9	80.2	31.1	25.4	35.2	14.1	6.7	20.9	70.6	66.5	75.7	15.3	9.6	26.8	0.6	0.1	1.9	0.4	0.1	1.3	12	3	37	83.0	72.0	93.4	65.5	62.9	68.1
13	Region 29	77.6	74.8	79.9	31.3	23.0	41.4	17.9	8.9	42.0	68.1	51.1	77.9	14.0	6.9	21.3	0.8	0.2	1.6	0.6	0.0	1.2	13	1	23	81.6	63.4	93.1	65.2	60.8	68.0
20	Region 30	77.3	73.6	79.8	34.1	27.9	40.5	18.9	2.1	32.3	68.4	58.4	78.2	12.7	5.7	29.9	0.7	0.1	1.8	0.5	0.0	1.8	13	2	32	79.6	69.2	94.7	64.7	62.2	68.3
5	Region 31	77.5	74.2	79.7	31.5	25.7	36.3	11.6	3.5	21.8	68.8	62.8	73.3	19.6	10.3	33.7	0.8	0.5	1.1	0.6	0.4	0.8	9	4	11	81.4	71.4	86.2	65.1	62.7	66.2
7	Region 32	76.5	74.0	79.1	31.4	27.1	35.7	20.8	11.2	44.1	64.7	52.2	72.8	14.5	3.7	19.5	0.7	0.0	2.5	0.5	0.0	1.4	11	2	31	78.2	57.5	84.1	64.3	59.3	65.8
17	Region 33	77.2	75.2	79.9	32.6	26.0	36.3	16.0	4.0	24.8	67.8	57.7	79.9	16.2	9.1	24.9	0.6	0.1	1.4	0.4	0.0	1.1	12	4	27	77.8	71.3	89.9	64.2	62.7	67.2
26	Region 34	76.0	70.3	79.3	31.2	27.6	37.8	20.0	4.4	38.0	65.5	57.0	78.8	14.6	5.0	32.3	0.7	0.1	1.3	0.5	0.0	1.1	12	3	26	75.7	62.6	84.7	63.7	60.6	65.9
7	Region 35	76.7	71.6	78.9	36.5	32.6	51.1	22.1	1.9	93.8	61.1	5.8	76.8	16.8	0.4	27.7	1.1	0.2	1.8	0.9	0.1	1.4	17	3	26	86.1	79.0	96.5	66.3	64.5	68.8
14	Region 36	77.4	74.5	80.2	33.4	24.7	37.8	13.6	0.0	26.3	69.0	54.1	77.9	17.4	6.2	45.9	1.1	0.2	2.2	0.8	0.0	1.5	16	1	38	86.7	81.4	91.1	66.4	65.1	67.5
233	Ave. WM1	76.9			33.6			22.2	0.0	93.8	64.9	5.8	79.9	12.9	0.4	45.9	1.0	0.0	3.9	0.8	0.0	3.1	14	1	38	80.9	57.5	111.4	65.0	59.3	72.4
	Min. WM1	70.1			23.0			0.0		93.8	5.8	79.9	0.4		45.9	0.0	0.0	3.9	0.0	0.0	3.1										
	Max. WM1	82.2			51.1			93.8		93.8	79.9			45.9			3.1														

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2018/19)
(continue)

Number of samples	Region	Test weight (kg/h)			100 kernel mass (g)			Kernel size (%)						Breakage susceptibility (%)						SAGL Milling Index 2019			GYA								
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve	Above 8 mm sieve	Below 8 mm sieve	< 6.35 mm sieve	< 4.75 mm sieve	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.							
GRADE: WM2																															
5	Region 13	74.7	71.2	76.6	32.9	31.0	35.8	20.3	14.0	25.4	66.8	59.3	71.7	12.9	9.3	16.6	2.6	1.7	3.5	2.2	1.4	3.3	24	13	30	82.0	69.7	91.2	65.2	62.3	67.5
9	Region 14	74.5	70.3	76.7	31.7	25.2	37.8	22.9	8.3	39.0	61.9	55.9	67.3	15.2	4.7	29.0	2.5	1.0	5.5	1.7	0.9	3.5	21	12	29	80.2	67.1	97.3	64.8	61.6	68.9
1	Region 15	75.1	-	-	36.6	-	-	34.6	-	-	54.8	-	-	10.6	-	-	2.6	-	-	2.3	-	-	22	-	-	72.8	-	-	63.0	-	-
1	Region 16	74.0	-	-	31.6	-	-	29.5	-	-	63.3	-	-	7.2	-	-	2.7	-	-	2.5	-	-	20	-	-	78.6	-	-	64.4	-	-
4	Region 17	76.2	73.1	77.4	31.9	31.4	32.6	20.6	12.3	29.5	64.6	57.5	69.1	14.8	11.4	18.6	1.2	0.8	1.7	1.0	0.7	1.5	12	7	18	77.4	72.5	82.8	64.1	63.0	65.5
6	Region 18	75.8	74.6	77.8	32.1	30.7	33.3	18.2	8.0	23.0	64.8	63.1	67.5	17.0	13.4	25.4	1.7	0.2	3.0	1.2	0.2	1.9	17	9	24	78.2	73.5	83.6	64.4	63.2	65.6
1	Region 19	76.9	-	-	35.0	-	-	40.8	-	-	53.9	-	-	5.3	-	-	0.7	-	-	0.4	-	-	20	-	-	88.0	-	-	66.7	-	-
3	Region 20	77.5	76.1	78.2	38.0	36.4	41.0	32.1	19.8	46.2	58.3	49.9	65.9	9.6	3.9	14.3	2.9	0.6	6.0	2.3	0.6	4.5	19	5	32	82.9	77.5	86.1	65.5	64.2	66.3
2	Region 21	79.9	79.2	80.5	33.8	32.0	35.6	30.2	22.6	37.8	61.7	57.3	66.1	8.1	4.9	11.3	0.4	0.4	0.4	0.4	0.3	0.4	6	5	7	90.0	88.4	91.5	67.2	66.8	67.6
16	Region 22	75.5	74.0	77.6	36.0	29.6	39.4	38.1	14.3	61.5	54.4	35.0	70.2	7.4	0.5	18.7	1.4	0.1	3.0	0.9	0.0	2.2	16	6	33	76.0	62.0	87.4	63.8	60.4	66.5
12	Region 23	76.6	73.0	78.5	36.5	32.8	38.1	38.8	22.0	45.4	56.0	48.9	69.6	5.3	2.8	10.0	2.4	1.1	5.5	1.7	0.8	3.4	22	11	42	79.8	68.4	94.5	64.7	61.9	68.3
5	Region 24	74.0	70.7	77.9	34.6	29.2	38.4	32.3	9.6	42.5	59.7	53.8	72.0	8.0	3.7	18.4	3.1	1.5	7.0	2.1	1.0	4.0	22	10	47	73.0	64.1	76.8	63.1	60.9	64.0
2	Region 26	79.1	74.6	83.6	35.2	34.1	36.2	16.6	10.9	22.3	73.0	69.7	76.2	10.5	8.0	12.9	1.0	0.4	1.5	0.7	0.1	1.3	13	6	19	87.3	63.9	110.8	66.5	60.8	72.3
5	Region 28	77.4	75.1	79.2	33.1	28.7	36.7	22.5	6.9	36.5	65.5	59.0	71.7	11.9	4.5	21.4	1.0	0.2	1.4	0.8	0.0	1.1	14	11	19	76.6	62.0	84.8	64.0	60.4	66.0
2	Region 29	74.3	71.8	76.7	26.8	24.7	28.9	14.3	13.1	15.5	68.3	67.4	69.2	17.4	15.3	19.5	1.6	1.2	2.0	1.1	0.6	1.6	14	12	16	81.0	79.0	83.1	65.0	64.5	65.5
4	Region 30	77.9	77.1	79.0	32.7	29.8	35.0	22.3	12.6	30.4	67.7	61.0	73.1	10.1	5.9	14.3	0.7	0.3	0.9	0.5	0.3	0.7	13	8	17	81.7	75.4	90.5	65.2	63.6	67.3
2	Region 31	72.3	68.9	75.6	35.2	32.3	38.0	44.6	30.8	58.4	48.6	38.0	59.1	6.9	3.6	10.1	2.3	2.1	2.5	1.7	1.4	2.0	23	21	24	76.1	74.7	77.6	63.8	63.5	64.1
2	Region 32	75.8	75.2	76.3	31.2	30.8	31.6	17.5	13.2	21.7	66.9	63.5	70.2	15.7	14.8	16.6	0.9	0.7	1.1	0.6	0.6	0.6	21	18	24	74.5	71.0	78.1	63.4	62.6	64.3
3	Region 33	75.7	74.7	76.8	32.1	31.1	33.9	22.9	16.9	32.2	63.3	57.2	73.2	13.9	9.9	21.1	1.0	0.8	1.1	0.7	0.6	1.0	16	13	20	75.8	73.5	78.8	63.7	63.2	64.5
2	Region 34	75.9	75.4	76.4	30.1	29.5	30.7	12.3	8.9	15.6	69.7	66.8	72.6	18.1	17.6	18.5	0.3	0.1	0.6	0.2	0.0	0.5	8	6	10	78.8	71.7	85.8	64.5	62.8	66.2
5	Region 36	75.6	73.4	77.1	34.5	33.1	37.0	19.4	7.9	29.3	68.8	61.3	78.3	11.7	7.4	15.1	2.3	1.1	3.5	1.7	0.9	2.5	21	4	33	82.6	74.8	86.7	65.4	63.5	66.4
92	Ave. WM2	75.8			33.9			28.0			61.2			10.8			1.8			1.3			18			78.9			64.5		
	Min. WM2	68.9			24.7			6.9			35.0			0.5			0.1			0.0			4			62.0			60.4		
	Max. WM2	83.6			41.0			61.5			78.3			29.0			7.0			4.5			47			110.8			72.3		

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2018/19)
(continue)

Number of samples	Region	Test weight (kg/h)			100 kernel mass (g)			Kernel size (%)						Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling Index 2019			GYA					
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Below 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.					
								ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.										min.	max.			
GRADE: WM3																															
1	Region 12	71.3	-	-	25.5	-	-	6.4	-	-	59.0	-	-	34.6	-	-	4.8	-	-	3.8	-	-	34	-	-	79.7	-	-	64.7	-	-
2	Region 13	75.3	73.7	76.9	40.8	36.2	45.3	29.8	27.3	32.2	65.1	60.3	69.9	5.2	2.8	7.5	1.8	1.7	1.9	1.4	1.4	1.4	18	10	25	77.8	75.6	80.0	64.2	63.7	64.7
3	Region 14	74.1	70.8	78.2	29.7	25.7	34.8	19.5	9.1	28.3	67.2	64.4	72.1	13.3	7.3	18.8	3.0	1.6	4.0	2.3	1.3	3.3	23	16	28	77.1	67.6	90.7	64.0	61.8	67.4
1	Region 15	73.9	-	-	32.4	-	-	34.0	-	-	60.4	-	-	5.6	-	-	2.2	-	-	1.9	-	-	27	-	-	70.4	-	-	62.4	-	-
3	Region 16	71.4	67.0	74.8	29.5	21.8	34.0	23.9	14.0	33.6	64.8	58.4	70.0	11.3	8.0	16.0	4.8	4.0	5.2	3.7	3.5	3.8	32	30	33	71.1	56.8	82.3	62.6	59.1	65.3
3	Region 19	75.7	74.9	76.6	34.0	30.0	36.2	26.4	15.2	32.7	65.4	59.2	72.6	8.2	4.2	12.2	1.0	0.6	1.2	0.6	0.3	0.9	20	10	28	87.2	81.6	91.7	66.5	65.2	67.6
1	Region 21	75.2	-	-	31.3	-	-	32.1	-	-	57.6	-	-	10.3	-	-	4.2	-	-	2.9	-	-	32	-	-	73.8	-	-	63.2	-	-
4	Region 22	73.3	72.2	74.7	32.1	30.0	33.3	32.2	27.8	38.8	59.3	55.7	62.9	8.5	5.5	10.9	2.9	2.1	3.3	2.2	1.9	2.6	25	15	31	63.7	53.7	70.7	60.8	58.4	62.5
14	Region 23	73.9	69.1	78.9	32.9	27.1	36.4	36.8	21.5	52.5	55.4	43.4	66.1	7.7	4.1	15.5	2.8	1.0	4.8	2.0	0.7	3.7	21	13	32	68.2	52.4	85.5	61.9	58.0	66.1
1	Region 24	75.9	-	-	31.6	-	-	25.9	-	-	68.4	-	-	5.7	-	-	3.9	-	-	3.2	-	-	38	-	-	88.6	-	-	66.9	-	-
1	Region 26	79.5	-	-	38.5	-	-	26.8	-	-	66.6	-	-	6.6	-	-	1.9	-	-	1.2	-	-	33	-	-	105.1	-	-	70.8	-	-
1	Region 30	73.9	-	-	31.8	-	-	17.0	-	-	68.8	-	-	14.2	-	-	3.0	-	-	2.5	-	-	24	-	-	79.2	-	-	64.6	-	-
2	Region 33	74.5	72.4	76.6	27.9	24.5	31.3	8.7	4.4	13.0	62.6	60.1	65.1	28.7	21.9	35.5	1.7	1.5	1.9	1.0	1.0	1.0	20	19	21	75.5	66.4	84.6	63.6	61.4	65.9
2	Region 34	76.9	76.9	76.9	34.3	31.4	37.1	22.5	14.9	30.1	68.7	63.9	73.5	8.8	6.0	11.6	1.0	0.4	1.5	0.7	0.2	1.2	14	11	16	77.9	72.6	83.2	64.2	62.9	65.6
2	Region 35	77.6	77.3	77.9	36.7	35.1	38.3	17.5	4.3	30.7	69.5	62.1	76.8	13.1	7.2	18.9	1.4	1.0	1.7	1.0	0.8	1.2	28	22	34	91.5	86.2	96.8	67.6	66.3	68.8
1	Region 36	73.8	-	-	31.0	-	-	9.1	-	-	75.6	-	-	15.3	-	-	1.7	-	-	1.5	-	-	6	-	-	78.2	-	-	64.3	-	-
42	Ave. WM3	74.4			32.6			27.7			61.8			10.6			2.6			2.0			23			74.7			63.5		
	Min. WM3	67.0			21.8			4.3			43.4			2.8			0.4			0.2			6			52.4			58.0		
	Max. WM3	79.5			45.3			52.5			76.8			35.5			5.2			3.8			38			105.1			70.8		
CLASS: COM																															
3	Region 13	71.7	70.4	73.9	28.9	24.1	35.9	26.2	16.4	43.6	63.1	51.9	69.6	10.8	4.5	14.0	3.7	1.5	7.9	2.2	0.9	4.5	28	15	43	73.5	66.5	79.6	63.2	61.4	64.6
5	Region 14	76.4	75.9	77.4	36.6	33.7	40.2	42.5	30.8	60.1	52.6	39.1	59.7	4.8	0.8	9.5	1.9	0.9	3.3	1.5	0.8	2.4	16	12	22	79.9	69.9	85.5	64.7	62.3	66.1
1	Region 15	70.2	-	-	31.4	-	-	28.5	-	-	62.6	-	-	8.9	-	-	5.4	-	-	4.3	-	-	33	-	-	61.1	-	-	60.1	-	-
3	Region 16	67.5	62.9	71.5	26.5	18.7	33.1	16.9	5.6	29.5	60.7	47.6	71.9	22.4	7.8	46.8	6.3	5.7	7.5	4.4	4.0	4.7	37	35	39	67.3	44.9	89.0	61.7	56.1	67.0
2	Region 17	73.5	69.9	77.0	32.1	30.1	34.1	26.1	18.7	33.5	63.2	61.2	65.2	10.7	5.3	16.1	2.2	2.0	2.3	1.6	1.4	1.7	21	12	29	70.6	63.1	78.1	62.4	60.6	64.3
1	Region 18	73.3	-	-	34.4	-	-	10.9	-	-	74.3	-	-	14.8	-	-	1.9	-	-	1.5	-	-	25	-	-	64.0	-	-	60.8	-	-
1	Region 19	77.6	-	-	33.4	-	-	22.9	-	-	64.8	-	-	12.3	-	-	0.3	-	-	0.1	-	-	8	-	-	93.9	-	-	68.1	-	-
1	Region 21	78.5	-	-	38.8	-	-	43.5	-	-	53.0	-	-	3.5	-	-	0.8	-	-	0.7	-	-	4	-	-	81.1	-	-	65.0	-	-
3	Region 22	71.2	66.7	75.4	31.4	26.2	38.1	29.0	23.4	35.6	63.9	61.3	67.7	7.1	1.7	10.6	4.0	0.4	7.6	2.6	0.3	4.3	32	15	41	66.0	53.1	73.7	61.3	58.1	63.2

TABLE 12: PHYSICAL QUALITY CHARACTERISTICS OF WHITE MAIZE ACCORDING TO GRADE (2018/19)
(continue)

Number of samples	Region	Test weight (kg/ha)			100 kernel mass (g)			Kernel size (%)						Breakage susceptibility (%)						Stress cracks (%)			SAGL Milling Index 2019			GYA					
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve		Above 8 mm sieve		Below 8 mm sieve		< 6.35 mm sieve		< 4.75 mm sieve		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.					
								ave.	max.	ave.	max.	ave.	max.	ave.	max.	ave.	max.														
CLASS: COM																															
8	Region 23	65.4	61.0	75.4	27.7	23.3	36.4	36.0	14.5	49.5	55.4	45.5	74.4	8.6	5.0	11.7	5.7	2.0	7.7	3.9	1.5	5.6	34	18	52	42.4	26.1	71.3	55.5	51.5	62.6
1	Region 24	67.0	-	-	28.1	-	-	13.7	-	-	77.5	-	-	8.8	-	-	5.5	-	-	3.0	-	-	58	-	-	69.3	-	-	62.2	-	-
1	Region 31	75.6	-	-	31.7	-	-	11.0	-	-	71.5	-	-	17.5	-	-	0.8	-	-	0.7	-	-	10	-	-	72.0	-	-	62.8	-	-
1	Region 32	77.9	-	-	33.7	-	-	31.8	-	-	61.2	-	-	7.0	-	-	0.2	-	-	0.2	-	-	7	-	-	74.1	-	-	63.3	-	-
2	Region 34	75.4	74.5	76.2	31.0	27.9	34.0	10.3	7.6	12.9	72.3	68.4	76.2	17.5	16.2	18.7	0.6	0.4	0.7	0.4	0.3	0.5	17	4	30	78.5	72.5	84.4	64.4	63.0	65.9
2	Region 35	76.7	76.5	76.8	37.6	36.8	38.4	10.6	5.8	15.4	75.7	74.7	76.6	13.8	9.9	17.6	2.3	1.6	2.9	2.0	1.3	2.6	26	20	32	91.3	87.1	95.6	67.5	66.5	68.6
2	Region 36	74.6	72.6	76.6	31.0	28.3	33.7	19.0	17.0	20.9	60.1	54.2	65.9	21.0	13.2	28.8	1.3	0.7	1.9	1.0	0.6	1.4	17	11	22	87.2	83.6	90.7	66.5	65.6	67.4
37	Ave. COM	71.8			31.3			27.3			61.5			11.1			3.4			2.3			26			68.4			61.9		
	Min. COM	61.0			18.7			5.6			39.1			0.8			0.2			0.1			4			26.1			51.5		
	Max. COM	78.5			40.2			60.1			77.5			46.8			7.9			5.6			58			95.6			68.6		
404	Ave. white maize	75.9			33.4			24.6			63.4			12.0			1.6			1.2			17			78.7			64.4		
	Min. white maize	61.0			18.7			0.0			5.8			0.4			0.0			0.0			1			26.1			51.5		
	Max. white maize	83.6			51.1			93.8			79.9			46.8			7.9			5.6			58			111.4			72.4		
808	Ave. maize	76.4			32.0			16.4			64.9			18.7			1.3			0.9			15			79.1			64.5		
	Min. maize	61.0			18.7			0.0			5.8			0.4			0.0			0.0			1			26.1			51.5		
	Max. maize	83.6			51.1			93.8			85.2			74.5			7.9			5.6			58			111.4			72.4		