

TABLE 19: NUTRITIONAL VALUES OF WHITE MAIZE ACCORDING TO GRADE (2018/19)

Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)		
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: WM1													
-	Region 03	-	-	-	-	-	-	-	-	-	-	-	
-	Region 10	-	-	-	-	-	-	-	-	-	-	-	
4	Region 11	3.8	3.8	3.9	8.8	8.6	8.9	74.7	74.4	74.9	1.8	1.8	
9	Region 12	4.3	4.0	5.3	9.7	8.2	12.3	73.1	69.7	74.8	1.9	1.8	
7	Region 13	4.2	4.0	4.5	9.5	9.1	10.3	73.6	72.5	74.3	2.0	1.9	
13	Region 14	4.0	3.6	4.5	9.1	8.6	10.5	73.6	71.5	75.2	1.9	1.8	
2	Region 15	4.4	3.7	5.1	8.7	8.5	8.8	74.3	74.1	74.6	1.9	1.8	
4	Region 16	4.6	4.3	5.2	8.6	7.5	9.3	74.2	73.3	75.3	1.9	1.8	
10	Region 17	4.0	3.9	4.1	8.7	8.1	9.3	74.2	73.3	74.9	1.8	1.8	
4	Region 18	4.2	4.0	4.4	8.9	8.6	9.3	73.8	72.2	74.7	1.8	1.8	
9	Region 19	4.1	3.8	4.5	9.0	8.4	10.0	73.7	73.1	74.3	1.9	1.8	
10	Region 20	3.9	3.6	4.3	8.9	8.3	9.5	74.0	72.6	74.8	1.9	1.8	
16	Region 21	4.1	3.6	4.8	9.1	8.3	9.9	73.6	72.4	75.0	1.9	1.9	
8	Region 22	3.9	3.7	4.0	8.7	8.4	8.9	74.2	73.2	74.9	2.0	1.9	
7	Region 23	3.8	3.6	3.9	8.7	7.6	9.5	74.3	74.0	74.6	1.9	1.9	
6	Region 24	4.0	4.0	4.3	9.1	8.7	9.8	73.8	73.2	74.3	1.9	1.9	
-	Region 25	-	-	-	-	-	-	-	-	-	-	-	
4	Region 26	4.3	3.9	4.5	8.6	8.1	8.9	73.9	73.2	74.4	1.9	1.8	
2	Region 27	3.8	3.7	3.8	8.1	7.9	8.4	74.3	74.1	74.4	1.9	1.9	
9	Region 28	4.0	3.7	4.4	8.8	8.0	9.8	74.0	73.0	75.1	1.9	1.8	
13	Region 29	3.9	3.6	4.3	9.4	7.9	10.6	73.2	71.6	75.1	1.9	1.8	
20	Region 30	3.9	3.7	4.5	8.8	8.1	9.4	73.6	72.5	74.3	1.9	1.8	
5	Region 31	3.9	3.7	4.0	9.6	9.4	10.1	72.4	72.1	73.0	1.9	1.8	
7	Region 32	3.7	3.5	3.8	8.7	8.2	9.4	74.0	73.5	74.8	1.9	1.8	
17	Region 33	4.0	3.7	4.2	8.6	7.8	9.1	73.9	72.8	75.4	1.9	1.8	
26	Region 34	3.8	3.6	4.4	8.7	7.4	9.7	73.9	72.5	74.8	1.9	1.8	
7	Region 35	4.2	3.8	4.5	9.1	8.2	10.8	73.6	70.5	74.7	1.9	1.8	
14	Region 36	3.9	3.6	4.6	8.9	8.2	9.9	74.0	72.5	75.1	1.8	1.7	
233	Ave. WM1	4.0	3.5	5.3	8.9	7.4	12.3	73.8	69.7	75.4	1.9	1.7	
	Min. WM1											1.7	
	Max. WM1											2.1	

TABLE 20: NUTRITIONAL VALUES OF YELLOW MAIZE ACCORDING TO GRADE (2018/19)

Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)		
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: YM1													
1	Region 03	3.7	-	-	8.7	-	-	74.5	-	-	1.8	-	
19	Region 10	3.7	3.3	4.2	8.4	7.9	9.1	74.3	73.5	75.2	1.7	1.6	
15	Region 11	3.6	3.4	3.9	8.6	8.1	9.2	74.4	73.4	75.2	1.8	1.7	
1	Region 12	4.4	-	-	10.8	-	-	72.1	-	-	1.9	-	
1	Region 13	4.2	-	-	9.5	-	-	72.6	-	-	2.0	-	
3	Region 14	4.1	4.0	4.2	9.7	8.9	10.2	72.1	71.9	72.3	2.0	2.0	
2	Region 15	3.7	3.6	3.7	9.6	8.8	10.5	72.9	72.3	73.5	2.0	2.0	
4	Region 16	3.9	3.8	4.0	9.0	8.5	9.4	73.5	72.7	74.0	1.9	1.9	
1	Region 17	4.0	-	-	9.5	-	-	72.7	-	-	2.0	-	
1	Region 18	4.4	-	-	9.4	-	-	72.0	-	-	1.9	-	
3	Region 19	4.1	3.9	4.2	9.3	9.2	9.5	72.9	72.5	73.2	1.9	1.8	
3	Region 20	4.0	3.8	4.2	8.9	8.7	9.3	73.3	72.9	73.9	1.9	1.9	
7	Region 21	4.0	3.6	4.3	9.4	8.9	10.3	72.5	71.6	73.9	2.0	1.8	
1	Region 22	3.9	-	-	10.2	-	-	72.1	-	-	2.1	-	
2	Region 23	3.8	3.7	4.0	9.2	9.1	9.3	72.5	72.4	72.5	2.0	1.9	
11	Region 24	4.1	3.8	4.5	9.6	8.7	11.4	72.4	70.7	74.0	2.0	1.8	
6	Region 25	3.9	3.7	4.1	9.1	7.7	10.6	72.7	71.3	74.1	1.9	1.9	
15	Region 26	4.0	3.6	4.8	9.5	8.8	11.0	72.2	70.2	73.0	2.0	1.9	
7	Region 27	4.0	3.8	4.2	9.1	8.5	10.3	73.0	71.2	73.6	1.9	1.9	
28	Region 28	4.0	3.6	4.4	9.5	8.7	10.4	72.4	70.6	73.7	1.9	1.9	
26	Region 29	4.0	3.7	4.3	9.7	8.1	10.7	72.2	70.9	73.9	2.0	1.8	
33	Region 30	4.0	3.6	4.9	9.0	6.7	10.7	72.6	70.8	73.7	2.0	1.8	
31	Region 31	3.9	3.5	4.5	9.3	7.9	10.5	72.6	71.3	74.5	2.0	1.8	
26	Region 32	4.0	3.5	4.5	9.3	8.7	10.0	72.4	71.5	74.8	2.0	1.9	
15	Region 33	3.8	3.4	4.3	8.5	6.8	9.4	73.1	71.6	74.4	2.0	1.9	
21	Region 34	3.9	3.4	4.5	9.2	8.2	10.4	72.8	71.5	74.2	2.0	1.9	
9	Region 35	4.2	3.8	5.0	9.7	8.4	10.5	71.9	70.2	73.7	2.0	1.9	
17	Region 36	4.0	3.5	4.6	8.6	7.3	9.6	73.3	71.8	74.3	1.9	1.9	
309	Ave. YM1	3.9	3.3	5.0	9.2	6.7	11.4	72.8	70.2	75.2	1.9	1.6	
	Min. YM1											1.6	
	Max. YM1											2.2	

TABLE 19: NUTRITIONAL VALUES OF WHITE MAIZE ACCORDING TO GRADE (2018/19)
(continue)

Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)		
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: WM2													
5	Region 13	4.4	4.2	4.6	9.5	8.6	10.2	73.3	72.2	74.2	2.0	2.0	2.1
9	Region 14	4.0	3.7	4.1	9.1	8.5	10.1	73.6	71.3	74.7	2.0	1.9	2.1
1	Region 15	3.9	-	-	9.2	-	-	73.5	-	-	1.9	-	-
1	Region 16	3.9	-	-	8.4	-	-	74.4	-	-	2.0	-	-
4	Region 17	4.0	3.9	4.2	9.0	8.0	9.9	73.8	71.8	74.7	1.9	1.8	2.0
6	Region 18	4.3	4.0	4.9	8.7	7.7	9.9	73.6	71.0	74.5	1.9	1.8	2.0
1	Region 19	3.7	-	-	8.4	-	-	74.7	-	-	1.8	-	-
3	Region 20	3.9	3.9	3.9	9.1	8.7	9.5	74.1	73.5	74.7	1.9	1.9	2.0
2	Region 21	4.3	4.2	4.3	9.2	9.1	9.2	73.7	73.3	74.1	2.0	1.9	2.0
16	Region 22	3.9	3.6	4.2	8.7	8.4	9.1	73.9	72.8	74.3	1.9	1.8	2.0
12	Region 23	3.9	3.7	4.2	9.1	8.3	10.5	73.8	71.9	74.7	2.0	1.9	2.1
5	Region 24	4.1	3.5	5.0	8.5	8.0	8.7	73.4	72.4	74.6	2.0	1.9	2.1
2	Region 26	4.4	3.8	5.0	10.1	8.4	11.7	71.9	69.7	74.1	2.0	2.0	2.0
-	Region 27	-	-	-	-	-	-	-	-	-	-	-	-
5	Region 28	3.9	3.7	4.2	9.0	8.1	9.6	73.5	73.1	74.4	1.9	1.8	2.0
2	Region 29	3.9	3.8	4.0	9.3	8.8	9.9	73.4	72.4	74.4	1.9	1.8	2.1
4	Region 30	4.0	3.6	4.3	8.6	8.2	9.0	74.1	73.2	75.1	1.9	1.8	2.0
2	Region 31	4.0	3.9	4.2	9.1	8.3	9.9	73.1	72.5	73.7	2.0	1.9	2.1
2	Region 32	3.8	3.8	3.9	8.7	8.6	8.8	73.5	73.1	73.8	1.9	1.9	2.0
3	Region 33	3.8	3.7	3.9	8.5	7.9	9.0	74.6	74.1	75.2	1.9	1.8	2.0
2	Region 34	3.8	3.7	3.9	9.2	8.3	10.0	73.3	72.2	74.5	1.9	1.8	1.9
5	Region 36	3.8	3.6	4.1	8.5	8.0	9.2	74.1	73.5	74.5	1.9	1.8	2.0
92	Ave. WM2	4.0	3.5	5.0	8.9	7.7	11.7	73.7	69.7	75.2	1.9	1.8	2.1
	Min. WM2												
	Max. WM2												

TABLE 20: NUTRITIONAL VALUES OF YELLOW MAIZE ACCORDING TO GRADE (2018/19)
(continue)

Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)		
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: YM2													
1	Region 13	4.1	-	-	10.2	-	-	73.3	-	-	1.9	-	-
3	Region 14	4.1	4.1	4.2	10.0	9.5	10.7	71.5	70.4	72.7	2.0	1.9	2.2
-	Region 15	-	-	-	-	-	-	-	-	-	-	-	-
2	Region 16	4.2	4.1	4.3	9.4	8.8	10.0	72.5	71.5	73.4	2.1	2.1	2.1
1	Region 17	4.3	-	-	10.1	-	-	72.4	-	-	1.9	-	-
1	Region 18	4.1	-	-	8.9	-	-	72.7	-	-	2.0	-	-
-	Region 19	-	-	-	-	-	-	-	-	-	-	-	-
1	Region 20	4.0	-	-	8.9	-	-	73.6	-	-	2.1	-	-
-	Region 21	-	-	-	-	-	-	-	-	-	-	-	-
1	Region 22	4.2	-	-	9.1	-	-	73.8	-	-	1.9	-	-
1	Region 23	3.8	-	-	10.3	-	-	72.2	-	-	2.0	-	-
1	Region 24	4.1	-	-	10.8	-	-	70.8	-	-	2.1	-	-
6	Region 26	4.0	3.9	4.1	9.9	9.2	11.3	71.7	70.6	72.6	2.0	1.9	2.2
2	Region 27	4.0	3.8	4.2	9.3	8.8	9.7	72.5	72.0	73.0	1.9	1.9	1.9
5	Region 28	3.9	3.7	4.3	9.2	8.2	10.3	72.9	70.9	74.0	2.0	1.9	2.2
3	Region 29	3.8	3.6	4.0	9.7	8.9	10.8	72.2	71.3	72.9	2.0	2.0	2.2
1	Region 30	4.0	-	-	9.3	-	-	72.2	-	-	2.0	-	-
2	Region 31	3.9	3.7	4.0	9.6	9.0	10.2	72.4	71.8	73.0	2.0	1.9	2.0
1	Region 32	4.2	-	-	9.4	-	-	71.8	-	-	2.1	-	-
2	Region 33	3.6	3.4	3.7	8.7	8.6	8.7	73.0	72.8	73.2	2.1	2.1	2.2
7	Region 34	3.8	3.5	4.2	9.1	8.7	9.6	72.8	72.1	73.6	2.0	1.9	2.0
6	Region 36	3.9	3.6	4.3	8.8	8.3	9.4	73.5	72.6	74.5	1.9	1.8	2.0
47	Ave. YM2	4.0	3.4	4.3	9.4	8.2	11.3	72.6	70.4	74.5	2.0	1.8	2.2
	Min. YM2												
	Max. YM2												

TABLE 19: NUTRITIONAL VALUES OF WHITE MAIZE ACCORDING TO GRADE (2018/19) (continue)													TABLE 20: NUTRITIONAL VALUES OF YELLOW MAIZE ACCORDING TO GRADE (2018/19) (continue)														
Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)			Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)		
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
GRADE: WM3													GRADE: YM3														
-	Region 11	-	-	-	-	-	-	-	-	-	-	-	1	Region 11	3.8	-	-	8.7	-	-	73.8	-	-	-	1.9	-	-
1	Region 12	4.3	-	-	10.4	-	-	71.6	-	-	-	2.2	-	Region 12	-	-	-	-	-	-	-	-	-	-	-	-	
2	Region 13	4.1	4.0	4.2	10.0	9.0	11.0	72.4	71.5	73.3	2.0	2.0	2.0	Region 13	-	-	-	-	-	-	-	-	-	-	-	-	
3	Region 14	4.4	3.9	4.8	9.5	9.4	9.6	72.8	72.6	73.0	2.1	2.0	2.1	Region 14	-	-	-	-	-	-	-	-	-	-	-	-	
1	Region 15	3.6	-	-	8.8	-	-	73.4	-	-	2.1	-	-	Region 15	-	-	-	-	-	-	-	-	-	-	-	-	
3	Region 16	4.1	3.8	4.7	8.9	8.4	9.8	73.0	72.6	73.5	2.1	2.0	2.2	Region 16	-	-	-	-	-	-	-	-	-	-	-	-	
-	Region 17	-	-	-	-	-	-	-	-	-	-	-	-	Region 17	4.1	-	-	9.4	-	-	72.6	-	-	1.9	-	-	
3	Region 19	4.1	3.8	4.5	9.4	8.8	10.3	72.9	71.6	73.8	1.9	1.8	2.0	Region 19	-	-	-	-	-	-	-	-	-	-	-	-	
-	Region 20	-	-	-	-	-	-	-	-	-	-	-	-	Region 20	3.8	-	-	8.6	-	-	72.9	-	-	2.1	-	-	
1	Region 21	3.8	-	-	8.5	-	-	74.7	-	-	2.0	-	-	Region 21	-	-	-	-	-	-	-	-	-	-	-		
4	Region 22	3.8	3.7	4.0	8.7	8.4	9.1	73.7	72.5	74.5	2.0	1.9	2.1	Region 22	3.9	-	-	8.8	-	-	74.0	-	-	1.9	-	-	
14	Region 23	3.8	3.6	4.1	8.8	8.2	9.3	73.7	72.6	75.0	2.1	1.9	2.4	Region 23	-	-	-	-	-	-	-	-	-	-	-	-	
1	Region 24	3.9	-	-	8.9	-	-	74.5	-	-	1.9	-	-	Region 24	4.1	-	-	9.3	-	-	72.6	-	-	2.0	-	-	
1	Region 26	4.2	-	-	9.9	-	-	73.6	-	-	2.0	-	-	Region 26	-	-	-	-	-	-	-	-	-	-	-	-	
-	Region 28	-	-	-	-	-	-	-	-	-	-	-	-	Region 28	3.9	-	-	10.0	-	-	72.4	-	-	2.0	-	-	
1	Region 30	3.7	-	-	8.3	-	-	74.7	-	-	1.9	-	-	Region 30	3.6	-	-	8.7	-	-	74.7	-	-	1.9	-	-	
2	Region 33	3.7	3.4	4.0	9.1	8.7	9.4	73.7	73.1	74.3	2.0	1.9	2.1	Region 33	-	-	-	-	-	-	-	-	-	-	-		
2	Region 34	3.8	3.6	4.0	8.9	8.9	8.9	73.6	73.1	74.1	1.8	1.7	1.9	Region 34	3.9	3.5	4.3	9.1	8.9	9.3	72.6	72.5	72.6	2.1	2.0	2.3	
2	Region 35	4.0	3.9	4.1	9.3	8.7	10.0	73.6	73.4	73.8	1.9	1.8	1.9	Region 35	3.4	-	-	9.6	-	-	73.9	-	-	1.8	-	-	
1	Region 36	3.9	-	-	8.8	-	-	73.6	-	-	2.0	-	-	Region 36	3.9	3.5	4.2	9.0	7.7	9.7	72.9	72.0	74.4	2.0	1.8	2.1	
42	Ave. WM3	3.9	3.4	4.8	9.1	8.2	11.0	73.5	71.5	75.0	2.0	1.7	2.4	13	Ave. YM3	3.8	3.4	4.3	9.1	7.7	10.0	73.1	72.0	74.7	2.0	1.8	2.3
	Min. WM3													Min. YM3													
	Max. WM3													Max. YM3													

TABLE 19: NUTRITIONAL VALUES OF WHITE MAIZE ACCORDING TO GRADE (2018/19)
(continue)

Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)		
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
CLASS: COM													
-	Region 11	-	-	-	-	-	-	-	-	-	-	-	-
3	Region 13	4.2	3.8	4.6	9.1	8.6	9.7	72.4	71.3	73.0	2.1	2.0	2.2
5	Region 14	4.0	3.7	4.3	9.2	8.8	9.6	73.7	72.7	74.2	2.0	2.0	2.1
1	Region 15	3.5	-	-	9.1	-	-	72.3	-	-	2.3	-	-
3	Region 16	4.0	3.7	4.2	9.5	8.4	10.3	72.8	70.9	73.9	2.2	2.0	2.4
2	Region 17	4.0	3.7	4.3	9.6	8.7	10.5	71.6	70.3	72.9	2.1	1.9	2.2
1	Region 18	3.6	-	-	8.3	-	-	73.2	-	-	2.3	-	-
1	Region 19	4.5	-	-	10.0	-	-	72.6	-	-	1.9	-	-
1	Region 21	4.1	-	-	8.8	-	-	74.3	-	-	2.0	-	-
3	Region 22	3.8	3.4	4.2	8.9	8.8	9.1	73.4	72.2	74.2	2.1	2.0	2.4
8	Region 23	3.3	3.0	3.7	9.3	8.6	10.1	72.0	70.1	74.4	2.4	1.9	2.8
1	Region 24	4.1	-	-	8.1	-	-	74.6	-	-	1.8	-	-
-	Region 25	-	-	-	-	-	-	-	-	-	-	-	-
-	Region 26	-	-	-	-	-	-	-	-	-	-	-	-
-	Region 28	-	-	-	-	-	-	-	-	-	-	-	-
-	Region 30	-	-	-	-	-	-	-	-	-	-	-	-
1	Region 31	3.8	-	-	8.8	-	-	73.5	-	-	1.9	-	-
1	Region 32	3.8	-	-	8.5	-	-	74.0	-	-	2.0	-	-
2	Region 34	3.8	3.7	3.8	9.3	8.6	10.1	73.3	72.4	74.2	1.9	1.8	2.0
2	Region 35	4.1	4.0	4.3	9.4	8.6	10.2	72.6	72.4	72.9	1.9	1.7	2.0
2	Region 36	3.9	3.8	4.0	8.6	8.5	8.7	73.8	73.3	74.4	1.8	1.7	2.0
37	Ave. COM	3.8			9.1			72.9			2.1		
	Min. COM		3.0		8.1			70.1			1.7		
	Max. COM			4.6		10.5			74.6			2.8	
404	Ave. White	4.0			9.0			73.6			1.9		
	Min. White		3.0		7.4			69.7			1.7		
	Max. White			5.3		12.3			75.4			2.8	
808	Ave. Maize	4.0			9.1			73.2			1.9		
	Min. Maize		3.0		6.7			69.7			1.6		
	Max. Maize			5.3		12.3			75.4			2.8	

TABLE 20: NUTRITIONAL VALUES OF YELLOW MAIZE ACCORDING TO GRADE (2018/19)
(continue)

Number of samples	Region	Fat % (db)			Protein % (db)			Starch % (db)			Crude Fibre % (db)		
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.
CLASS: COM													
1	Region 11	3.8	-	-	9.2	-	-	73.3	-	-	1.8	-	-
1	Region 13	3.9	-	-	8.3	-	-	73.0	-	-	2.1	-	-
1	Region 14	4.2	-	-	9.6	-	-	72.2	-	-	2.0	-	-
-	Region 15	-	-	-	-	-	-	-	-	-	-	-	-
-	Region 16	-	-	-	-	-	-	-	-	-	-	-	-
-	Region 17	-	-	-	-	-	-	-	-	-	-	-	-
1	Region 18	4.2	-	-	8.8	-	-	73.1	-	-	1.9	-	-
1	Region 19	4.1	-	-	9.3	-	-	72.4	-	-	2.2	-	-
-	Region 21	-	-	-	-	-	-	-	-	-	-	-	-
1	Region 22	4.0	-	-	9.5	-	-	72.2	-	-	1.9	-	-
-	Region 23	-	-	-	-	-	-	-	-	-	-	-	-
3	Region 24	4.0	3.9	4.1	9.1	9.0	9.3	72.8	72.5	73.0	2.0	2.0	2.0
1	Region 25	3.9	-	-	8.6	-	-	72.8	-	-	1.9	-	-
6	Region 26	4.1	3.9	4.2	9.6	8.9	11.0	72.1	70.8	72.8	2.1	1.9	2.3
4	Region 28	4.3	4.2	4.4	9.9	9.7	10.1	71.3	71.0	71.8	2.0	2.0	2.1
1	Region 30	4.0	-	-	9.3	-	-	72.6	-	-	1.9	-	-
1	Region 31	4.1	-	-	8.4	-	-	73.3	-	-	2.0	-	-
3	Region 32	3.9	3.8	4.0	8.9	8.6	9.0	72.6	72.3	73.1	2.0	1.9	2.1
7	Region 34	3.9	3.7	4.3	8.8	8.4	9.0	73.1	72.2	73.9	2.0	1.9	2.0
-	Region 35	-	-	-	-	-	-	-	-	-	-	-	-
3	Region 36	3.8	3.7	4.0	8.8	8.2	9.4	73.6	72.5	74.2	1.9	1.9	1.9
35	Ave. COM	4.0			9.1			72.6			2.0		
	Min. COM		3.7		8.2			70.8			1.8		
	Max. COM			4.4		11.0			74.2			2.3	
404	Ave. Yellow	4.0			9.2			72.7			2.0		
	Min. Yellow		3.3		6.7			70.2			1.6		
	Max. Yellow			5.0		11.4			75.2			2.3	
808	Ave. Maize	4.0			9.1			73.2			1.9		
	Min. Maize		3.0		6.7			69.7			1.6		
	Max. Maize			5.3		12.3			75.4			2.8	