

TABLE 17: PHYSICAL QUALITY FACTORS OF WHITE MAIZE ACCORDING TO GRADE 2004/2005

Number of samples	Region	Hectolitre mass kg/hl			100 kernel mass (g)			Kernel size (%)									Breakability (g)						Stress cracks (%)			
		ave.	min.	max.	ave.	min.	max.	Above 10 mm sieve			Above 8mm sieve			Below 8 mm sieve			< 6.3mm sieve			< 4.75mm sieve			ave.	min.	max.	
								ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.				ave.
GRADE: WM 1																										
3	Region 10	80.7	79.2	83.2	33.6	31.8	36.1	11.2	0.8	30.8	61.6	56.7	71.2	27.3	12.5	41.3	0.9	0.5	1.1	0.7	0.4	1.0	5.7	4.0	7.0	
1	Region 11	80.6	80.6	80.6	30.8	30.8	30.8	1.3	1.3	1.3	52.7	52.7	52.7	46.1	46.1	46.1	1.0	1.0	1.0	0.9	0.9	0.9	6.0	6.0	6.0	
10	Region 12	78.5	77.3	79.4	35.4	32.6	38.0	27.8	16.5	43.2	61.1	48.6	67.9	11.1	2.6	17.3	1.6	0.8	2.5	1.0	0.0	1.9	4.2	2.0	7.0	
7	Region 13	77.7	77.2	78.3	35.7	32.2	38.2	29.2	20.7	37.1	60.1	54.2	66.2	10.7	0.1	18.9	1.5	0.4	2.5	1.1	0.3	1.7	5.1	3.0	8.0	
19	Region 14	77.9	75.6	79.9	34.9	26.3	38.3	29.0	12.1	40.3	59.0	34.3	68.8	11.9	5.0	31.5	1.4	0.2	3.0	1.1	0.1	2.6	4.4	0.0	10.0	
8	Region 15	79.2	77.6	81.0	35.7	33.5	38.2	30.1	19.0	38.2	59.9	52.9	66.8	10.0	5.1	15.1	1.1	0.2	1.9	0.8	0.2	1.7	4.0	2.0	6.0	
22	Region 16	78.0	76.3	80.2	36.3	32.2	41.3	31.4	13.8	40.7	59.9	53.7	68.5	8.8	2.3	22.4	1.4	0.8	3.9	1.1	0.7	2.6	4.1	0.0	12.0	
22	Region 17	78.1	74.8	79.2	34.9	31.6	37.7	30.8	18.7	40.3	60.7	52.4	69.7	8.5	2.2	13.7	1.3	0.4	2.7	1.0	0.2	1.7	4.4	1.0	9.0	
17	Region 18	78.3	76.2	79.7	36.2	31.6	39.0	31.1	18.2	41.9	60.8	50.2	71.6	8.1	3.8	17.0	1.2	0.5	2.4	1.0	0.5	2.0	4.6	2.0	7.0	
13	Region 19	78.0	77.2	79.4	34.3	31.4	38.4	32.2	17.6	37.2	59.9	50.8	66.9	7.9	0.4	20.9	1.4	0.6	5.8	1.2	0.5	5.4	5.2	3.0	9.0	
8	Region 20	78.0	76.4	78.6	36.3	32.8	38.2	29.1	13.0	37.3	58.2	50.1	61.8	12.8	4.0	26.6	1.7	0.8	2.3	1.4	0.5	2.2	4.3	1.0	7.0	
39	Region 21	77.7	75.9	79.4	35.1	31.8	39.9	29.0	19.3	45.4	60.3	49.9	65.8	10.7	3.4	23.6	1.3	0.8	2.8	1.0	0.5	2.1	4.0	0.0	9.0	
49	Region 22	78.2	74.5	81.2	34.9	28.9	39.1	28.8	14.9	49.2	61.3	48.2	69.7	10.0	0.6	23.7	1.2	0.4	2.8	0.9	0.0	1.8	5.7	1.0	23.0	
51	Region 23	78.8	72.3	81.1	35.9	30.3	42.9	31.2	2.1	52.8	58.4	32.7	73.2	10.4	3.0	37.6	1.0	0.1	1.9	0.8	0.1	1.7	3.0	0.0	9.0	
40	Region 24	78.9	74.3	81.4	36.2	30.1	44.3	32.1	19.3	49.5	59.1	47.9	65.4	8.9	2.6	17.0	1.2	0.5	2.8	0.9	0.5	2.5	4.4	0.0	13.0	
12	Region 25	77.7	75.3	81.7	32.4	26.6	36.6	20.5	3.4	34.7	61.8	42.1	67.4	17.7	5.1	54.5	1.7	0.4	2.7	1.1	0.0	1.8	3.9	1.0	7.0	
13	Region 26	78.1	74.9	80.3	34.8	31.5	36.7	22.1	10.3	38.3	64.9	53.6	71.2	12.9	5.9	25.4	2.5	0.6	4.6	1.8	0.5	3.0	3.0	0.0	6.0	
10	Region 27	77.4	76.2	79.7	35.8	33.8	37.9	28.9	20.4	34.3	60.3	51.7	65.1	10.8	6.3	16.7	1.2	0.7	2.0	0.9	0.4	1.4	8.5	3.0	23.0	
12	Region 28	77.9	73.2	80.3	34.8	29.1	40.0	28.3	13.2	50.6	60.2	45.8	71.1	11.5	3.6	24.2	2.0	0.5	8.0	1.4	0.3	5.4	3.0	1.0	8.0	
23	Region 29	78.3	73.2	80.1	36.9	26.6	41.0	35.4	10.0	45.0	57.9	50.7	73.8	6.7	2.6	19.5	1.4	0.3	4.9	1.1	0.3	3.0	4.4	0.0	15.0	
16	Region 30	77.3	75.4	78.8	35.2	28.3	39.9	30.1	5.9	45.1	60.5	51.8	69.2	9.4	0.2	24.9	1.8	0.7	6.5	1.4	0.6	6.2	4.8	1.0	22.0	
8	Region 31	77.6	75.9	78.5	34.4	32.4	37.4	30.9	15.7	44.9	58.6	49.7	62.8	10.6	5.4	21.5	1.4	0.9	2.4	1.2	0.8	1.9	6.1	3.0	9.0	
21	Region 32	76.9	71.7	79.3	36.9	29.4	41.4	32.8	19.0	47.5	60.0	48.6	70.8	7.2	2.4	11.8	1.3	0.4	2.2	1.0	0.3	1.9	3.0	0.0	9.0	
10	Region 33	77.5	74.7	79.0	36.9	30.4	41.8	30.5	17.8	59.4	62.7	39.0	72.6	6.8	1.6	17.0	1.7	0.8	3.6	1.3	0.5	3.0	6.6	2.0	21.0	
40	Region 34	77.8	75.7	79.4	35.4	31.9	40.2	30.0	14.8	45.5	59.8	36.8	74.9	10.2	0.7	32.7	1.1	0.2	2.2	0.9	0.0	1.7	5.2	0.0	13.0	
8	Region 35	78.3	76.7	81.7	34.7	27.1	38.4	27.8	19.0	34.9	63.0	58.7	68.9	9.2	3.3	19.3	1.9	0.5	3.9	1.4	0.4	2.4	5.1	3.0	12.0	
11	Region 36	77.3	75.9	78.2	35.5	30.2	38.0	25.9	13.7	46.4	62.1	50.3	66.7	12.0	3.3	22.8	1.2	0.3	2.3	0.9	0.0	1.6	5.7	1.0	12.0	
493	Ave WM 1	78.1			35.5			29.8			60.1			10.1			1.4			1.0			4.5			
	Min WM 1		71.7			26.3			0.8			32.7			0.1			0.1			0.0			0.0		
	Max WM 1			83.2			44.3			59.4			74.9			54.5			8.0			6.2			23.0	

**TABLE 17: PHYSICAL QUALITY FACTORS OF WHITE MAIZE ACCORDING TO GRADE 2004/2005
(continue)**

Number of samples	Region	Hectolitre mass			100			Kernel size (%)									Breakability (g)						Stress cracks (%)				
		kg/hl			kernel mass (g)			Above 10 mm sieve			Above 8mm sieve			Below 8 mm sieve			< 6.3mm sieve			< 4.75mm sieve							
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.
GRADE: WM 2																											
4	Region 12	76.9	73.2	78.1	32.3	29.9	34.9	17.7	16.2	19.7	65.1	60.1	70.6	17.3	12.8	21.7	1.8	0.9	2.6	1.0	0.0	1.8	5.3	4.0	7.0		
2	Region 13	77.5	77.4	77.5	36.7	36.7	36.7	27.2	20.1	34.2	60.4	60.4	60.4	12.5	5.4	19.5	1.8	0.6	2.9	1.2	0.5	1.9	3.5	2.0	5.0		
4	Region 14	78.1	77.2	79.6	34.6	33.7	36.2	27.3	18.8	33.7	65.2	60.6	72.0	7.5	5.7	9.2	1.1	0.8	1.5	0.8	0.7	1.1	5.3	2.0	8.0		
4	Region 15	78.6	76.5	80.5	34.8	32.7	38.6	31.5	23.1	43.8	60.8	52.3	66.5	7.8	3.9	12.1	2.2	1.6	2.6	1.7	1.2	2.2	4.3	1.0	8.0		
1	Region 16	78.6	78.6	78.6	33.1	33.1	33.1	19.8	19.8	19.8	60.4	60.4	60.4	19.8	19.8	19.8	1.0	1.0	1.0	0.8	0.8	0.8	11.0	11.0	11.0		
3	Region 17	77.3	76.8	77.6	33.5	32.8	34.5	28.3	22.7	35.9	63.4	57.5	69.0	8.3	4.8	13.5	2.9	2.0	4.7	1.5	0.3	3.3	4.0	3.0	5.0		
2	Region 18	74.1	71.8	76.3	35.8	35.3	36.3	36.9	30.8	43.0	58.9	52.1	65.7	4.2	3.5	4.9	1.7	1.5	1.9	1.4	1.3	1.4	4.5	3.0	6.0		
3	Region 19	78.2	77.5	78.6	33.6	30.3	38.4	25.2	16.2	38.1	61.5	55.8	67.4	13.2	6.1	17.2	1.3	1.0	1.8	1.2	0.9	1.6	5.7	3.0	9.0		
2	Region 20	77.8	77.7	77.8	37.6	36.8	38.4	15.4	12.8	18.0	60.6	55.4	65.7	24.1	21.5	26.6	1.5	0.9	2.1	1.3	0.8	1.7	5.0	3.0	7.0		
4	Region 21	76.2	75.8	77.0	33.6	32.1	35.5	24.5	19.1	30.1	62.3	56.7	68.0	13.2	8.7	16.3	1.4	0.9	2.1	1.2	0.9	1.4	4.8	3.0	6.0		
3	Region 22	77.5	76.4	78.8	32.9	30.2	35.4	23.6	19.0	28.7	59.7	58.1	62.8	16.7	13.0	22.9	1.2	1.0	1.7	1.0	0.9	1.3	3.3	0.0	6.0		
10	Region 23	77.6	76.3	79.2	35.0	29.1	39.0	29.5	10.7	42.2	59.2	52.1	65.7	11.4	4.0	31.1	1.1	0.8	1.9	0.9	0.5	1.6	3.8	0.0	7.0		
1	Region 24	79.8	79.8	79.8	40.4	40.4	40.4	29.4	29.4	29.4	57.3	57.3	57.3	13.3	13.3	13.3	1.0	1.0	1.0	0.9	0.9	0.9	8.0	8.0	8.0		
4	Region 26	76.7	74.1	79.0	34.5	31.4	37.6	33.6	21.5	43.3	50.4	31.3	64.3	16.0	5.1	37.4	1.3	0.8	1.8	0.6	0.1	1.5	5.8	4.0	8.0		
3	Region 27	77.7	76.9	78.9	31.8	31.0	33.2	27.0	20.7	31.9	61.5	54.9	66.8	11.5	1.3	16.8	1.0	0.9	1.0	0.8	0.7	0.9	5.3	4.0	7.0		
10	Region 28	77.1	73.2	79.0	34.5	28.6	38.2	32.2	18.9	55.3	58.1	42.0	67.9	9.7	2.7	18.5	1.5	0.5	2.6	0.9	0.3	1.8	5.8	0.0	12.0		
3	Region 29	78.4	77.6	79.3	37.5	36.3	39.4	36.9	25.7	45.0	59.6	51.5	70.9	3.4	3.4	3.5	1.4	0.9	2.2	1.0	0.8	1.4	6.0	5.0	7.0		
9	Region 30	76.7	72.0	79.3	35.4	30.1	42.2	31.3	20.2	59.7	60.2	36.7	67.9	8.5	3.6	13.0	1.6	0.8	3.3	1.3	0.6	3.0	6.0	1.0	11.0		
7	Region 31	77.0	72.9	81.7	34.8	30.9	40.3	27.4	15.2	38.3	61.4	56.7	67.5	11.1	4.0	21.7	1.3	0.8	2.0	1.0	0.7	1.4	6.7	2.0	14.0		
1	Region 32	75.6	75.6	75.6	34.5	34.5	34.5	26.2	26.2	26.2	68.9	68.9	68.9	4.9	4.9	4.9	1.2	1.2	1.2	0.7	0.7	0.7	1.0	1.0	1.0		
3	Region 34	76.5	75.8	77.4	31.6	30.3	32.8	15.2	10.3	19.3	70.8	65.8	80.3	14.0	9.4	17.6	1.5	1.0	1.8	1.3	0.9	1.6	8.0	7.0	9.0		
3	Region 36	76.9	75.9	77.9	36.1	34.3	38.6	30.2	25.3	38.2	61.9	57.2	64.4	7.9	4.6	10.3	2.4	1.1	4.5	1.7	0.8	3.2	4.3	2.0	7.0		
86	Ave WM 2	77.2			34.6			28.2			60.7			11.1			1.5			1.1			5.3				
	Min WM 2		71.8			28.6			10.3			31.3			1.3			0.5			0.0			0.0			
	Max WM 2			81.7			42.2			59.7			80.3			37.4			4.7			3.3			14.0		

**TABLE 17: PHYSICAL QUALITY FACTORS OF WHITE MAIZE ACCORDING TO GRADE 2004/2005
(continue)**

Number of samples	Region	Hectolitre mass kg/hl			100 kernel mass (g)			Kernel size (%)									Breakability (g)						Stress cracks (%)				
								Above 10 mm sieve			Above 8mm sieve			Below 8 mm sieve			< 6.3mm sieve			< 4.75mm sieve							
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.
GRADE: WM 3																											
2	Region 12	76.5	75.0	78.0	34.3	33.8	34.8	35.9	23.7	48.1	56.3	46.6	65.9	7.9	5.3	10.4	1.8	1.0	2.6	1.6	0.9	2.2	4.0	0.0	8.0		
2	Region 13	77.5	77.2	77.7	35.0	34.8	35.2	25.0	16.0	34.0	63.3	60.2	66.4	11.7	5.8	17.6	2.7	2.6	2.8	1.7	1.3	2.1	4.0	2.0	6.0		
4	Region 14	78.1	76.8	79.4	35.9	34.7	37.5	32.6	31.2	33.5	58.2	52.9	61.7	9.3	4.8	15.9	1.7	0.3	3.0	0.9	0.1	2.0	4.0	2.0	6.0		
1	Region 15	73.0	73.0	73.0	34.8	34.8	34.8	44.3	44.3	44.3	49.2	49.2	49.2	6.5	6.5	6.5	1.8	1.8	1.8	1.1	1.1	1.1	4.0	4.0	4.0		
1	Region 17	78.1	78.1	78.1	35.4	35.4	35.4	30.5	30.5	30.5	63.0	63.0	63.0	6.5	6.5	6.5	1.5	1.5	1.5	1.2	1.2	1.2	5.0	5.0	5.0		
1	Region 22	75.6	75.6	75.6	34.7	34.7	34.7	41.8	41.8	41.8	53.9	53.9	53.9	4.3	4.3	4.3	1.7	1.7	1.7	1.4	1.4	1.4	2.0	2.0	2.0		
5	Region 23	78.4	77.4	79.6	35.7	33.7	38.1	36.2	26.3	42.7	56.8	51.8	61.8	7.0	4.0	11.9	1.0	0.6	1.8	0.7	0.1	0.9	3.8	2.0	7.0		
1	Region 28	68.9	68.9	68.9	32.2	32.2	32.2	44.7	44.7	44.7	48.7	48.7	48.7	6.6	6.6	6.6	2.6	2.6	2.6	2.1	2.1	2.1	11.0	11.0	11.0		
1	Region 29	75.9	75.9	75.9	33.7	33.7	33.7	24.7	24.7	24.7	65.1	65.1	65.1	10.2	10.2	10.2	3.6	3.6	3.6	2.5	2.5	2.5	3.0	3.0	3.0		
1	Region 30	76.2	76.2	76.2	32.8	32.8	32.8	29.1	29.1	29.1	56.7	56.7	56.7	14.2	14.2	14.2	1.0	1.0	1.0	0.9	0.9	0.9	4.0	4.0	4.0		
1	Region 33	77.6	77.3	77.6	34.9	34.9	34.9	34.6	34.6	34.6	58.7	58.7	58.7	6.7	6.7	6.7	2.5	2.5	2.5	2.3	2.3	2.3	1.0	1.0	1.0		
20	Ave WM 3	76.9			35.0			34.1			57.6			8.3			1.8			1.2			4.1				
	Min WM 3		68.9			32.2			16.0			46.6			4.0			0.3			0.1			0.0			
	Max WM 3			79.6			38.1			48.1			66.4			17.6			3.6			2.5			11.0		
GRADE: COM																											
1	Region 14	78.5	78.5	78.5	36.9	36.9	36.9	16.5	16.5	16.5	74.7	74.7	74.7	8.8	8.8	8.8	3.6	3.6	3.6	3.0	3.0	3.0	3.0	3.0	3.0		
1	Region 29	78.3	78.3	78.3	37.4	37.4	37.4	22.1	22.1	22.1	54.8	54.8	54.8	23.1	23.1	23.1	1.7	1.7	1.7	1.5	1.5	1.5	8.0	8.0	8.0		
2	Ave COM	78.4			37.2			19.3			64.8			16.0			2.7			2.3			5.5				
	Min COM		78.3			36.9			16.5			54.8			8.8			1.7			1.5			3.0			
	Max COM			78.5			37.4			22.1			74.7			23.1			3.6			3.0			8.0		
601	Ave white maize	77.9			35.3			29.7			60.1			10.2			1.4			1.1			4.6				
	Min white maize		68.9			26.3			0.8			31.3			0.1			0.1			0.0			0.0			
	Max white maize			83.2			44.3			59.7			80.3			54.5			8.0			6.2			23.0		
1000	Ave maize	77.5			34.4			25.7			61.8			12.5			1.5			1.1			4.8				
	Min maize		68.4			21.5			0.8			31.3			0.1			0.1			0.0			0.0			
	Max maize			83.2			44.4			59.7			82.3			66.1			24.4			12.9			23.0		

TABLE 17: PHYSICAL QUALITY FACTORS OF WHITE MAIZE 2004/2005

Number of samples	Region	Hectolitre mass kg/hl			100 kernel mass (g)			Kernel size (%)									Breakability (g)						Stress cracks (%)			
								Above 10 mm sieve			Above 8mm sieve			Below 8 mm sieve			< 6.3mm sieve			< 4.75mm sieve						
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.
WHITE																										
3	Region 10	80.7	79.2	83.2	33.6	31.8	36.1	11.2	0.8	30.8	61.6	56.7	71.2	27.3	12.5	41.3	0.9	0.5	1.1	0.7	0.4	1.0	5.7	4.0	7.0	
1	Region 11	80.6	80.6	80.6	30.8	30.8	30.8	1.3	1.3	1.3	52.7	52.7	52.7	46.1	46.1	46.1	1.0	1.0	1.0	0.9	0.9	0.9	6.0	6.0	6.0	
16	Region 12	77.9	73.2	79.4	34.5	29.9	38.0	26.3	16.2	48.1	61.5	46.6	70.6	12.2	2.6	21.7	1.7	0.8	2.6	1.1	0.0	2.2	4.4	0.0	8.0	
11	Region 13	77.6	77.2	78.3	35.7	32.2	38.2	28.1	16.0	37.1	60.7	54.2	66.4	11.2	0.1	19.5	1.8	0.4	2.9	1.2	0.3	2.1	4.6	2.0	8.0	
28	Region 14	78.0	75.6	79.9	35.1	26.3	38.3	28.8	12.1	40.3	60.3	34.3	74.7	10.8	4.8	31.5	1.5	0.2	3.6	1.1	0.1	3.0	4.4	0.0	10.0	
13	Region 15	78.5	73.0	81.0	35.3	32.7	38.6	31.6	19.0	44.3	59.4	49.2	66.8	9.1	3.9	15.1	1.5	0.2	2.6	1.1	0.2	2.2	4.1	1.0	8.0	
23	Region 16	78.1	76.3	80.2	36.1	32.2	41.3	30.9	13.8	40.7	59.9	53.7	68.5	9.2	2.3	22.4	1.4	0.8	3.9	1.0	0.7	2.6	4.4	0.0	12.0	
26	Region 17	78.0	74.8	79.2	34.8	31.6	37.7	30.5	18.7	40.3	61.1	52.4	69.7	8.4	2.2	13.7	1.5	0.4	4.7	1.1	0.2	3.3	4.4	1.0	9.0	
19	Region 18	77.9	71.8	79.7	36.2	31.6	39.0	31.7	18.2	43.0	60.6	50.2	71.6	7.7	3.5	17.0	1.3	0.5	2.4	1.0	0.5	2.0	4.6	2.0	7.0	
16	Region 19	78.1	77.2	79.4	34.2	30.3	38.4	30.9	16.2	38.1	60.2	50.8	67.4	8.9	0.4	20.9	1.4	0.6	5.8	1.2	0.5	5.4	5.3	3.0	9.0	
10	Region 20	77.9	76.4	78.6	36.6	32.8	38.4	26.3	12.8	37.3	58.7	50.1	65.7	15.0	4.0	26.6	1.6	0.8	2.3	1.4	0.5	2.2	4.4	1.0	7.0	
43	Region 21	77.6	75.8	79.4	35.0	31.8	39.9	28.6	19.1	45.4	60.5	49.9	68.0	10.9	3.4	23.6	1.3	0.8	2.8	1.0	0.5	2.1	4.0	0.0	9.0	
53	Region 22	78.1	74.5	81.2	34.8	28.9	39.1	28.7	14.9	49.2	61.1	48.2	69.7	10.2	0.6	23.7	1.2	0.4	2.8	1.0	0.0	1.8	5.5	0.0	23.0	
66	Region 23	78.6	72.3	81.1	35.8	29.1	42.9	31.3	2.1	52.8	58.4	32.7	73.2	10.3	3.0	37.6	1.0	0.1	1.9	0.8	0.1	1.7	3.2	0.0	9.0	
41	Region 24	78.9	74.3	81.4	36.3	30.1	44.3	32.0	19.3	49.5	59.0	47.9	65.4	9.0	2.6	17.0	1.1	0.5	2.8	0.9	0.5	2.5	4.5	0.0	13.0	
12	Region 25	77.7	75.3	81.7	32.4	26.6	36.6	20.5	3.4	34.7	61.8	42.1	67.4	17.7	5.1	54.5	1.7	0.4	2.7	1.1	0.0	1.8	3.9	1.0	7.0	
17	Region 26	77.8	74.1	80.3	34.7	31.4	37.6	24.8	10.3	43.3	61.5	31.3	71.2	13.7	5.1	37.4	2.2	0.6	4.6	1.5	0.1	3.0	3.6	0.0	8.0	
13	Region 27	77.5	76.2	79.7	34.9	31.0	37.9	28.4	20.4	34.3	60.6	51.7	66.8	11.0	1.3	16.8	1.1	0.7	2.0	0.9	0.4	1.4	7.8	3.0	23.0	
23	Region 28	77.2	68.9	80.3	34.5	28.6	40.0	30.7	13.2	55.3	58.8	42.0	71.1	10.5	2.7	24.2	1.8	0.5	8.0	1.2	0.3	5.4	4.6	0.0	12.0	
28	Region 29	78.2	73.2	80.1	36.9	26.6	41.0	34.7	10.0	45.0	58.3	50.7	73.8	7.1	2.6	23.1	1.5	0.3	4.9	1.1	0.3	3.0	4.7	0.0	15.0	
26	Region 30	77.1	72.0	79.3	35.2	28.3	42.2	30.5	5.9	59.7	60.2	36.7	69.2	9.3	0.2	24.9	1.7	0.7	6.5	1.3	0.6	6.2	5.2	1.0	22.0	
15	Region 31	77.3	72.9	81.7	34.6	30.9	40.3	29.3	15.2	44.9	59.9	49.7	67.5	10.8	4.0	21.7	1.3	0.8	2.4	1.1	0.7	1.9	6.4	2.0	14.0	
22	Region 32	76.8	71.7	79.3	36.8	29.4	41.4	32.5	19.0	47.5	60.4	48.6	70.8	7.1	2.4	11.8	1.3	0.4	2.2	1.0	0.3	1.9	2.9	0.0	9.0	
11	Region 33	77.5	74.7	79.0	36.7	30.4	41.8	30.9	17.8	59.4	62.3	39.0	72.6	6.8	1.6	17.0	1.8	0.8	3.6	1.4	0.5	3.0	6.1	1.0	21.0	
43	Region 34	77.7	75.7	79.4	35.1	30.3	40.2	29.0	10.3	45.5	60.6	36.8	80.3	10.5	0.7	32.7	1.1	0.2	2.2	0.9	0.0	1.7	5.3	0.0	13.0	
8	Region 35	78.3	76.7	81.7	34.7	27.1	38.4	27.8	19.0	34.9	63.0	58.7	68.9	9.2	3.3	19.3	1.9	0.5	3.9	1.4	0.4	2.4	5.1	3.0	12.0	
14	Region 36	77.2	75.9	78.2	35.6	30.2	38.6	26.8	13.7	46.4	62.0	50.3	66.7	11.1	3.3	22.8	1.4	0.3	4.5	1.1	0.0	3.2	5.4	1.0	12.0	
601	Ave white	77.9			35.3			29.7			60.1			10.2			1.4			1.1			4.6			
	Min white		68.9			26.3			0.8			31.3		0.1			0.1			0.0			0.0			
	Max white			83.2			44.3			59.7			80.3			54.5			8.0				6.2			23.0