

Table 17: Presence of Genetically Modified Maize (2010/2011)

REGION	RSA Grade	Cry1Ab (MON810) % (LOQ: 0.4%)	CP4 EPSPS (Roundup Ready) % (LOQ: 0.25%)	REGION	RSA Grade	Cry1Ab (MON810) % (LOQ: 0.4%)	CP4 EPSPS (Roundup Ready) % (LOQ: 0.25%)
10	YM1	<0.4	<0.25	23	WM1	>5.0	3.4
10	YM1	>5.0	>5.0	23	WM2	>5.0	>5.0
12	WM2	>5.0	<0.25	23	WM2	>5.0	>5.0
12	YM2	>5.0	>5.0	23	WM3	>5.0	>5.0
12	WM2	>5.0	>5.0	23	YM2	>5.0	>5.0
13	WM1	>5.0	>5.0	24	WM1	>5.0	>5.0
13	YM1	>5.0	>5.0	24	WM1	>5.0	>5.0
13	YM1	>5.0	>5.0	25	YM1	>5.0	0.57
14	YM1	>5.0	>5.0	25	WM2	>5.0	3.8
14	WM3	0.58	<0.25	25	WM2	>5.0	0.54
14	WM1	>5.0	<0.25	25	YM2	>5.0	<0.25
14	YM1	>5.0	>5.0	25	WM2	>5.0	>5.0
14	WM2	>5.0	>5.0	26	WM2	>5.0	>5.0
15	WM1	>5.0	>5.0	26	WM1	>5.0	>5.0
15	WM2	>5.0	>5.0	26	YM2	>5.0	>5.0
16	YM1	>5.0	>5.0	26	WM2	>5.0	>5.0
16	WM2	>5.0	>5.0	27	YM1	>5.0	>5.0
17	WM1	>5.0	>5.0	28	YM1	>5.0	>5.0
17	WM2	>5.0	>5.0	28	WM1	>5.0	>5.0
17	YM1	>5.0	>5.0	28	WM1	>5.0	>5.0
17	YM1	>5.0	>5.0	28	WM1	>5.0	<0.25
17	WM1	>5.0	<0.25	28	WM1	>5.0	4.0
18	WM1	>5.0	>5.0	30	YM1	>5.0	>5.0
18	YM1	>5.0	>5.0	30	YM1	>5.0	>5.0
18	YM1	>5.0	>5.0	31	WM1	>5.0	>5.0
18	WM3	>5.0	3.6	32	YM1	>5.0	>5.0
18	WM1	>5.0	>5.0	32	WM1	>5.0	>5.0
19	WM2	>5.0	>5.0	33	WM2	>5.0	>5.0
19	WM2	>5.0	1.1	33	YM2	>5.0	>5.0
19	YM1	>5.0	4.1	33	WM1	>5.0	>5.0
20	YM2	>5.0	>5.0	33	YM1	>5.0	>5.0
20	WM2	>5.0	>5.0	34	WM1	>5.0	>5.0
20	COM	>5.0	>5.0	34	WM1	<0.4	<0.25
20	COM	>5.0	4.3	35	WM1	>5.0	>5.0
20	WM2	>5.0	>5.0	36	WM1	>5.0	>5.0
21	YM1	>5.0	>5.0	36	WM1	1.1	<0.25
22	WM1	>5.0	>5.0	36	WM1	>5.0	>5.0
22	WM1	>5.0	>5.0	36	YM2	>5.0	>5.0
22	WM1	>5.0	>5.0				
n	Season	% Samples positive for Cry1Ab (MON810)		n	Season	% Samples positive for CP4 EPSPS (RUR)	
77	2010/2011	97		77	2010/2011	88	
n	Season	% Samples positive for MON810 (Bt) (ELISA)		n	Season	% Samples positive for NK603 (RUR) (ELISA)	
90	2009/2010	96		90	2009/2010	61	
90	2008/2009	91		90	2008/2009	90	
100	2007/2008	95		100	2007/2008	69	
90	2006/2007	97		90	2006/2007	59	
90	2005/2006	91		100	2005/2006	31	

LOQ: Limit of Quantification