


Average yield per area (Irrigation versus summer and winter rainfall areas)



Average quality data of imported wheat during the 2005 / 2006 season (previous season)

	America	Argentina	Australia	Germany	France	Canada	Ukraine	RSA
Protein (12 % mb) (%)	11.96	11.56	12.79	11.99	11.12	12.92	10.97	12.43
Hlm (Kg/hl)	76.7	77.1	80.9	76.5	77.1	79.1	77.0	78.2
Screenings (%)	2.32	2.42	1.32	2.52	3.00	2.56	2.35	1.69
Extraction (%)	72.6	73.8	73.9	73.7	74.7	74.0	73.4	75.5
Flour colour (KJ)	-0.3	0.2	-2.4	0.4	-0.2	-1.1	-0.2	-1.8
Farinogram								
Waterabsorption (%)	60.7	61.7	65.0	60.4	59.3	62.8	58.5	62.3
Dev. Time (min)	2.3	2.3	5.7	2.2	1.7	4.2	1.9	5.0
Alveogram								
Strength (cm ²)	37.4	38.3	51.7	38.9	41.2	51.0	34.3	40.7
Mixogram (Bühler)								
Peak time (min)	4.1	4.1	2.8	4.1	4.1	3.5	4.5	2.5
Baking test 100-gram								
Volume (cm ³)	807	763	871	805	760	875	760	906
Samples tested	23	48	8	53	2	5	16	480
Tonnage	88 651	392 930	59 927	354 718	9 920	62 643	85 979	1 905 000