


Average yield per province
(Irrigation versus summer and winter rainfall areas)



(Based on figures obtained from CEC)

**Average quality data of imported wheat during
the 2008/2009 season (previous season)**

	Argentina	Australia	Brazil	Canada	Germany	USA	RSA
Protein, % (12 % mb)	11.74	12.17	12.54	14.20	10.95	10.64	12.00
Hlm, kg/hl	78.8	83.9	77.6	79.0	81.2	78.2	77.6
Screenings, %	3.03	0.77	4.44	3.87	1.64	1.94	1.72
Number of samples	59	5	4	10	24	9	480
Extraction, %	73.9	74.5	70.2	74.6	75.5	73.1	75.7
Flour colour, KJ	-1.2	-2.6	0.4	-1.8	-1.3	-1.3	-1.5
<i>Farinogram</i>							
Water absorption, %	60.5	61.9	63.2	62.3	60.5	55.2	61.1
Development time, %	2.3	3.9	2.3	5.5	1.8	1.7	4.0
<i>Alveogram</i>							
Strength, cm ²	39.4	49.5	30.5	51.2	32.4	26.1	38.0
P/L	2.11	1.26	2.09	1.01	2.09	1.09	0.90
<i>Extensogram</i>							
Strength, cm ²	92	124	59	119	81	74	90
<i>Mixogram (Bühler)</i>							
Peak time, min	4.0	2.8	2.8	3.2	3.4	4.0	2.6
<i>100 g Baking test</i>							
Volume, cm ³	764	833	785	956	715	729	902
Evaluation	3	2	3	2	3	1	0
Number of samples	59	5	4	10	24	9	100