PROFICIENCY TESTING PROGRAMS

CERTIFICATE

IT IS HEREBY CERTIFIED THAT HIERMEE WORD GESERTIFISEER DAT

Southern African Grain Laboratory Pretoria

Feed / Voer

FOR THE PERIOD OF VIR DIE TYDPERK VAN 1 January 2012

TOT

31 December 2012

PARTICIPATED IN THE QUALITY ASSURURANCE SCHEME AND CONFORMED TO THE REQUIREMENTS IN RESPECT OF THE FOLLOWING DETERMINATIONS:

AAN DIE GEHALTEVERSEKERINGSKEMA DEELGENEEM HET EN AAN DIE VEREISTES MET BETREKKING TOT DIE VOLGENDE BEPALINGS VOLDOEN HET:

Ash**

Crude Fibre**

Dietary Fibre*

Fat**

Protein Calc**

Starch**

PERFORMANCE CRITERIA

* MEAN ABSOLUTE Z-VALUE ≥1-2 AND PARTICIPATION >75% GEM. ABSOLUTE Z-WAARDE ≥1-2 EN DEELNAME >75% ** MEAN ABSOLUTE Z-VALUE ≤1 AND PARTICIPATION >90% GEM. ABSOLUTE Z-WAARDE ≤1 EN DEELNAME >90%

NOTE: DUE TO POSTAL STRIKES DURING 2012, THE PARTICIPATION AND RESULTING PERFORMANCE OF CERTAIN LABS COULD HAVE BEEN INFLUENCED NEGATIVELY

Daning

PRESIDENT

Johannet

CONTROL SCHEMES CC KONTROLESKEMAS BK





CERTIFICATE OF PARTICIPATION

This certificate is awarded to:

THE WILLOWS - PRETORIA - SOUTH AFRICA

for its participation in BIPEA interlaboratory comparisons for the annual series 2013-2014.

May 14, 2014 - Gennevilliers France

BIPEA Member

BIPEA Director

Certificate n° 13-14 / 11119



RECOGNITION OF ANALYTICAL PERFORMANCE

Analysis of Mixograph

Southern African Grain Laboratory

Pretoria SOUTH AFRICA

Achieved Outstanding Accuracy and Precision for the year 2013 in check samples including the following analyses:

Moisture, Peak Time, Peak Height, 8-Minute Height, Descending Slope

Executive Vice Preside



RECOGNITION OF ANALYTICAL PERFORMANCE

Analysis of Feed

Southern African Grain Laboratory Pretoria SOUTH AFRICA

Achieved Outstanding Accuracy and Precision for the year 2013 in check samples including the following analyses:

Moisture, Protein, Ash, Crude Fiber, Crude Fat EE

Executive Vice President

Davi & Ah



RECOGNITION OF ANALYTICAL PERFORMANCE

Analysis of Hard Wheat Flour

Southern African Grain Laboratory

Pretoria, SOUTH AFRICA

Achieved Outstanding Accuracy and Precision for the year 2013 in check samples including the following analyses:

Moisture, Protein, Ash

Conf. The

David Aller President