

**TABLE 5a: GRADING RESULTS OF SORGHUM ACCORDING TO CLASS (2022/23)**  
(Sorghum crop samples)

Number of samples	Region	Foreign matter, %			Unthreshed sorghum, %			Defective sorghum, %			Small kernel sorghum, %			Total of defective sorghum and small kernel sorghum, %			Sorghum of another group, %			White sorghum, %			Total of Sorghum of another group and White Sorghum, %			Wheather-Stained Sorghum, %					
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.			
<b>CLASS: GM</b>																															
14	Region 35	0.40	0.06	1.20	1.80	0.00	8.56	1.30	0.20	3.84	1.68	0.06	5.60	2.98	0.70	8.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.91	0.00	2.70
14	Ave. GM	0.40	0.06	1.20	1.80	0.00	8.56	1.30	0.20	3.84	1.68	0.06	5.60	2.98	0.70	8.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.91	0.00	2.70	
	Min. GM	0.06	0.06	1.20	0.00	0.00	0.20	0.20	0.20	0.20	0.06	0.06	0.06	0.70	0.70	0.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.70	
	Max. GM	1.20	1.20	1.20	8.56	8.56	3.84	3.84	3.84	3.84	5.60	5.60	5.60	8.44	8.44	8.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.70	
<b>CLASS: GH</b>																															
1	Region 13	0.60	-	-	2.36	-	-	0.36	-	-	1.20	-	-	1.56	-	-	0.00	-	-	0.00	-	0.00	-	0.00	-	0.00	-	0.00	-	-	-
1	Region 19	0.36	-	-	0.90	-	-	3.20	-	-	6.78	-	-	9.98	-	-	0.00	-	-	0.00	-	0.00	-	0.00	-	0.00	-	0.74	-	-	-
1	Region 20	0.52	-	-	1.62	-	-	1.78	-	-	1.30	-	-	3.08	-	-	0.00	-	-	0.00	-	0.00	-	0.00	-	0.00	-	0.42	-	-	-
1	Region 33	0.48	-	-	3.20	-	-	0.92	-	-	0.96	-	-	1.88	-	-	0.00	-	-	0.00	-	0.00	-	0.00	-	0.00	-	2.30	-	-	-
4	Ave. GM	0.49	0.36	0.60	2.02	0.90	3.20	1.57	0.36	3.20	2.56	0.96	6.78	4.13	1.56	9.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.87	0.00	0.00	2.30	
	Min. GM	0.36	0.36	0.60	0.90	0.90	3.20	0.36	0.36	3.20	0.96	0.96	6.78	1.56	1.56	9.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.30	
	Max. GM	0.60	0.60	0.60	3.20	3.20	3.20	3.20	3.20	3.20	6.78	6.78	6.78	9.98	9.98	9.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.30	
18	Ave. Sorghum	0.42	0.06	1.20	1.85	0.00	8.56	1.36	0.20	3.84	1.87	0.06	6.78	3.23	0.70	9.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.90	0.00	0.00	2.70	
	Min. Sorghum	0.06	0.06	1.20	0.00	0.00	0.20	0.20	0.20	0.20	0.06	0.06	0.06	0.70	0.70	0.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.70	
	Max. Sorghum	1.20	1.20	1.20	8.56	8.56	3.84	3.84	3.84	3.84	6.78	6.78	6.78	9.98	9.98	9.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.70	