

**TABLE 6: GRADING RESULTS OF SORGHUM ACCORDING TO CLASS (2023/24)**

Number of samples	Region	Foreign matter, %			Unthreshed sorghum, %			Defective sorghum, %			Small kernel sorghum, %			Total of defective sorghum and small kernel sorghum, %			Sorghum of another group, %			White sorghum, %			Total of Sorghum of another group and White Sorghum, %			Wheat-Stained Sorghum, %			
		ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	ave.	min.	max.	
<b>CLASS: GM</b>																													
1	Region 20	1.33	-	-	0.66	-	-	3.01	-	-	4.05	-	-	7.06	-	-	0.00	-	-	0.00	-	-	0.00	-	-	0.00	-	-	
19	Region 35	0.86	0.22	2.35	0.77	0.05	1.90	2.18	0.54	3.84	1.22	0.51	2.39	3.40	1.50	5.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.80	0.00	5.68
20	Ave. GM	0.88			0.76			2.22			1.37			3.59			0.00			0.00					0.00		0.76		
	Min. GM	0.22			0.05			0.54			0.51			1.50			0.00			0.00					0.00		0.00		
	Max. GM	2.35			1.90			3.84			4.05			7.06			0.00			0.00					0.00		0.00		5.68
<b>CLASS: GH</b>																													
2	Region 19	0.81	0.11	1.50	2.90	2.83	2.96	2.07	1.10	3.04	4.91	0.00	9.81	6.98	1.10	12.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.93	1.90	3.95
2	Region 21	0.89	0.63	1.15	1.81	1.51	2.10	2.37	1.12	3.61	1.92	0.92	2.92	4.29	4.04	4.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.37	2.06	4.68
1	Region 24	1.24	-	-	1.97	-	-	2.80	-	-	2.79	-	-	5.59	-	-	0.00	-	-	0.00	-	-	0.03	-	-	1.68	-	-	
5	Ave. GM	0.93			2.27			2.33			3.29			5.62			0.00			0.00					0.01		2.85		
	Min. GM	0.11			1.51			1.10			0.00			1.10			0.00			0.00					0.00		1.68		
	Max. GM	1.50			2.96			3.61			9.81			12.85			0.00			0.00					0.03		4.68		
25	Ave. Sorghum	0.89			1.06			2.24			1.75			3.99			0.00			0.00					0.00		1.18		
	Min. Sorghum	0.11			0.05			0.54			0.00			1.10			0.00			0.00					0.00		0.00		
	Max. Sorghum	2.35			2.96			3.84			9.81			12.85			0.00			0.00					0.03		5.68		