

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	Total	B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg						
10	YM1	ND	ND	ND	ND	90	ND	ND	90	ND	ND	ND	ND	ND
10	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	YM2	ND	ND	ND	ND	51	ND	ND	51	ND	ND	ND	ND	ND
10	YM1	ND	ND	ND	ND	193	30	ND	223	303	151	ND	ND	ND
10	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
10	YM1	ND	ND	ND	ND	40	ND	ND	40	ND	ND	ND	ND	ND
10	YM1	ND	ND	ND	ND	ND	ND	ND	ND	567	169	ND	ND	ND
11	WM1	ND	ND	ND	ND	306	67	26	399	358	ND	ND	ND	ND
11	YM1	ND	ND	ND	ND	498	248	33	779	ND	ND	ND	ND	ND
11	YM2	ND	ND	ND	ND	52	ND	ND	52	ND	ND	ND	ND	ND
12	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
12	YM2	ND	ND	ND	ND	48	ND	ND	48	ND	ND	ND	ND	ND
12	YM2	ND	ND	ND	ND	82	20	ND	102	ND	ND	ND	ND	ND
12	WM1	ND	ND	ND	ND	66	ND	ND	66	ND	ND	ND	ND	ND
12	WM1	ND	ND	ND	ND	20	ND	ND	20	ND	ND	ND	ND	ND
12	WM1	33	9	6	ND	913	268	53	1 234	ND	ND	ND	ND	ND
12	WM2	ND	ND	ND	ND	481	107	41	629	ND	ND	ND	ND	ND
12	WM1	ND	ND	ND	ND	151	35	ND	186	ND	ND	ND	ND	ND
13	YM1	ND	ND	ND	ND	273	74	ND	347	ND	ND	ND	ND	ND
13	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	23	ND	ND	23	ND	ND	ND	ND	ND
13	YM2	ND	ND	ND	ND	422	76	41	539	ND	ND	ND	ND	ND
13	YM1	ND	ND	ND	ND	646	227	36	909	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
13	YM1	ND	ND	ND	ND	1 519	391	91	2 001	117	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	744	174	47	965	ND	ND	ND	ND	ND
13	COM	ND	ND	ND	ND	69	ND	ND	69	ND	ND	ND	ND	ND
13	WM3	ND	ND	ND	ND	261	72	ND	333	272	ND	ND	ND	ND
13	YM3	ND	ND	ND	ND	427	83	25	535	ND	ND	ND	ND	ND
13	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg				Total	DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOQ: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg	Total							
13	WM1	ND	ND	ND	ND	ND	658	160	44	862	ND	ND	ND	ND	ND	ND	
13	YM2	ND	ND	ND	ND	ND	1 440	377	180	1 997	289	ND	ND	ND	ND	ND	
13	YM1	ND	ND	ND	ND	ND	79	24	ND	103	ND	ND	ND	ND	ND	ND	
13	WM2	ND	ND	ND	ND	ND	109	21	ND	130	ND	ND	ND	ND	ND	ND	
13	WM1	ND	ND	ND	ND	ND	436	145	39	620	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	230	44	ND	274	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	72	ND	ND	72	ND	ND	ND	ND	ND	ND	
14	WM2	ND	ND	ND	ND	ND	683	176	51	910	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	167	29	ND	196	ND	ND	ND	ND	ND	ND	
14	YM2	ND	ND	ND	ND	ND	136	21	ND	157	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	575	196	42	813	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	215	49	ND	264	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	318	89	24	431	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	183	58	ND	241	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	72	23	ND	95	ND	ND	ND	ND	ND	ND	
14	YM1	ND	ND	ND	ND	ND	102	25	ND	127	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	69	22	ND	91	ND	ND	ND	ND	ND	ND	
14	WM1	ND	ND	ND	ND	ND	748	181	84	1 013	ND	ND	ND	ND	ND	ND	
15	WM1	ND	ND	ND	ND	ND	115	41	ND	156	ND	ND	ND	ND	ND	ND	
16	COM	ND	ND	ND	ND	ND	92	24	ND	116	ND	ND	ND	ND	ND	ND	
16	WM1	ND	ND	ND	ND	ND	133	44	ND	177	ND	ND	ND	ND	ND	ND	
16	WM1	ND	ND	ND	ND	ND	523	138	48	709	ND	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	151	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	WM2	ND	ND	ND	ND	ND	1 068	283	88	1 439	ND	ND	ND	ND	ND	ND	
17	WM3	ND	26	ND	13	39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg				Total	DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		G ₁	B ₁	G ₂	B ₂		B ₁	B ₂	B ₃								
		LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg	LOQ: 5 µg/kg		LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg	LOQ: 20 µg/kg							
17	YM2	ND	ND	ND	ND	ND	95	28	ND	123	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	102	20	ND	122	ND	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	ND	115	28	ND	143	ND	ND	ND	ND	ND	ND	
17	YM2	ND	ND	ND	ND	ND	65	21	ND	86	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	30	ND	ND	30	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	40	ND	ND	40	ND	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	66	ND	ND	66	ND	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	ND	1 807	323	70	2 200	ND	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	ND	33	ND	ND	33	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	77	ND	ND	77	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	151	42	ND	193	ND	ND	ND	ND	ND	ND	
17	YM2	ND	ND	ND	ND	ND	77	22	ND	99	ND	ND	ND	ND	ND	ND	
17	WM1	ND	ND	ND	ND	ND	84	30	ND	114	ND	ND	ND	ND	ND	ND	
17	YM1	ND	ND	ND	ND	ND	348	78	33	459	ND	ND	ND	ND	ND	ND	
18	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
18	WM1	ND	ND	ND	ND	ND	149	88	ND	237	ND	ND	ND	ND	ND	ND	
18	YM1	ND	ND	ND	ND	ND	34	ND	ND	34	103	ND	ND	ND	ND	ND	
18	WM3	ND	ND	ND	ND	ND	64	20	ND	84	1 391	290	93	ND	ND	ND	
18	WM2	ND	ND	ND	ND	ND	607	181	33	821	ND	ND	ND	ND	ND	ND	
18	YM3	ND	ND	ND	ND	ND	81	20	ND	101	ND	ND	ND	ND	ND	ND	
19	WM1	ND	ND	ND	ND	ND	111	29	ND	140	ND	ND	ND	ND	ND	ND	
19	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
19	YM2	ND	ND	ND	ND	ND	467	116	21	604	242	ND	ND	ND	ND	ND	
19	WM1	ND	ND	ND	ND	ND	111	24	ND	135	ND	ND	ND	ND	ND	ND	
19	YM1	ND	ND	ND	ND	ND	247	51	ND	298	ND	ND	ND	ND	ND	ND	
19	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
19	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
19	COM	ND	ND	ND	ND	ND	216	39	ND	255	ND	ND	ND	ND	ND	ND	
19	YM1	ND	ND	ND	ND	ND	261	98	ND	359	ND	ND	ND	ND	ND	ND	

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg					Total	Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg	
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	Total		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg							Total
19	WM2	ND	ND	ND	ND	ND	50	ND	ND	50	103	ND	ND	ND	ND		
19	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
19	WM1	ND	ND	ND	ND	ND	554	165	36	755	ND	ND	ND	ND	ND		
19	YM1	ND	ND	ND	ND	ND	45	ND	ND	45	ND	ND	ND	ND	ND		
19	WM2	ND	ND	ND	ND	ND	76	20	ND	96	164	ND	ND	ND	ND		
19	WM1	ND	ND	ND	ND	ND	573	115	41	729	160	ND	ND	ND	ND		
19	YM1	ND	ND	ND	ND	ND	201	33	ND	234	ND	ND	ND	ND	ND		
19	YM1	ND	ND	ND	ND	ND	47	ND	ND	47	191	ND	ND	ND	ND		
19	WM1	ND	ND	ND	ND	ND	141	39	ND	180	ND	ND	ND	ND	ND		
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
20	WM1	ND	ND	ND	ND	ND	248	67	20	335	ND	ND	ND	ND	ND		
20	YM2	ND	ND	ND	ND	ND	115	23	ND	138	304	ND	60	ND	ND		
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
20	WM3	ND	6	ND	ND	6	108	ND	ND	108	ND	ND	ND	ND	ND		
20	YM1	ND	ND	ND	ND	ND	695	181	33	909	ND	ND	ND	ND	ND		
20	WM1	ND	ND	ND	ND	ND	22	ND	ND	22	197	ND	ND	ND	ND		
20	WM1	ND	ND	ND	ND	ND	31	ND	ND	31	236	ND	ND	ND	ND		
20	WM1	ND	ND	ND	ND	ND	392	67	27	486	ND	ND	ND	ND	ND		
20	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
20	WM1	ND	ND	ND	ND	ND	45	ND	ND	45	ND	ND	ND	ND	ND		
20	YM1	ND	ND	ND	ND	ND	500	156	25	681	ND	ND	ND	ND	ND		
20	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	328	ND	ND	ND	ND		
20	WM1	ND	ND	ND	ND	ND	149	27	ND	176	800	190	ND	ND	ND		
20	YM3	ND	ND	ND	ND	ND	218	54	ND	272	164	ND	25	ND	ND		
21	YM1	ND	ND	ND	ND	ND	63	23	ND	86	ND	ND	ND	ND	ND		
21	COM	ND	ND	ND	ND	ND	54	ND	ND	54	135	ND	ND	ND	ND		
21	WM1	ND	ND	ND	ND	ND	107	ND	ND	107	ND	ND	ND	ND	ND		
21	YM1	ND	ND	ND	ND	ND	1 056	262	55	1 373	124	ND	ND	ND	ND		
21	WM1	ND	ND	ND	ND	ND	79	22	ND	101	ND	ND	ND	ND	ND		
21	YM2	ND	ND	ND	ND	ND	175	43	ND	218	ND	ND	ND	ND	ND		

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg						Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		G ₁	B ₁	G ₂	B ₂	Total	B ₁	B ₂	B ₃	Total						
21	YM2	ND	ND	ND	ND	ND	454	125	34	613	206	ND	ND	ND	ND	ND
21	WM2	ND	ND	ND	ND	ND	159	71	ND	230	ND	ND	ND	ND	ND	ND
21	YM2	ND	ND	ND	ND	ND	324	78	31	433	528	238	23	ND	ND	ND
21	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
22	YM2	ND	ND	ND	ND	ND	137	27	ND	164	ND	ND	ND	ND	ND	ND
22	YM1	ND	ND	ND	ND	ND	774	228	62	1 064	ND	ND	ND	ND	ND	ND
22	WM1	ND	ND	ND	ND	ND	344	86	33	463	ND	ND	ND	ND	ND	ND
22	WM1	ND	ND	ND	ND	ND	189	38	20	247	ND	ND	ND	ND	ND	ND
22	YM1	ND	ND	ND	ND	ND	1 333	434	76	1 843	ND	ND	ND	ND	ND	ND
22	WM2	ND	ND	ND	ND	ND	917	283	51	1 251	ND	ND	ND	ND	ND	ND
22	WM1	ND	ND	ND	ND	ND	214	49	ND	263	ND	ND	ND	ND	ND	ND
23	YM1	ND	ND	ND	ND	ND	26	ND	ND	26	ND	ND	ND	ND	ND	ND
23	WM1	ND	ND	ND	ND	ND	784	202	50	1 036	ND	ND	ND	ND	ND	ND
23	YM1	ND	ND	ND	ND	ND	2 714	505	163	3 382	ND	ND	ND	ND	ND	ND
23	WM2	ND	ND	ND	ND	ND	362	118	31	511	ND	ND	ND	ND	ND	ND
23	YM1	ND	ND	ND	ND	ND	81	ND	ND	81	ND	ND	ND	ND	ND	ND
23	WM1	ND	ND	ND	ND	ND	118	36	ND	154	ND	ND	ND	ND	ND	ND
23	YM1	ND	ND	ND	ND	ND	205	56	31	292	ND	ND	ND	ND	ND	ND
23	WM1	ND	ND	ND	ND	ND	1 301	311	115	1 727	ND	ND	ND	ND	ND	ND
24	YM1	ND	ND	ND	ND	ND	530	117	31	678	ND	ND	ND	ND	ND	ND
24	WM1	ND	ND	ND	ND	ND	354	113	ND	467	ND	ND	ND	ND	ND	ND
24	YM1	ND	ND	ND	ND	ND	210	40	ND	250	ND	ND	ND	ND	ND	ND
24	WM3	ND	ND	ND	ND	ND	818	268	71	1 157	156	ND	ND	ND	ND	ND
24	WM1	ND	ND	ND	ND	ND	214	67	ND	281	ND	ND	ND	ND	ND	ND
25	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
25	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	289	106	ND	ND	ND	ND
25	YM1	ND	ND	ND	ND	ND	138	42	ND	180	ND	ND	ND	ND	ND	ND
25	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	652	200	25	ND	ND	ND
25	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	618	194	ND	ND	ND	ND
26	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg					Total	Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg	
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	Total		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg							Total
26	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
26	YM2	ND	ND	ND	ND	ND	ND	22	ND	22	ND	ND	ND	ND	ND		
26	WM1	ND	ND	ND	ND	ND	ND	51	ND	51	ND	ND	ND	ND	ND		
26	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	126	ND	ND	ND	ND		
26	YM1	ND	ND	ND	ND	ND	ND	178	46	224	260	ND	ND	ND	ND		
27	YM1	ND	ND	ND	ND	ND	ND	950	251	1 258	ND	ND	ND	ND	ND		
27	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	106	ND	ND	ND	ND		
28	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	3 167	890	78	ND	ND		
28	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	229	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	723	ND	94	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	692	110	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	269	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	179	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	71	ND	ND		
28	YM2	ND	ND	ND	ND	ND	ND	241	66	307	ND	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	166	ND	ND	ND	ND		
28	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	327	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
28	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	202	ND	ND	ND	ND		
28	WM3	ND	ND	ND	ND	ND	ND	23	ND	23	9 736	1 768	337	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	106	ND	ND	ND	ND		
28	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	137	ND	ND	ND	ND		
29	WM2	ND	ND	ND	ND	ND	ND	540	138	727	142	ND	ND	ND	ND		
29	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
29	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	3 260	764	78	ND	ND		
29	YM1	ND	ND	ND	ND	ND	ND	47	ND	47	ND	ND	ND	ND	ND		
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	985	174	ND	ND	ND		

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg					Total	Fumonisin µg/kg				DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	Total		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg	Total						
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	53	24	ND	77	460	120	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	105	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	484	207	37	728	ND	ND	ND	ND	ND	ND	ND
29	YM2	ND	ND	ND	ND	ND	698	227	43	968	593	ND	ND	32	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	105	ND	ND	ND	ND	ND	ND
29	YM2	ND	ND	ND	ND	ND	410	156	30	596	ND	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	171	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	453	151	24	628	265	ND	ND	ND	ND	ND	ND
29	YM3	ND	ND	ND	ND	ND	504	133	24	661	ND	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	110	ND	ND	110	ND	ND	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	186	72	ND	258	142	ND	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	50	ND	ND	50	ND	ND	ND	ND	ND	ND	ND
29	YM1	ND	ND	ND	ND	ND	147	42	ND	189	ND	ND	ND	ND	ND	ND	ND
29	WM1	ND	ND	ND	ND	ND	ND	ND	ND	163	1000	ND	ND	105	ND	ND	ND
29	WM2	ND	ND	ND	ND	ND	581	156	33	770	157	ND	ND	ND	ND	ND	ND
29	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
29	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	144	ND	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	144	ND	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	106	ND	ND	ND	ND	ND	ND
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	781	196	ND	ND	ND	ND	ND
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg						Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg	
		G ₁	B ₁	G ₂	B ₂	Total		B ₁	B ₂	B ₃							Total
						LOQ: 5 µg/kg	LOQ: 5 µg/kg										
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	324	ND	ND	ND	ND	ND	
30	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	308	ND	37	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	180	ND	ND	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 419	120	32	ND	ND	ND	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	236	ND	ND	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	591	ND	ND	ND	ND	ND	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	318	ND	20	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	858	155	ND	ND	ND	ND	
30	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	148	ND	ND	ND	ND	ND	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	242	ND	ND	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	167	ND	ND	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	298	ND	ND	ND	ND	ND	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	162	ND	ND	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	145	ND	ND	ND	ND	ND	
30	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	224	ND	ND	ND	ND	ND	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	101	ND	ND	ND	ND	ND	
30	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	335	ND	ND	ND	ND	ND	
30	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	409	106	ND	ND	ND	ND	
30	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	376	211	26	ND	ND	ND	
31	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	465	ND	ND	ND	ND	ND	
31	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
31	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	121	ND	ND	ND	ND	ND	
31	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	
31	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	273	ND	ND	ND	ND	ND	
31	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Total	Fumonisin µg/kg			DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg						
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM2	ND	ND	ND	ND	ND	ND	ND	209	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	959	287	74	1 320	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	106	ND	ND	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	ND	ND	478	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	223	ND	ND	60	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	48	ND	126	ND	ND	48	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	109	31	ND	ND	ND	ND	ND	ND	ND
31	YM2	ND	ND	ND	ND	ND	330	100	ND	152	ND	127	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	188	61	145	ND	ND	ND	ND	ND	ND
31	YM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	70	ND	470	127	ND	ND	ND	ND	ND
31	WM1	ND	ND	ND	ND	ND	87	21	375	ND	ND	25	ND	ND	ND
31	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	71	ND	ND	ND
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
32	WM2	ND	ND	ND	ND	ND	24	ND	1 617	202	ND	212	ND	ND	ND
32	WM2	ND	ND	ND	ND	ND	43	ND	1 047	182	ND	91	ND	ND	ND
32	YM2	ND	ND	ND	ND	ND	ND	ND	213	ND	ND	ND	ND	ND	ND
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
32	WM1	ND	ND	ND	ND	ND	ND	ND	154	ND	ND	ND	ND	ND	ND
32	YM2	ND	ND	ND	ND	ND	313	69	ND	ND	ND	23	ND	ND	ND
32	WM1	ND	ND	ND	ND	ND	ND	ND	565	108	ND	25	ND	ND	ND
32	WM1	ND	ND	ND	ND	ND	44	ND	ND	ND	ND	ND	ND	ND	ND
32	WM1	ND	ND	ND	ND	ND	ND	ND	184	ND	ND	ND	ND	ND	ND
32	YM2	ND	ND	ND	ND	ND	161	49	ND	ND	ND	ND	ND	ND	ND
32	YM1	ND	ND	ND	ND	ND	889	308	39	1 236	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg					Total	Fumonisin µg/kg				DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	Total		B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg	Total						
32	YM1	ND	ND	ND	ND	ND	ND	593	162	31	786	ND	ND	ND	ND	ND	ND
32	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	335	ND	ND	ND	ND	ND
32	YM2	ND	ND	ND	ND	ND	ND	436	101	ND	537	110	ND	ND	ND	ND	ND
32	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
32	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	243	ND	ND	ND	ND	ND
32	WM2	ND	ND	ND	ND	ND	ND	457	137	47	641	135	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
33	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	138	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	192	188	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	41	ND	ND	41	851	228	38	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	231	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	36	ND	ND	36	400	ND	29	ND	ND	ND
33	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140	ND	ND	ND	ND	ND
33	COM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	748	227	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	179	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	660	146	ND	806	177	ND	ND	ND	ND	ND
33	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	473	157	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	260	ND	ND	ND	ND	ND
33	WM3	ND	ND	ND	ND	ND	ND	508	161	ND	669	1 218	183	69	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	37	ND	ND	37	ND	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	351	62	ND	413	ND	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	437	134	23	ND	ND	ND
33	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	349	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	106	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	127	ND	ND	ND	ND	ND
33	COM	ND	ND	ND	ND	ND	ND	136	43	ND	179	253	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg						Total	Fumonisin µg/kg				DON µg/kg	15-ADON µg/kg	Ochratoxin A µg/kg	Zearalenone µg/kg	HT-2 µg/kg	T-2 µg/kg
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	Total			B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg	B ₃ LOQ: 20 µg/kg	Total						
						LOQ: 5 µg/kg	LOQ: 5 µg/kg											
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	254	ND	ND	ND	ND	ND	ND
33	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	206	ND	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	362	157	ND	ND	ND	ND	ND
33	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	141	ND	ND	ND	ND	ND	ND
34	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	113	ND	ND	ND	ND	ND	ND
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	318	ND	ND	ND	ND	ND	ND
34	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	506	112	ND	ND	ND	ND	ND
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	ND	ND	ND	ND
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	136	ND	ND	ND	ND	ND	ND
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	596	287	ND	ND	ND	ND	ND
34	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	484	239	ND	ND	ND	ND	ND
34	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	142	ND	ND	35	ND	ND	ND
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	221	ND	ND	ND	ND	ND	ND
34	WM3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 135	215	ND	31	ND	ND	ND
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
34	YM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	168	ND	ND	ND	ND	ND	ND
34	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
35	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	84	ND	ND	ND	ND	ND	ND

TABLE 22: MYCOTOXIN RESULTS - MAIZE CROP QUALITY 2014/2015 (continue)

Region	Grade	Aflatoxin µg/kg				Fumonisin µg/kg			DON µg/kg LOQ: 100 µg/kg	15-ADON µg/kg LOQ: 100 µg/kg	Ochratoxin A µg/kg LOQ: 5 µg/kg	Zearalenone µg/kg LOQ: 20 µg/kg	HT-2 µg/kg LOD: 20 µg/kg	T-2 µg/kg LOQ: 20 µg/kg
		G ₁ LOQ: 5 µg/kg	B ₁ LOQ: 5 µg/kg	G ₂ LOQ: 5 µg/kg	B ₂ LOQ: 5 µg/kg	Total	B ₁ LOQ: 20 µg/kg	B ₂ LOQ: 20 µg/kg						
35	YM1	ND	ND	ND	ND	ND	175	35	ND	ND	ND	ND	ND	
35	YM1	ND	ND	ND	ND	ND	81	ND	ND	ND	ND	ND	ND	
35	WM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
36	WM1	ND	ND	ND	ND	ND	70	ND	ND	ND	24	ND	ND	
36	YM1	ND	ND	ND	ND	ND	146	64	ND	167	ND	ND	ND	
36	YM2	ND	ND	ND	ND	ND	53	ND	ND	190	124	ND	ND	
36	WM1	ND	ND	ND	ND	ND	ND	ND	135	ND	ND	ND	ND	
36	WM2	ND	ND	ND	ND	ND	1 229	266	80	ND	ND	ND	ND	
36	YM1	ND	ND	ND	ND	ND	ND	ND	120	ND	ND	ND	ND	
36	YM2	ND	ND	ND	ND	ND	230	78	23	372	42	ND	ND	
36	WM1	ND	ND	ND	ND	ND	ND	ND	ND	477	23	ND	ND	
36	YM1	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	
36	WM1	ND	ND	ND	ND	ND	70	ND	70	ND	ND	ND	ND	
36	YM1	ND	ND	ND	ND	ND	39	ND	39	204	29	ND	ND	
36	YM1	ND	ND	ND	ND	ND	ND	ND	107	ND	ND	ND	ND	
36	WM1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
36	YM2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
36	WM2	ND	ND	ND	ND	ND	155	33	ND	992	24	ND	ND	
36	YM1	ND	ND	ND	ND	ND	203	26	ND	118	ND	ND	ND	
36	WM1	ND	ND	ND	ND	ND	940	266	43	1 285	36	ND	ND	
Total number of samples		350	350	350	350	350	350	350	350	350	350	350	350	
Average of total number of samples		0	0	0	0	0	172	43	9	183	6	0	0	
Number of positive results		1	3	1	1	3	197	142	64	143	37	0	0	
Average of positive results		33	14	6	13	31	305	107	48	447	60	-	-	
Maximum of positive results		33	26	6	13	48	2 714	505	180	9 736	337	-	-	

Note:

Limit of quantitation (LOQ) means the lowest concentration level that can be quantified with acceptable precision and accuracy by the LC-MS/MS.

A concentration measured below the LOQ is reported as <LOQ.

Limit of detection (LOD) is the lowest concentration level that can be detected but not quantified and is 50% of the LOQ of each mycotoxin.

A concentration measured below the LOD is reported as not detected (ND).

µg/kg = ppb (parts per billion)